



Global Supply®
Your Reliable Government Source

U.S. General Services Administration

Wildland Fire Equipment 2011

www.GSAglobalsupply.gsa.gov



GSA Proudly Supports Our Wildland Firefighters

GSA – A Partner In Wildland Fire Protection

GSA maintains a firm commitment to supporting the Fire Suppression Program and is constantly striving to provide the highest-quality supplies and equipment to our wildland firefighting customers. We have partnered with customers like you for more than 50 years and supplied many of the critical tools they needed to achieve their respective missions. This publication acts as a supplement to the GSA Global Supply™ Catalog and is issued as a convenience to federal, state and local agencies engaged in wildland firefighting, as well as other non-federal organizations operating under written cooperative agreements with the U.S. Forest Service. GSA's objectives are to:

- (1) Facilitate advanced procurement;
- (2) Assist in the standardization of wildland fire protection supplies and equipment;
- (3) Maximize savings via consolidated purchasing; and
- (4) Provide fast, direct distribution of supplies and equipment.

As the 2011 fire season approaches, please keep in mind that GSA employees remain committed to serving you and your colleagues. We will continue to be Your Reliable Government Source.

*Bill Hicks,
GSA Fire Program Coordinator*



Photo Credits: Photos of fires and firefighters in this publication are courtesy of the U.S. Air Force, U.S. Department of Defense (Defenseimagery.mil), FEMA Photo Library (Federal Emergency Management Agency – U.S. Department of Homeland Security), U.S. Fish & Wildlife Service National Digital Library, U.S. National Park Service (nps.gov), Department of the Interior Bureau of Land Management and Inciweb (Incident Information System).

Cover photos: Photographer Unknown/INCIWEB/BLM, Secretst2 IMT, Photographer Unknown/BLM

Interior photos: Photographer Unknown/NPS (inside front cover, 2, 3, 29, 35 and 41); Master Sgt. Dan Kacir (page 1); Photographer Unknown/INCIWEB (pages 1, 2, 3, 4 and 8); U.S. Forestry Service (page 2); Joel Carpenter (page 6); Gabe Pease-Mador (page 7); Dave Fauss (page 8); Master Sgt. Dan Kacir (page 22); Susan Scott (page 48)

For more information about the fire and firefighter photos used in this publication, visit the following websites:

<http://www.nps.gov>

<http://defenseimagery.mil/index.html>

<http://www.photolibrary.fema.gov/photolibrary/index.jsp>

www.fws.gov/digitalmedia

www.blm.gov/wo/st/en/bpd.html

www.inciweb.org

Wildland Fire Equipment Products from GSA!



We are proud to present this special catalog spotlighting wildland fire equipment available from GSA. From hand tools to protective gear, GSA offers a variety of products that carry our service guarantees:

- Easy Requisitions – See It. Buy It. Get It.
- Flexible – Featuring Multiple Ordering Options.
- Reliable – Delivering the Products You Need, Where You Need Them.
- Anywhere – Assuring Global Delivery.
- Anytime – Supporting 24/7 Purchasing.
- More – Offering Extensive Product Selection.
- Safe – Providing Easy Compliance.

The items in this publication are also available online. Visit us online at www.GSAGlobalsupply.gsa.gov.



Contents

Introduction

About This Catalog	2
How to Submit Your Order	4
Reporting Discrepancies	7

Wildland Fire Equipment

Hand Tools	9
Sheaths	10
Handles and Handle Wedges	11
Hoses and Gaskets	12
Water-Handling Accessories	13
Pumps and Accessories	18
Chainsaw Accessories	20
Fuel Storage	21
Batteries	21
Headlamps and Lightsticks	22
First Aid	22
Personal Protection	24
Packs and Accessories	32
Canteens, Water Bags and Accessories	34
Food-Handling Equipment	35
Sleeping Bags and Accessories	37
Personal Grooming Aids	38
Pails	39
Rope and Cord	39
Wiping Cloth	39
Packaging Material	40
Weather Gear	42
Ignition Devices	43
Aviation Equipment	43
Marking Material	44
Fire Forms	45
Office Supplies	46

General Information

Customer Service Director Program	48
National Fire Cache System	50
Requisitioning from DLA	52
Defense Logistics Agency (DLA) Items	53

Indexes

NFES Index (NSN Cross-Reference)	55
Alphabetical Index	65
NSN Index	69

Order Forms (located at the end of this catalog)

Standard Form (SF) 344
GSA Form 3222

About This Catalog

This Wildland Fire Equipment Catalog is the basic supply publication for use by the U.S. Forest Service (USFS), Bureau of Land Management (BLM), Bureau of Indian Affairs (BIA), U.S. Fish & Wildlife Service (USF&WS), National Park Service (NPS), and other Forest Service-sponsored participants in the government-wide wildland firefighting effort.

This catalog, issued annually, contains descriptions and ordering data for wildland fire protection equipment and supplies managed by GSA. Each item is indexed alphabetically by name and numerically by National Stock Number (NSN) and National Fire Equipment System (NFES) number.

Your suggestions for improvements to this catalog are invited at all times. Items will be deleted or added as needed, provided they meet the criteria established by GSA, USFS and BLM. Questions or comments should be directed to GSA Fire Program Coordinator Bill Hicks by telephone at (817) 850-8244 or (817) 456-5161 or e-mail at bill.hicks@gsa.gov.

To receive future Wildland Fire Equipment Catalogs automatically, visit www.gsa.gov/cmls. From this site, you can access the Centralized Mailing List Service website, where you can subscribe. Under the "My Account" tab, select "Wildland Fire Equipment Catalog" as a publication you want automatically shipped to you. Facilities with requirements for the Wildland Fire Equipment Catalog in bulk quantities should contact Therese Anderson at therese.anderson@gsa.gov or (312) 886-8972.

Additional or replacement copies of the Wildland Fire Equipment Catalog can be ordered year-round. View a printable PDF of the catalog online or order copies at the CMLS website. Orders can also be placed by e-mailing cmls@gsa.gov, calling (817) 334-5215, or faxing (817) 334-5561. Please include your name, phone number, e-mail address, mailing address, and the quantity of catalogs requested.

This catalog is updated and published annually and is distributed each spring.



Clearances

GSA has complied with all regulations governing the purchase of items available from the Federal Prison Industries, Inc., Federal Supply Schedule contractors, NISH, National Industries for the Blind (NIB), and the Government Printing Office (GPO). Ordering offices are not required to obtain clearance on items available from these sources when ordering directly from GSA.

Freight Charges

The cost of normal motor-carrier transportation to consignees located in the United States (except certain areas of Alaska) is included in the prices shown in this catalog. Premium transportation (such as air freight, emergency trip, or exclusive use of vehicle service) must be paid by the requisitioner, and appropriate transportation funds must be cited when placing the order.

Prices

Prices are on a Freight on Board (F.O.B.) destination basis for surface transportation to consignees in the United States. Special transportation payment policy is applied to Alaskan shipments, depending on the ultimate destination. Any requirements for premium transportation must be paid by the ordering activity.

Note: The prices in the publication are established each year as of April 1. In most cases, they remain in effect through March 31 of the following year; however, from time to time, it is necessary to make changes **without notice**. This happens when new contract prices are significantly higher or lower, in which case adjustments must be made. To obtain the most current prices, we recommend contacting the Fort Worth Customer Assistance Branch at (800) 525-8027, **option 3**, or researching the NSN through the GSA Global Supply™ website at www.GSAGlobalsupply.gsa.gov or GSA Advantage!® at www.gsaadvantage.gov.



About This Catalog



Specification References

The specifications cited in catalog descriptions may undergo a series of revisions (indicated by successive suffix letters) to keep current with industry changes and agency needs. Because it is not feasible to show the latest revision on the catalog publication date, only the basic specification is referenced in this catalog. Although stock items are always procured under the latest edition of a specification in effect at the time of procurement, on-hand stock that was procured under a previous edition of a specification will be issued until the supply is depleted.

The National Stock Number

The National Stock Number (NSN) is used for requisitioning, new procurements, existing contracts, shipments, shippers' invoices, payments, cataloging, stock records, etc. Accordingly, the items in this catalog are identified by 13-digit NSNs. For further information on NSNs, consult the FEDSTRIP Operating Guide (Mail List code 5-06-00135), which is available from GSA's Centralized Mailing List Service (CMLS). Please visit www.gsa.gov/cmls, call (817) 334-5215, fax (817) 334-5561 or e-mail cmls@gsa.gov.



For the latest information and news about the Wildland Fire Program, visit our website at www.gsa.gov/fireprogram.

Units of Issue Used in This Catalog

BE	Bale	LG	Length
BD	Bundle	OZ	Ounce
BK	Book	PD	Pad
BX	Box	PG	Package
CL	Coil	PR	Pair
DZ	Dozen	QT	Quart
EA	Each	RO	Roll
HD	Hundred	SL	Spool
KT	Kit	YD	Yard

Note: The name or nomenclature used in this publication may not be the Approved Item Name recorded in the Federal Catalog System. In many cases, a name more oriented to our customers is provided.

Icon Key

The following is a list of icons used in this publication and the information each icon represents:



Key information to help buying decisions.



Includes information on recycled content.



The product is part of a specific standard pack. Standard pack is a guide to how many items are packed in a single case. Standard pack does not mean "minimum order."



Material Safety Data Sheet (MSDS) is available.



Comprehensive Procurement Guideline Compliant; the EPA designates these items with required recycled content.



Items with biodegradable packing materials as required by U.S. Navy's Plastics Removal in Marine Environments program.



Contact us for more information.

How To Submit Your Order

Emergency Requisitions

During extreme fire situations, it is imperative that we process your order in the most expeditious manner. The following emergency order procedures will assist both the customer and GSA in the elimination of bottlenecks and ensure the smooth processing of your order. Emergency fire orders should be submitted by telephone or fax (Standard Form 344 or GSA Form 3222) to the following offices:

Monday through Friday: 7:30 a.m. – 4:15 p.m. (Central Time)

GSA Customer Assistance Branch, Fort Worth, TX

Telephone: (800) 525-8027, option 3

Fax: (817) 574-2551, or (817) 574-2552

Monday through Friday: 4:15 p.m. – 5:15 p.m. (Central Time)

GSA Western Distribution Center, French Camp, CA

Telephone: (209) 547-8669

Alternate Telephone: (209) 547-8693

Fax: (209) 547-8745 or (209) 547-8744

Reminder! When faxing an order to French Camp, please notify personnel that the order is on the way.

After-Hours, Weekends and Holidays

First, try the GSA Western Distribution Center numbers listed above. If there is no answer, call French Camp's answering service at (209) 929-6959 and advise the operator that you have an emergency fire order to submit and need to contact depot personnel. Give the operator your name and telephone number. The answering service will contact depot personnel and relay your message. Depot personnel will then return your call and take care of the situation. During fire season, depot personnel are on standby to handle any emergencies.

If you experience trouble contacting any of the above after-hours numbers, please call (888) 282-7862 (monitored 24 hours a day) and leave a message containing a telephone number where you can be reached. The duty officer will contact a GSA employee who will return your call as soon as possible.

The above procedures should produce a prompt response to your emergency situation. If additional assistance is required, please contact Bill Hicks, GSA Fire Program Coordinator, at (817) 850-8244 (office) or (817) 456-5161 (cell).



Routine Requisitions

Routine fire orders should be sent to our Fort Worth office, which has management responsibility over the fire program. Mail or fax your order to:

GSA/FAS Southwest Supply Center, Customer Assistance Branch

Attention: QSDLBB

819 Taylor St.

Fort Worth, TX 76102

Telephone: (800) 525-8027, option 3

Fax: (817) 574-2551 or (817) 574-2552

Please remember: Inquiries about the status of fire-item requisitions should also be directed to the office listed above.

Requisition Priority Codes

The originator of a requisition is required to enter a priority designator code on each requisition. This entry indicates the relative importance of the requisition. Standard Delivery Days (SDD) indicate the elapsed time from the date GSA receives requisitions for stock items, which are not back-ordered, to the date of delivery to destinations in the 48 continental states.

CODE 03

Will be used for disaster supplies or equipment required immediately for prolonging life in case of disaster, critical injury, fatal disease, or calamity.

7 Standard Delivery Days

CODE 08

The item required is one without which the activity concerned is unable to perform assigned operational mission or tasks, or such condition is imminent.

11 Standard Delivery Days

CODE 15

Routine stock replenishment.

29 Standard Delivery Days

Note: For more detailed information, please refer to the FEDSTRIP Operating Guide, FPMR 101-26.2 (publication number 5-06-00135), which is available from GSA's Centralized Mailing List Service by visiting the website via www.gsa.gov/cmls, calling (817) 334-5215, faxing (817) 334-5561, or e-mailing cmls@gsa.gov.

How To Submit Your Order

GSA Global Supply™ or GSAAdvantage!®?


Many GSA fire customers are familiar with GSAAdvantage! for online ordering. Another excellent GSA resource for pricing information and ordering is the GSA Global Supply website, available at www.GSAGlobalsupply.gsa.gov. The main difference between the two is that the GSA Global Supply site does not display any products from GSA Multiple Award Schedule (MAS) vendors. Every item on this site is a GSA Global Supply item; therefore, search results are generally shorter, easier to review, and simpler to use. To compare the two sites, please check the table below for key attributes.

GSA Global Supply facilitates compliance with all federal regulations.

Online FEDSTRIP Process:

Customers must have an AAC or DODAAC and log in using their respective User IDs and passwords. First-time users can register and select a user ID and password. Once registered, users click on the FEDSTRIP link to access the screen shown below.

Customers may enter NSNs or part numbers, quantities and any exception data. Links are provided to reference materials (including the FEDSTRIP Operating Guide) for detailed explanations of screens and fields.



Comparison Table


Attributes	GSA Global Supply	GSAAdvantage!
URL	www.GSAGlobalsupply.gsa.gov	www.gsaadvantage.gov
Availability	24 hours a day, 7 days a week	24 hours a day, 7 days a week
Displays GSA Fire items	Yes	Yes
Accepts GSA SmartPay®	Yes	Yes
AAC billing available	Yes	Yes – Only for GSA Global Supply items No – GSA MAS items*
Displays expanded GSA Global Supply inventory	Yes	Yes
Displays Schedule vendors' items	No	Yes
Allows phased deliveries	Yes	Yes
Accepts orders for non-GSA NSNs	Yes	Yes

* "GSA Global Supply items" refers to products managed and billed by GSA Global Supply. "GSA MAS items" refers to products offered by commercial vendors holding a GSA MAS contract. These vendors generally bill the customer's purchase card and cannot bill a customer via AAC.

How To Submit Your Order


Reminder for USDA Customers:

The USDA accounting system requires USDA customers to provide a Document Reference Number (DRN) with Activity Address Code (AAC) orders. Orders called in to GSA or placed online at either the GSA Global Supply™ website or GSAAdvantage!® can accommodate a DRN; therefore, USDA customers wishing to arrange payment via their AAC have multiple ordering options. Purchase-card orders do not require a DRN and can be submitted through any of the ordering mechanisms noted above. This change does not affect U.S. Forest Service cooperators or Department of Interior organizations. Reminder: The requirement to provide a DRN with FEDSTRIP orders is mandated by USDA, not GSA.



Orders with DRNs:

USDA customers can use the GSA Global Supply website or GSAAdvantage! to compile an order. When your order is complete, click "checkout." At step one of the checkout process, select "Activity Address Code" and enter the relevant AAC. After verifying shipping information in step two, you can enter appropriation data in step three. At this point, you can enter the appropriate DRN data and then proceed to finish the checkout process.



More Information

GSA Multiple Award Schedules

By offering supplies that cover the breadth of the commercial marketplace, the GSA Multiple Award Schedule (MAS) program enables your agency to choose from thousands of products and services available from hundreds of pre-qualified vendors. Typically, this method of procurement is quicker and easier than open-market procurements. Although an acquisition is a more involved option than a requisition through GSA Global Supply™, issuing a purchase order through the MAS program may be appropriate for obtaining products not widely requested enough to be included in the GSA Global Supply inventory. For more information, visit www.gsa.gov/products.

Ensuring Reuse with GSA Personal Property Management

Screening other agencies' excess personal property inventories is the federal government's priority source of supply. And with today's increased environmental consciousness, reusing excess property is a source of pride. To help you acquire the excess property your agency needs, GSA offers www.gsa.gov/gsexcess, the personal-property reporting tool for the federal government. At GSAXcess®, reporting, searching and selecting excess property is convenient and user-friendly.

Special Order Program (SOP)

GSA Global Supply has a robust Special Order Program (SOP). Customer agencies can place requisitions for NSN or part-numbered items with GSA Global Supply and be assured that GSA will take all the necessary steps to ensure compliance with Federal Acquisition Regulation (FAR) and executive orders. GSA Global Supply's SOP includes a wide variety of products and related services, such as tools and hardware, office products, cleaning supplies and fire equipment. SOP items can be ordered from GSA Global Supply by calling the GSA Global Supply call center at (800) 525-8027 or via FEDSTRIP/MILSTRIP. GSA Global Supply stores or military base stores supported by GSA Global Supply can also assist with placement of SOP orders (visit www.gsa.gov/globalsupply for more information on GSA Global Supply stores and base partners).



Reporting Discrepancies

GSA Global Supply is committed to providing quality products and resolving problems with professional service. There are several ways to report a discrepancy:

Telephone Call (800) 525-8027 and select "option 2" for customer service. Indicate that you are calling about a fire suppression item. The call center is staffed 7 a.m. – 6 p.m. (CT). Callers outside those hours should leave a clear message that includes a name, a commercial phone number, and a brief description of the problem.

eResolve Report a problem by using eResolve, an online customer solution service. eResolve allows direct reporting of problems with a requisition or GSA Global Supply shipment, including damage, short/over, wrong item, quality, tracing shipments, and merchandise return issues. To use eResolve, log on to www.gsa.gov/ncsc and select the links for eResolve.

E-mail Send a message to NCSCcustomer.service@gsa.gov indicating "Fire Suppression" in the subject line.

Customers seeking the product Quality Deficiency Report (QDR) form can download it online at www.gsa.gov/forms after searching for Standard Form 368. Although GSA prefers customers to utilize the telephone or electronic methods mentioned above, forms can still be sent via the following methods:

Fax (816) 926-5561

Mail U.S. General Services Administration
Attn: Fire Suppression
National Customer Service Center (QCOCC)
1500 E. Bannister Road, Bldg. 4
Kansas City, MO 64131-3088

GSA Automotive Helps Agencies Save Lives and Protect Property

GSA's Office of Vehicle Acquisition and Leasing Services' Automotive Division helps agencies defend the security of our homeland and protect our overseas bases with our contracts for firefighting vehicles. Our firefighting vehicle program offers a wide range of firefighting apparatuses to assist agencies in accomplishing their mission.



GSA MAS 23V offers firefighting vehicles compliant with the National Fire Protection Association (NFPA) standards, and vehicles that are compliant with the Federal Aviation Administration (FAA) Circular 150/5220. Each base model comes with various options for customizing your firefighting vehicle. Delivery times are as short as 180 days.

Under Vehicular Multiple Award Schedule (VMAS) 23V, Category 190-01, the following types of vehicles are available:

- NFPA 1901 compliant Command, Pumper, Initial Attack, Mobile Water Supply, Aerial, Quint, Special Service, and Mobile Foam Apparatus.
- NFPA 414 & FAA Circular 150/5220-10 compliant Aircraft Rescue and Fire Fighting Vehicles
- NFPA 1906 compliant Wildland Fire Apparatus
- NFPA 1901 & 1912 compliant Custom Fire Fighting Chassis and Fire Fighting Vehicle Glider Kits
- NFPA 1906 compliant Wild Land Fire Apparatus Vehicle bodies to be mounted on Government provided chassis.

NOTE: Category 190 01 is FOB Origin

For current contractor information, visit GSA's eLibrary at www.gsaelibrary.gsa.gov. You may place your order directly with the contractor, or GSA can place your order for a 1 percent surcharge (applies only for federal customers). For more information, please contact our Customer CARE staff at (703) 605-CARS(2277) or visit www.gsa.gov/vehicle/buying.



Hand Tools

Single-Bit Ax

A. Boy's-style ax includes a 24"-long hickory handle, which is secured with adhesive bonding and a plastic wedge. Features a 2-1/4-lb. head and a 4"-wide cutting edge. Forest Service Spec 5100-9. (NFES #0352)

For Leather Ax Sheath, see NSN 8465-00-293-3369; for replacement handle, see NSN 5110-00-293-3380.

■ *Std. pack: 12*

5110-00-293-2339

EA \$25.80

B. This ax is ideal for general utility use in forestry work. It has a forged, hardened steel head, a ground polished cutting edge, and an elliptical tapered eye for the handle.

Single-bit, men's (Dayton) pattern ax has a curved hickory handle and flat-top face for striking. Features a 4-3/4"-wide cutting edge. Head weight: 4 lbs.; Handle length: 31".

(NFES #0707)

5110-00-293-2336

EA \$30.46

Fire Line Combination Tool

C. Combination pick and shovel can be folded for easy transport. Similar to an army entrenching tool and features a 41" handle and serrations on shovel edges for cutting light brush. Intended for use on wildland fire-lines and for general forest work and trail maintenance. Forest Service Spec 5100-325. (NFES #1180)

For replacement tool handle, see NSN 5120-01-296-3592.

■ *Std. pack: 10*

5120-01-240-2120

EA \$53.66

Pulaski Tool

D. This ax-and-hoe combination tool is designed for fire-line digging and chopping. Cutting edges: 3-3/8" (hoe); 4-1/2" (ax); handle 36" long. Forest Service Spec 5100-355. (NFES #0146)

For replacement tool handle, see NSN 5110-01-137-7507; for Pulaski Tool Sheath, see NSN 8465-01-067-9999.

■ *Std. pack: 10*

5120-00-293-3467

EA \$56.79

McLeod Tool

E. Fire-line digging tool is a rake-and-hoe combination. Handle is 48" long. Forest Service Spec 5100-353. (NFES #0296)

For McLeod Tool Sheath, see NSN 8465-01-136-4718.

■ *Std. pack: 10*

4210-00-203-3512

AbilityOne

Width: 11"

EA \$68.98

Collapsible Firefighting Rake

F. Collapsible metal rake is designed for fire-line construction. Features stainless steel tines that extend to 16" in width. Features a foam-grip handle. Lengths: 59-1/2" (extended) and 49-2/5" (collapsed). Weight: 3.3 lbs. REC Drawing No. 90-5700C. (NFES #0659)

■ *Std. pack: 10*

4210-01-387-1392

EA \$54.59



A



B




C



D



E



F



G



H

Forest Fire Rake and Cutting Tool

G. Council or Rich tool is designed for fire-line digging. Features triangular cutting heads on a 12"-wide hoe-type frame. Consists of four mowing-machine cutter blades riveted to a steel frame. Straight handle is 52" long. Forest Service Spec 5100-284. (NFES #1807)

■ *Std. pack: 10*

4210-00-540-4512

AbilityOne

EA \$46.70

Forest Fire Shovel

H. Designed especially for fighting wildland fires. Features a solid shank and a straight 34" handle. Forest Service Spec 5100-326. (NFES #0171)

For Shovel Tool Sheath, see NSN 8465-01-136-4719.

■ *Std. pack: 10*

5120-00-965-0609

MSDS

AbilityOne

34" handle

EA \$38.35

Sharpening Gauge

This highly portable gauge makes easy work of refurbishing and inspecting fire tools in the shop or the field. Contains guides for axes, shovels, Pulaski tools, combination tools and McLeod tools. Aluminum construction is 7.5 x 20.5 x 0.3 cm in size. Instructions clearly printed on both sides. MTDC Drawing 846. (NFES #0510)



■ Std. pack: 10 or 100

5210-01-324-2776

EA \$30.02

Abrasive Disk

Designed for use with portable grinders and sanders, and for surface preparation (including removal of paint, scale and rust). Non-waterproof, closed coat disk features a 7/8" arbor hole (without slits or slots). ANSI B74.18. (NFES #1828)


Grit size: 24; with a 7/8" arbor hole.

■ Std. pack: 4 (25 EA/BX)

5345-00-558-5928 **MSDS**

Diameter: 7"

BX(contains 25 EA) \$20.14



Fire Extinguisher

Designed for extinguishing small fires. Ratings are based on UL 711 testing, which uses the following classes: Class A: Wood and paper fires; Class B: Flammable liquid fires; Class C: Can be used in the presence of charged electrical circuits. Weights noted are the approximate amount of extinguishing agent with which charged extinguishers are supplied. Please note that multi-purpose phosphate and bicarbonate leaves a powdery residue that can damage delicate instruments.



Dry chemical for class A:B:C-Type fires (multi-purpose phosphate).

Rating is 20A:120B: C with a 20-lb. charge. Has stored pressure and is refillable. Wall-mounting bracket included. (NFES #0307)

4210-00-889-2492 **MSDS**

EA \$98.28

Products that feature a red NFES # are managed as part of the GSA Wildland Fire Program agreement. Those with a black NFES # meet the NFES specifications but are not managed under the agreement.

Sheaths

Leather Ax Sheath

Constructed of lightweight, high-grade harness leather and riveted throughout. Natural or russet. Houses a single-bit ax with a 2-1/4-lb. head. Features belt loop and buckle flap fastener. (NFES #0359)



For use with Single-Bit Ax NSN 5110-00-293-2339.

■ Std. pack: 36

8465-00-293-3369

EA \$7.67

Pulaski Tool Sheath

Molded polyurethane plastic sheath effectively covers the sharp edges of a pulaski tool. Sheath consists of a buckle-and-strap section and rivet holes for fasteners. Sections are fastened together with oval-head rivets and washers. Forest Service Spec 5100-316. (NFES #0257)



For use with Pulaski Tool NSN 5120-00-293-3467.

■ Std. pack: 10 or 100

8465-01-067-9999

AbilityOne

Orange

EA \$4.98

McLeod Tool Sheath

Molded polyurethane plastic sheath accommodates a McLeod tool. Helps keep edges sharp while protecting personnel. Riveted with washers on both sides. Forest Service Spec 5100-316. (NFES #1854)



For use with McLeod Tool NSN 4210-00-203-3512.

■ Std. pack: 10 or 100

8465-01-136-4718

AbilityOne

Orange

EA \$2.76

Shovel Tool Sheath

Molded polyurethane Plastic sheath accommodates a hand shovel and protects tool and user. Riveted with washers on both sides. Forest Service Spec 5100-316. (NFES #1853)



For use with Forest Fire Shovel NSN 5120-00-965-0609.

■ Std. pack: 10 or 100

8465-01-136-4719

AbilityOne

Orange

EA \$3.89

Handles and Handle Wedges

Ax Handle

A. Straight-grain, solid hickory handle is comprised of high-grade, heavyweight stock. Forest Service Spec 5100-9. (NFES #1812)

Replacement handle for Single-Bit Ax NSN 5110-00-293-2339.

■ *Std. pack: 12*

5110-00-293-3380	Length: 26"	EA	\$7.47
------------------	-------------	----	--------



Tool Handle

B. Hardwood handle, tapered working end fits metal ferrule with hinged tool and locking nut. Forest Service Drawing MTDC 736. (NFES #1168)

Replacement handle for the Fire Line Combination Tool NSN 5120-01-240-2120.

■ *Std. pack: 12*

5120-01-296-3592	Length: 41"	EA	\$13.26
------------------	-------------	----	---------



C. Solid hickory handle. Forest Service Drawing MTDC 632. Forest Service Spec 5100-355. (NFES #1857)

Replacement handle for Pulaski Tool NSN 5120-00-293-3467.

■ *Std. pack: 12*

5110-01-137-7507	Length: 36"	EA	\$8.01
------------------	-------------	----	--------



Tool Handle Wedge

D. Tool handle wedge is made from carbon steel or similar material that is corrosion resistant. Thin end of the wedge is blunt to prevent splitting of the tool handle. For use in keeping ax and Pulaski tool handles secure.

Metal: 3/16" thick; 9/16" wide; 1-3/16" long. (NFES #0432)

■ *Std. pack: 6*

5120-00-278-7590	DZ	\$9.83
------------------	----	--------

E. Tool handle wedge is made from dense hardwood. For use in keeping ax and Pulaski tool handles secure.

Wood: 5/16" thick; 2-3/8" wide; 2-1/2" long. (NFES #0433)

■ *Std. pack: 1*


5120-00-293-3451	DZ	\$10.77
------------------	----	---------



Need a catalog?
Visit www.gsa.gov/cmls
or call (817) 334-5215.

Hoses and Gaskets

Synthetic-Lined Fire Hose



Lined, synthetic, woven jacket hose is lightweight and 100 feet long with aluminum rocker lug couplings. Working pressure: 450 psi. Forest Service Spec 5100-187.

A. Type I, standard synthetic hose.

This 1"-diameter hose features 1", 11-1/2 NPSH threaded couplings. Weight: 9.38 lbs. Pallet contains 66 boxes, with two hoses per box, for a total of 132 hoses per pallet. (NFES #1238)

Std. pack: 2				
4210-01-166-8122	AbilityOne	White	LG(contains 100 FT)	\$107.46

This 1-1/2"-diameter hose features 1-1/2", 9 NH threaded couplings. Weight: 15.88 lbs. Pallet contains 50 boxes, with two hoses per box, for a total of 100 hoses per pallet. (NFES #1239)

Std. pack: 2				
4210-01-165-6597	AbilityOne	White	LG(contains 100 FT)	\$125.31

B. Type II, abrasion- and heat-resistant synthetic hose with external elastomeric coating.

This 1"-diameter hose features 1", 11-1/2 NPSH threaded couplings. Pallet contains 44 boxes, with two hoses per box, for a total of 88 hoses per pallet. (NFES #0932)

Std. pack: 2				
4210-01-526-3000	AbilityOne	Yellow	LG(contains 100 FT)	\$122.11

This 1-1/2"-diameter hose features 1-1/2", 9 NH threaded couplings. Pallet contains 32 boxes with, two hoses per box, for a total of 64 hoses per pallet. (NFES #0933).

Std. pack: 2				
4210-01-526-2977	AbilityOne	Yellow	LG(contains 100 FT)	\$154.64

Synthetic Garden Hose

Lightweight hose features a woven synthetic jacket and is lined. The 5/8"-diameter hose features 3/4", 11-1/2 NH threaded coupling (standard garden hose threads). Operating pressure is 200 psi. To be used for mop-up operations, pumper protection and miscellaneous applications. (NFES #1016)



This is a component of Mop-Up Kit NSN 4210-01-321-4206.

Pallet contains 35 boxes, with 20 hoses per box, for a total of 700 hoses per pallet.

Std. pack: 20				
4210-01-167-1061	AbilityOne		LG(contains 50 FT)	\$25.09

High-Pressure Fire Hose

High-pressure fire hose features 1", 11-1/2 NPSH compression wedge couplings. Braided hose has a 3/4" inside diameter. Working pressure: 600 psi. Forest Service Spec 5100-185. (NFES #1220)



Std. pack: 2				
4210-00-595-1838			LG(contains 50 FT)	\$213.76

Rubber Suction Fire Hose

Suction fire hose with rocker-lug couplings is made of rubber and fabric with wire reinforcement. Forest Service Spec 5100-184. Couplings per Forest Service Spec 5100-108.



This 1-1/2"-diameter hose features a 1-1/2", 9 NH threaded coupling.

(NFES #1808)				
Std. pack: 4				
4210-00-889-1774			LG(contains 8 FT)	\$106.80

(NFES #0115)				
Std. pack: 4				
4210-00-889-1775			LG(contains 10 FT)	\$119.23

Fire Hose Retaining Band

Rubber band for securing rolled fire hose. Length: 9-1/2"; Width: 1-3/8"; Thickness: 0.063". (NFES #0727)



Std. pack: 1				
4210-01-529-8489	Red		BX(contains 325 EA)	\$133.78

Prices in this catalog are subject to change without notice.
Current prices are available at
www.GSAGlobalsupply.gsa.gov.

Fire Hose Gasket

C. Designed for fire hose connections, this gasket is made of synthetic rubber and is circular in shape. Forest Service Spec 5100-190.

For 1" nominal waterway diameter. Has a 1-1/16" inside diameter and a 1-7/16" outside diameter. Thickness: 1/8". (NFES #0743)

This is a component of Mop-Up Kit NSN 4210-01-321-4206.

■ Std. pack: 20

5330-00-720-2621	PG(contains 10 EA)	\$1.26
------------------	--------------------	--------

For 1-1/2" nominal waterway diameter. Has a 1-9/16" inside diameter and a 2-1/16" outside diameter. Thickness: 1/8". (NFES #0254)

This is a component of Mop-Up Kit NSN 4210-01-321-4206.

■ Std. pack: 20

5330-00-239-1873	PG(contains 10 EA)	\$1.26
------------------	--------------------	--------

For 2" nominal waterway diameter. Has a 2-1/16" inside diameter and a 2-3/8" outside diameter. Thickness: 1/8". (NFES #0742)

■ Std. pack: 20

5330-00-239-1875	PG(contains 10 EA)	\$2.02
------------------	--------------------	--------

For 2-1/2" nominal waterway diameter. Has a 2-9/16" inside diameter and a 3-3/16" outside diameter. Thickness: 3/16". (NFES #2326)

■ Std. pack: 20

5330-00-239-1877	PG(contains 10 EA)	\$2.21
------------------	--------------------	--------



Note on Standard Pack:
Items are available under Unit of Issue (UI) quantities, e.g., "EA" for single units. For large orders, you can use "Standard Pack" as a guide to how many items are packed per single case, pallet, etc. "Standard Pack" does not mean "minimum order."

Water-Handling Accessories

Fire Hose Thread Adapter



Thread adapter features aluminum couplings with a 600 psi test pressure. Forest Service Spec 5100-107.

1-1/2" NH female and a 1-1/2" NPSH male. (NFES #0006)

■ Std. pack: 10 or 60

4210-01-079-9284	EA	\$6.33
------------------	----	--------

1-1/2" NPSH female and a 1-1/2" NH male. (NFES #0007)

■ Std. pack: 10 or 60

4210-01-079-9283	EA	\$6.13
------------------	----	--------

Fire Hose Double Female Connector



Double female connection has aluminum couplings with a 600 psi test pressure. Forest Service Spec 5100-107.

Both ends are 1" NPSH. Female, swivel couplings. (NFES #0710)

■ Std. pack: 10 or 60

4210-01-080-1457	EA	\$11.54
------------------	----	---------

Both ends are 1-1/2" NH. (NFES #0857)

■ Std. pack: 10 or 60

4210-01-081-8749	EA	\$13.33
------------------	----	---------

Fire Hose Double Male Connector



Double male connection with center wrenching. Has aluminum couplings with a 600 psi test pressure. Measures 2" long overall. Forest Service Spec 5100-107.

Both ends are 1" NPSH. (NFES #0916)

■ Std. pack: 10 or 60

4210-01-080-1458	EA	\$5.30
------------------	----	--------

Both ends are 1-1/2", 9 NH. (NFES #0856)

■ Std. pack: 10 or 60

4210-01-079-9285	EA	\$6.91
------------------	----	--------

- Unless otherwise noted, the working pressure of all items under this heading is 600 psi.
- All flow rates are at 100 psi flowing pressure.
- $\frac{3}{4}$ " connections in this catalog use GHT (Garden Hose Thread) threads and 11-1/2 NH threads interchangeably, both designations are the same threads.
- This catalog includes some threads that are specific to the USDA Forest Service, and do not follow the NFPA standard. We indicate the threads used on each item.

Fire Hose Cap with Chain

Aluminum fire hose threaded cap for use on fire equipment. Furnished with gasket and chain. 600 psi operating pressure. Forest Service Spec 5100-107.



1" NPSH. (NFES #0732)

Std. pack: 10 or 60

4210-01-082-0575 EA \$6.03

1-1/2" NH. (NFES #2210)

Std. pack: 10 or 60

4210-01-081-8751 EA \$7.75

Fire Hose Increaser

Increaser features aluminum couplings with a 600 psi test pressure. Forest Service Spec 5100-107.



Includes a 3/4" NH female and a 1" NPSH male. (NFES #2235)

Std. pack: 10 or 60

4210-01-080-6531 EA \$5.45

Includes a 1" NPSH (female) and a 1-1/2" NH (male). (NFES #0416)

Std. pack: 10 or 60

4210-01-080-6532 EA \$7.39

Fire Hose Reducer

Reducers feature aluminum couplings with a 600 psi test pressure. Forest Service Spec 5100-107.



Includes a 1" NPSH (female) and a 3/4" NH (male). (NFES #0733)

This is a component of Mop-Up Kit NSN 4210-01-321-4206.

Std. pack: 10 or 60

4210-01-079-9286 EA \$5.32

Includes a 1-1/2" NPSH (female) and a 1" NPSH (male). (NFES #0418)

Std. pack: 10 or 60

4210-00-294-2648 EA \$6.49

Includes a 1-1/2" NH (female) and a 1" NPSH (male). (NFES #0010)

This is a component of Mop-Up Kit NSN 4210-01-321-4206.

Std. pack: 10 or 60

4210-00-975-2969 EA \$6.33

Includes a 2" NPSH (female) and a 1-1/2" NH (male). (NFES #0417)

Std. pack: 10 or 60

4210-01-521-1691 EA \$8.48

Includes a 2-1/2" NPSH (female) and a 1-1/2" NH (male). (NFES #2229)

Std. pack: 10 or 60

4210-01-081-0419 EA \$11.94

Includes a 2-1/2" NH (female) and a 1-1/2" NH (male). (NFES #2230)

Std. pack: 10 or 60

4210-01-508-8818 EA \$11.92

Hoseline Tee with Capped Male Branch

Aluminum alloy tee issues 600 psi maximum operating water pressure. Forest Service Spec 5100-107.



Connects 1" NPSH female threaded inlet to 1" NPSH outlet and 3/4", 11-1/2" NH branch with male threads. Male threaded 3/4" branch is closed with removable aluminum alloy cap. (NFES #1809)

Std. pack: 10 or 60

4210-01-081-0418 EA \$19.19

Connects 1" NPSH female threaded inlet to two 1" NPSH male threaded outlets. One outlet is closed with removable aluminum alloy cap. (NFES #2240)

Std. pack: 10 or 60

4210-01-080-1459 EA \$16.99

Connects 1-1/2", 9 NH female threaded inlet to 1-1/2", 9 NH outlet and 1", 11-1/2" NPSH branch with male threads. Branch is closed with removable aluminum alloy cap. (NFES #0731)

This is a component of Mop-Up Kit NSN 4210-01-321-4206.

Std. pack: 10 or 60

4210-01-080-1460 EA \$12.74

Hoseline Tee with Valved Male Branch

Aluminum alloy tee issues 600 psi maximum operating water pressure. Forest Service Spec 5100-107.



Connects 1-1/2", 9 NH female threaded inlet to 1-1/2", 9 NH discharge and 1" NPSH branch with male threads. Branch output regulated with screw-type valve. (NFES #0230)

Std. pack: 10 or 60

4210-01-081-0417 EA \$18.84

Fire Hose Nozzle

Barrel-type plastic polycarbonate nozzle adjusts from straight stream to fog to off. Rubber bumper and gasket included. Threads per Forest Service Spec 5100-190.



Female intake is 1", 11-1/2 NPSH, with an output capacity of 17 to 20 gpm. (NFES #0138)

■ Std. pack: 10 or 100

4210-00-085-2291 Length: 5" EA \$6.90

Female intake is 1-1/2", 9 NH, with an output capacity of 60 gpm. (NFES #0137)

■ Std. pack: 10 or 60

4210-00-181-8872 Length: 5" EA \$6.56

Wildland fire hose nozzle with 3/4" GHT inlet threads NH (garden hose) threads, brass. Flow rate varies from 4 gpm spray pattern to 8 gpm straight-stream pattern. Working pressure of 250 psi. Forest Service Spec 5100-243. (NFES #0136)



This is a component of Mop-Up Kit NSN 4210-01-321-4206.

■ Std. pack: 10 or 100

4730-00-595-1103 Length: 5" EA \$14.78



Barrel-type nozzle with shutoff is made of aluminum alloy. Outer barrel rotates from high flow spray, to high flow straight stream, to low flow spray, to low flow straight stream, and to off. Forest Service Spec 5100-239.

A. Female intake is a 1", 11-1/2 NPSH, 10 to 25 gpm. (NFES #1081)

■ Std. pack: 20

4210-01-165-6603 Length: 4" EA \$22.53

B. Female intake is 1-1/2", 9 NH, 20 to 75 gpm. (NFES #1082)

■ Std. pack: 20

4210-01-167-1123 Length: 5" EA \$44.54

This shut-off-type nozzle with two outlets is a combination fog and straight-stream nozzle. Both outlets feature 3/4" GHT threads. Comes with a 3/16" (10 gpm) straight-stream tip (NSN 4210-00-203-3855) and a 3 gpm spray tip (NSN 4210-00-204-3358). Inlet is 1" NPSH female. Selector ranges from spray to straight to off. Aluminum nozzle; tips may be brass or aluminum. Forest Service Spec 5100-240. (NFES #0024)



■ Std. pack: 20

4210-00-640-1892 EA \$134.68

Fire Hose Nozzle Tip

Tips for all nozzles have 3/4" GHT female threaded inlets. Fog-stream-type tip has 3/4", 11-1/2 NH female threaded inlet and is made of aluminum. Measures 2-1/2" in overall length. Forest Service Spec 5100-244.



Size-3 tip flows 2 to 4 gpm at 100 psi. (NFES #0635)

■ Std. pack: 24

4210-00-204-3358 EA \$18.30

Size-6 tip flows 5 to 7 gpm at 100 psi. (NFES #0636)

■ Std. pack: 24

4210-00-204-3386 EA \$18.81

Tips for all nozzles have 3/4" GHT female threaded inlets. Solid straight-stream-type tip has a 3/4", 11-1/2 NH female threaded inlet is made of aluminum. Measures 1-3/4" in overall length. Forest Service Spec 5100-244.



Discharge opening is 3/16", 9.4 gpm at 100 psi. (NFES #0637)

■ Std. pack: 24

4210-00-203-3855 EA \$7.34

Discharge opening is 1/4", 16.8 gpm at 100 psi. (NFES #0737)

■ Std. pack: 24

4210-00-177-6135 EA \$7.38

Discharge opening is 3/8", 37.9 gpm at 100 psi. (NFES #0638)

■ Std. pack: 24

4210-00-203-3845 EA \$7.13

- The National Fire Protection Association (NFPA) standard calls for 3/4" and larger connections to be NH (national standard) threads. The wildland agencies have adopted this except for 3/4" and 1" connections. The 3/4" connections shall be 3/4" 11-1/2 NH (rather than the NFPA standard of 3/4" 7.5 to 8 NH) and 1" shall be NPSH (straight pipe) thread.
- All female connections come with gaskets in place.
- All aluminum-threaded items are hard-coated for durability.

Shut-Off Valve

Aluminum valve has a female threaded inlet with gasket recess and male threaded outlet. Features an on-off or open-close lever with stops at both positions. Removable inlet or outlet allows for easy cleaning and repair. With a 600 psi rating. Forest Service Spec 5100-238.



Includes 1", 11-1/2 NPSH threads on both ends. (NFES #1201)

Std. pack: 20

4210-01-165-6599 EA \$46.92

Includes 1-1/2", 9 NH threads on both ends. (NFES #1207)

Std. pack: 20

4210-01-165-6600 EA \$60.02

Fire Hose Wye Valve

Aluminum wye valve has a female inlet and two ball-valved male outlets. Ball-type release of water either or both outlets. Working pressure is 600 psi. Forest Service Spec 5100-380.



Threads are 1", 11-1/2 NPSH. (NFES #0259)

Std. pack: 10

4210-00-126-5108 EA \$62.52

Threads are 1-1/2", 9 NH. (NFES #0231)

Std. pack: 10

4210-00-984-3475 EA \$99.25

Foot Valve

Foot valve is made of brass or aluminum alloy and has a strainer. Forest Service Spec 5100-383.



Female threaded connection is 1-1/2", 9 NH. (NFES #0212)

Std. pack: 10

4820-00-126-5114 EA \$39.78



Spanner Wrench

Hose coupling-type wrench is designed for use on slotted or rocker-lug couplings on Forest Service fire hoses. Spanner wrench cannot be used on pin-lugs. Made of bronze, forged brass, cast aluminum or forged aluminum. Forest Service Spec 5100-101.

A. Single-ended wrench fits 1", 11-1/2 NPSH and 1-1/2", 9 NH coupling. (NFES #0234)

This is a component of Mop-Up Kit NSN 4210-01-321-4206.

Std. pack: 20

5120-00-596-1426 Length: 6" EA \$4.77

B. Double-ended wrench fits 1", 11-1/2 NPSH, 1-1/2", 9 NH, and 2-1/2", 7-1/2 NH couplings. (NFES #0235)

Std. pack: 20

5120-00-596-1427 Length: 8-3/4" EA \$5.45

Fire Hose Clamp

C. Shut-off clamp is designed for use on single-jacket; rubber-lined fire hoses sized 1" and 1-1/2". Capable of shutting off water in a hose at 300 psi operating pressure. Lightweight and compact enough to carry in a hip pocket or on a belt loop. Forest Service Spec 5100-245. (NFES #0046)

Std. pack: 20

4210-00-767-7123 EA \$30.68

Mop-Up Kit

Designed for wildfire mop-up operations, this kit contains all the equipment necessary for three people to attach to a lateral line to put out spot fires. Includes hose, T-valves, reducers, applicator wands and nozzles, wrenches, and more. (NFES #0772)



Std. pack: 1

4210-01-321-4206 AbilityOne KT \$425.83

Mop-Up Kit NSN 4210-01-321-4206 is comprised of the following components:

Quantity	Name	NSN	NFES#
7	Synthetic Garden Hose, 3/4"	4210-01-167-1061	1016
3	Hoseline Tee with Capped Male Branch	4210-01-080-1460	0731
3	Fire Hose Reducer, 1 to 3/4"	4210-01-079-9286	0733
1	Fire Hose Reducer, 1" to 1-1/2"	4210-00-975-2969	0010
6	Garden Hose Shut-Off Valve, 3/4"	4210-01-412-5684	0835
3	Fire Hose Nozzle, 3/4"	4730-00-595-1103	0136
3	Fire Hose Nozzle Tip, 3/4"	4210-01-412-5683	0735
1	Garden Hose Wye Valve, 3/4"	4210-01-412-6335	0904
1	Spanner Wrench, 1" to 1-1/2"	5120-00-596-1426	0234
4	Fire Hose Gasket, 1-1/2"	5330-00-239-1873	0254
4	Fire Hose Gasket, 1"	5330-00-720-2621	0743
8	Garden Hose Washer, 1"	5310-00-599-0776	0721
3	Fire Hose Water Applicator, 3/4"	4210-01-412-5688	0720
3	Safety Goggles	4240-01-504-7863	0318
3	Firefighter's Meal Bag*		0018
1	Packsack	8465-00-205-3493	0744

*Note: Available only via Mop-Up Kit.

Garden Hose Wye Valve*

Small wye valve features 3/4", 11-1/2 NH garden hose threaded (GHT) connections. Includes one inlet and two outlets with gated shut-off ball valves. Made of brass corrosion resistant (stainless) steel. Withstands 600-psi for three minutes without leakage or damage. Threads per Forest Service Spec 5100-190. (NFES #0904)



This is a component of Mop-Up Kit
NSN 4210-01-321-4206.

■ Std. pack: 100

4210-01-412-6335

EA \$15.92

Garden Hose Shut-Off Valve

Shut-off valve for use on small hoses and nozzles. Made of brass or corrosion resistant (stainless) steel, 3/4" garden hose threads. Withstands 600 psi for three minutes without leakage or damage. Threads per Forest Service Spec 5100-190. (NFES #0835)



This is a component of the Mop-Up Kit
NSN 4210-01-321-4206.

■ Std. pack: 100

4210-01-412-5684

MSDS

EA \$12.82

*Photo may not be representative of actual product available.

Garden Hose Washer

Flat rubber washer is fashioned for couplings or between lengths of hose. Has a 5/8" inside diameter and a 1" overall diameter. Fits 1/2, 5/8" hose couplings. (NFES #0721)



This is a component of Mop-Up Kit
NSN 4210-01-321-4206.

5310-00-599-0776

PG(contains 10 EA) \$1.68

Fire Hose Nozzle Tip

Brass fog pattern spray tip, flows 3 gpm at 100 psi, 3/4" connection garden hose threads (GHT). Threads per Forest Service Spec 5100-190. (NFES #0735)



This is a component of Mop-Up Kit
NSN 4210-01-321-4206.

■ Std. pack: 24

4210-01-412-5683

EA \$7.52

Fire Hose Water Applicator

Water-application wand for use in watering down wildland fire hotspots. Applicator is 52" long and comes apart in the middle. One section of the applicator is bent near the tip. All connections are 3/4" garden hose threads (GHT). Threads per Forest Service Spec 5100-190. (NFES #0720)



This is a component of Mop-Up Kit
NSN 4210-01-321-4206.

■ Std. pack: 12

4210-01-412-5688

EA \$25.25

Notice: Change in Material for 3/4" Valves

The descriptions for the garden hose wye valve (NSN 4210-01-412-6335) and shut-off valve (NSN 4210-01-412-5684) reflect the new material standards of brass or corrosion-resistant steel. The new products are of higher quality in strength and performance. The die-cast version of the wye valve may still be available at a lower cost and will be shipped until stock is depleted. However, the die-cast zinc shut-off valve inventory has been depleted. For questions about availability and price of the die-cast zinc wye valve, please call (800) 525-8027, option 3.

Do you need help?
Have questions relating to the
fire program or GSA support in general?
Contact GSA Fire Program Coordinator
Bill Hicks at (817) 850-8244
or bill.hicks@gsa.gov.

Pumps and Accessories



Backpack Pump Outfit

A. Complete backpack pump outfit is a combination of five-gallon Backpack Pump Bag NSN 8465-01-321-1678, Firefighting Hand Pump NSN 4320-00-595-0762 and Backpack Pump Shoulder Straps NSN 8465-01-416-1951. (NFES #1149)

■ Std. pack: 6

4320-00-289-8912	AbilityOne	EA	\$133.46
------------------	------------	----	----------

Backpack Pump Shoulder Straps

B. Two padded replacement shoulder straps for five-gallon water bags are adjustable via slide and end snaps. Pad covers are yellow. Forest Service Spec 5100-103. (NFES #0495)

For use with Backpack Pump Bag NSN 8465-01-321-1678 and Water Bag NSN 8465-01-310-1259.

■ Std. pack: 20

8465-01-416-1951		EA	\$16.47
------------------	--	----	---------

Backpack Pump Bag

C. Nylon duck backpack pump bag comes complete with two replaceable inner bladders, one female quick-connect fitting, and shoulder straps. Includes a pocket for carrying an extra bladder. Holds water supply for fighting wildland fires. Quick-connect hose fitting mates with Firefighting Hand Pump NSN 4320-00-595-0762 (not included). Note: Not safe for use with drinking water. Forest Service Drawing 832. Forest Service Spec 5100-103. (NFES #1197)

■ Std. pack: 10

8465-01-321-1678	Yellow	Capacity: 5 gal.	EA	\$48.21
------------------	--------	------------------	----	---------

Backpack Pump Liner

D. Replacement bladder for Backpack Pump Bag NSN 8465-01-320-1678 does not include a quick-connect fitting. Note: Not safe for use with drinking water bag; for drinking water-safe bag, see Water Bag NSN 8465-01-310-1259. Forest Service Drawing 864. Forest Service Spec 5100-95. (NFES #0597)

■ Std. pack: 10 or 100

8465-01-321-1679	Clear	Capacity: 5 gal.	EA	\$6.16
------------------	-------	------------------	----	--------

Firefighting Hand Pump

E. Trombone-style, plunger-type pump includes a quick-connect fitting. Positive-displacement, single-action type features screw-on combination solid straight-stream and fog nozzle. For use with Backpack Pump Outfit NSN 4320-00-289-8912. Forest Service Spec 5100-256. (NFES #0151)

■ Std. pack: 10

4320-00-595-0762	Length: 18"	EA	\$40.57
------------------	-------------	----	---------

Quick-Connect Hose Fitting

F. Replacement hose connection for firefighter's backpack pump outfit. Made of brass, cadmium-plated steel or stainless steel. Attaches to inlet on Firefighting Hand Pump NSN 4320-00-595-0762. Male quick-connect with male barbed hose connection. Forest Service Spec 5100-256. (NFES #0428)

■ Std. pack: 10 or 100

4730-01-057-0136		EA	\$5.33
------------------	--	----	--------

G. Replacement hose connection for firefighter's backpack pump outfit. Made of brass, cadmium-plated steel or stainless steel. Attaches to tank opening for Backpack Pump Outfit NSN 4320-00-289-8912. Female connection with male screw threads. Forest Service Spec 5100-257. (NFES #0429)

■ Std. pack: 10 or 100

4730-01-057-4210		EA	\$7.29
------------------	--	----	--------

Firefighting Water Pump*

H. Lightweight, portable pump includes a rope-rewind starter with a two-cycle, air-cooled engine that uses a gas-oil mixture. Inlet/outlet size adapted to 1-1/2", 9 NH. Includes: a hand-priming device; a tool pouch (tools not included); a five-foot fuel line with primer bulb and quick disconnect; and a five-gallon fuel tank with quick disconnect. (No suction hose or other accessories are included with pump.) Pump weight: 60 lbs. (maximum). Forest Service Spec 5100-274. (NFES #0601)

Note: Depending on the current contract and inventory status, a Wildfire Mark 3 or a Mercedes Textiles Wick 375 pump may be furnished.

■ Std. pack: 1

4320-00-890-5879 EA \$3,421.83

I. Lightweight portable pump has a rope-rewind starter with a two-cycle, air-cooled engine that uses a gas-oil mixture. Inlet/outlet size adapted to 1-1/2", 9 NH. Supplied with backpack frame and fuel line (with primer bulb). Pump weight: 60 lbs. (maximum). For backpack pump with accessories, see Firefighting Water Pump NSN 4320-00-890-5879. Forest Service Spec 5100-274. (NFES #0148)

Note: Depending on the current contract and inventory status, a Wildfire Mark 3 or a Mercedes Textiles Wick 375 pump may be furnished.

4320-01-495-3633 EA \$2,811.00

Gasoline Can

J. Self-sealing quick-coupler enables user to change from one can to another in mere seconds. Quick-coupler immediately self-seals and completely stops flow of gasoline. For use with Firefighting Water Pump NSNs 4320-00-890-5879 and 4320-01-495-3633. (NFES #0218)

■ Std. pack: 1

7240-01-044-5523 Wildfire P/N FA-352GSA Capacity: 5 gal. EA \$120.66

Fire Pump Gasoline Line

K. Neoprene gasoline line with self-priming bulb connects portable gasoline pumps to quick-disconnect gas tank. Hose ends are fitted with female 7/16" SAE threads to accept quick-connect fittings (not included). Has a 1/4" ID. Cover is oil- and ozone-resistant. For use with Gasoline Can NSN 7240-01-044-5523. Forest Service Spec 5100-274. (NFES #0113)

Ⓜ 36-month maximum shelf life (extendable)

■ Std. pack: 36

4210-00-568-9904 LG(contains 5 FT) \$24.04

Funnel

L. General-purpose galvanized-steel funnel has a rigid spout and removable brass strainer. For filling gasoline tanks or other general use. Fine mesh screens grit from gasoline. (NFES #0564)

■ Std. pack: 48

7240-00-527-9868 Capacity: 1 qt. EA \$2.65

*Photo may not be representative of actual product available.



NEW ITEMS ARRIVING IN 2011

Three new items will arrive mid-spring 2011: two contagious disease barrier kits (individual and multi-person) and a portable pump spill containment berm. For updates on availability, please go to www.gsa.gov/fireprogram and click on the "What's New" link.

Chainsaw Accessories

File (American Pattern)

American-pattern file is bastard-cut (coarse teeth for rapid stock removal). Files are used when metal must be removed rapidly and finish is of secondary importance. These files are characterized by hardened, uniform teeth and conventional-style tang for attaching a wooden handle. Files are made of carbon alloy steel. Width is tapered for one third of length to point; thickness is uniform.



Bastard-cut is single cut on both flat surfaces and both square edges.

Width: 1"; Teeth per inch: 38 to 48. (NFES #0060)

Std. pack: 1

5110-00-242-5385	Length: 10"	DZ	\$13.40
------------------	-------------	----	---------

Width: 1-3/16"; Teeth per inch: 33 to 38. (NFES #1059)

Std. pack: 1

5110-00-242-5386	Length: 12"	DZ	\$18.99
------------------	-------------	----	---------



American-pattern files mainly consist of machinist's files and mill or saw files. Machinist's files are used when metal must be removed rapidly and finish is of secondary importance. Mill or saw files are suitable for the following tasks: sharpening mill or circular saws and large crosscut saws; lathe work; draw filing; filing brass and bronze; smooth general filing. These files are characterized by hardened, uniform teeth and conventional tang for attaching a wooden handle. Forged from carbon alloy steel. The three standard tooth cuts available on American-pattern files are as follows: bastard-cut (coarse teeth for rapid stock removal); second-cut (medium teeth for moderate stock removal); smooth-cut (fine teeth for smooth finishes).

Mill (regular) file is for sharpening mill or circular saws and for general use. Width is tapered for one-third of length to point; thickness is uniform. Bastard-cut is single cut on both flat surfaces and both square edges.

Width: 13/16"; Teeth per inch: 42 to 48. (NFES #0351)

Std. pack: 1

5110-00-242-5384	Length: 8"	DZ	\$10.45
------------------	------------	----	---------



Round chainsaw file is used to sharpen all sizes of chainsaw teeth. Diameter is uniform.

Diameter: 3/16"; Teeth per inch: 48 to 66. (NFES #2105)

Std. pack: 1

5110-00-782-7491	Length: 8"	DZ	\$6.57
------------------	------------	----	--------

Swiss-made round chainsaw file (smooth) forged tang. Diameter: 7/32"; Teeth per inch: 48 to 66.

Vallorbe P/N LC6678-8-7/32, or Oregon Cutting Systems P/N 70502, or Wood-Miller P/N WM6678-8-7/32, or Nicholson P/N 02230 or equal. (NFES #0345)

Std. pack: 1

5110-00-965-0608	Length: 8"	DZ	\$6.64
------------------	------------	----	--------

File Handle

Wooden handle with metal ferrule is designed for use with files and similar tools that have tang-type shanks. Features tang-holding metal jaws or chuck. The adjusting mechanism consists of an adjusting cap and a threaded metal sleeve or screw.



Pre-bored holes receive tang-type shank.

Small handle fits files 3" to 6" in length. Handle has a 1" diameter and a 4" overall length. (NFES #0358)

Std. pack: 1

5110-00-263-0342	DZ	\$10.58
------------------	----	---------

Large handle fits files 10" to 14" in length. Handle has a 1-1/2" diameter and a 5-1/2" overall length. (NFES #0063)

Std. pack: 1

5110-00-263-0341	DZ	\$12.99
------------------	----	---------

Chainsaw File Guide

Specially tooled for sharpening teeth and adjusting depth of cut on all types and sizes of chainsaws. Includes an 8"-long file, frame, clamps and joint device. Heavy-duty clamp attaches file guide to bench, preventing tipping. (NFES #0343)



Std. pack: 25

5110-01-046-5031	EA	\$28.30
------------------	----	---------

Chainsaw Operator's Chaps

These heavy-duty chaps are designed specifically to protect against chainsaw cuts. The cut-resistant nylon duck shells are padded with five layers of aramid fillers. Chaps cover front and sides of legs from waist to mid-calf and are secured with adjustable waist belt and leg straps. The orange color will aid in visibility and assist users in determining when the chaps require cleaning. For proper fit, length should be selected to cover from the user's waist to at least 2" below boot top. Features a tool pouch. Forest Service Spec 6170-4F.



(NFES #0045)

Std. pack: 10

8415-00-286-7507	Orange	Length: 32"	PR	\$87.37
------------------	--------	-------------	----	---------

(NFES #0078)

Std. pack: 10

8415-01-028-5575	Orange	Length: 36"	PR	\$93.94
------------------	--------	-------------	----	---------

(NFES #0150)

Std. pack: 10

8415-01-294-7717	Orange	Length: 40"	PR	\$103.06
------------------	--------	-------------	----	----------

Plastic Forestry Wedge

Hard plastic wedge aids in forestry work, such as tree felling and bucking. (NFES #2725)



Std. pack: 24

5510-01-045-9198	Length: 12"; Width: 3-1/4"; Thickness: 1-1/8"	EA	\$4.56
------------------	---	----	--------

Fuel Storage

Fuel Bottle

A. Fuel bottle is made of one-piece seamless, lightweight aluminum construction with a synthetic screw-on cap. Used for carrying fuel on the fire line. Measures 8.5 cm in diameter and 26 cm long and will fit in a firefighter's canteen case. For use in carrying chainsaw mix and other petroleum- or alcohol-based fuels. Note: Not safe for carrying drinking fluids. (NFES #1535)

Std. pack: 10 or 40

7240-01-351-2133	Red	Capacity: 1 liter	EA	\$13.76
------------------	-----	-------------------	----	---------



Fuel Bottle Bag

B. Nylon bag with DOT flammable emblem on sides will hold six one-liter aluminum fuel bottles (see Fuel Bottle NSN 7240-01-351-2133), with side cinches to prevent rattling. Intended for use in aircraft transport. Forest Service Spec 5100-613. (NFES #0536)

Std. pack: 20

8465-01-503-4476	Blue		EA	\$13.06
------------------	------	--	----	---------



Batteries



C



D



E



F



G



H

Carbon-Zinc Battery

C. These carbon-zinc batteries are non-rechargeable.

Rectangular battery with screw terminals. Consists of four 1.5V dry cells packaged in a series as a single unit.

(NFES #1233)

① 48-month maximum shelf life (not extendable)

Std. pack: 6

6135-00-643-1307	P/N 641 or equal	Size: 6V (2-3/16 x 10-5/8 x 7-1/2")	EA	\$15.60
------------------	------------------	-------------------------------------	----	---------

Alkaline Battery

D. This alkaline, manganese dioxide battery is great for use with tape recorders, pocket calculators, smoke detectors, transistor radios, and other electronic equipment. Frequently lasts more than twice as long as the same size carbon-zinc battery, depending on type of use. Non-rechargeable. ANSI C 18.1.

Rectangular shaped, with two snap terminals.

(NFES #1241)

① 36-month maximum shelf life (not extendable)

6135-00-900-2139		Size: 9V	PG(contains 12 EA)	\$13.42
------------------	--	----------	--------------------	---------

Cylindrical battery has flat terminals; nominal voltage is 1.5V.

E. ① 36-month maximum shelf life (not extendable)

6135-00-826-4798	Size: AAA	PG(contains 12 EA)	\$3.39
------------------	-----------	--------------------	--------

F. (NFES #0834)

① 36-month maximum shelf life (not extendable)

Std. pack: 6 (12/pg)

6135-00-985-7846	Size: C	PG(contains 12 EA)	\$6.16
------------------	---------	--------------------	--------

G. (NFES #0033)

① 36-month maximum shelf life (not extendable)

Std. pack: 12

6135-00-835-7210	Size: D	PG(contains 12 EA)	\$10.75
------------------	---------	--------------------	---------

H. Pallet contains 1,488 packages (186 cases, each containing eight packages each). (NFES #0030)

① 36-month maximum shelf life (not extendable)

Std. pack: 12

6135-00-985-7845	Size: AA	PG(contains 24 EA)	\$4.99
------------------	----------	--------------------	--------

Headlamps and Lightsticks

Firefighter's Headlamp

Battery-operated, computer-controlled headlamp for mounting on helmet. Consists of an adjustable light head, a battery holder (with five required AA batteries housed in the holder), and a rubber headband. With headlamp at front, battery holder mounts to rear, connected by quick-disconnect cord. Push-button control with two levels of light output; electronic chip regulates light to provide continuous output (regardless of battery power) and will drain batteries completely within six to eight hours at high output or 12 to 16 hours at low output (depending on batteries). Chip will pulse light when batteries are near the end of their use.

(NFES #0667)

■ Std. pack: 48

6230-01-493-7630	AbilityOne	Yellow/Black	EA	\$44.47
------------------	------------	--------------	----	---------



Lightstick (Chemlight)

Chemical lights, commonly known as chemlights, are a non-toxic, non-flammable sources of light. These lightsticks are good for emergency, safety and signaling uses. They provide safe, effective light without heat, sparks or flame. To activate, a user bends the plastic lightstick, breaking the inner glass vial. Chemicals from the broken glass vial mix with chemicals from the plastic tube to deliver a light-creating chemical reaction. Self-contained, compact, rugged and waterproof.

High intensity. Average life rating: 30 minutes.

(NFES #3008)

① 48-month maximum shelf life (not extendable)

6260-01-074-4230	AbilityOne	Yellow	Length: 6"	BX(contains 10 EA)	\$12.39
------------------	------------	--------	------------	--------------------	---------

Average life rating: 8 hours.

① 48-month maximum shelf life (not extendable)

6260-01-178-5560	AbilityOne	Blue	Length: 6"	BX(contains 10 EA)	\$12.31
------------------	------------	------	------------	--------------------	---------

Average life rating: 12 hours.

(NFES #3009)

① 48-month maximum shelf life (not extendable)

6260-01-074-4229	AbilityOne	Green	Length: 6"	BX(contains 10 EA)	\$14.67
------------------	------------	-------	------------	--------------------	---------

(NFES #3007)

① 48-month maximum shelf life (not extendable)

6260-01-178-5559	AbilityOne	Red	Length: 6"	BX(contains 10 EA)	\$14.67
------------------	------------	-----	------------	--------------------	---------

(NFES #3012)

① 48-month maximum shelf life (not extendable)

6260-01-196-0136	AbilityOne	Yellow	Length: 6"	BX(contains 10 EA)	\$14.67
------------------	------------	--------	------------	--------------------	---------



First Aid

Insect Bite Swab



Non-toxic swab or wipe provides quick relief from pain, irritation and itching caused by insect bites or stings. (NFES #1243)

① 18-month maximum shelf life (extendable)

■ Std. pack: 10 or 100

6510-01-045-3506	PG(contains 10 EA)	\$0.67
------------------	--------------------	--------

Insect Repellent



This lotion-like repellent is effective against mosquitoes, gnats, fleas, biting flies and chiggers. Contains a minimum of 25 percent active ingredients (minimum 17 percent DEET). (NFES #0705)

① 48-month maximum shelf life (extendable)

🌿 EPA registered (applicable to disinfectants and pesticides per FIFRA)

■ Std. pack: 144

6840-01-003-9589	MSDS	Bottle Size: 1 oz.	OZ	\$1.42
------------------	------	--------------------	----	--------



First Aid Kit



First aid kit is designed by the USDA Forest Service for forest workers and wildland firefighters, but it is suitably equipped for all users. Kit contains: three povidone iodine swabs; two gauze pads; two non-stick pads; six bandages (woven adhesive); four butterfly closures; elastic bandage; one pair of latex gloves; mouth-to-mouth barrier; towelette; biohazard bag; a roll of adhesive tape; two sheets of moleskin; face mask; two aspirins; two acetaminophen tablets. Includes instructions for mouth-to-mouth barrier use and contents list. Comes in a translucent plastic telescoping case. Type I. Forest Service Spec 6170-6. (NFES # 0067)

① 24-month maximum shelf life (extendable)

Std. pack: 100

6545-00-656-1092 AbilityOne Case: 3-1/2 x 3-1/2 x 1-3/4" EA \$11.80



Intended for use in vehicles or large crews. First aid kit is designed by the USDA Forest Service for forest workers and wildland firefighters, but it is suitably equipped for all users. Kit contains: 25 bandages (woven adhesive); 12 knuckle bandages; 16 butterfly closures; two elastic bandages; two triangular bandages; bandage compress; elastic support; two

combine dressings; two pairs of non-latex gloves; three rolls of adhesive tape; four sheets of moleskin; two chemical cold packs; one eye-wash unit; one bottle tincture green soap; one bottle calamine lotion; 30 aspirins; 30 acetaminophen tablets; two patient information tags; forceps; medic shears; two antiseptic kits (including two bottles of iodine, eight povidone iodine swabs, 12 gauze pads, 12 non-stick pads); and two bodily fluid barrier kits (including four pairs latex gloves, two face shields, two mouth-to-mouth barriers, four antiseptic towelettes and two biohazards disposal bags). Kit also contains instructions for mouth-to-mouth barrier use, first aid manual, contents list and lead pencil. Comes in a metal hanging case. Type III. Forest Service Spec 6170-6. (NFES #1604)

First Aid Kit for 20 to 25 people.

① 24-month maximum shelf life (extendable)

Std. pack: 10

6545-00-656-1094 AbilityOne Case: 10 x 14-1/2 x 2-3/4" EA \$87.58



Intended for use by a crew in the field. First aid kit is designed by the USDA Forest Service for forest workers and wildland firefighters, but it is suitably equipped for all users. Kit contains: 25 bandages (woven adhesive); 12 knuckle bandages; 16 butterfly closures; four elastic bandages; two triangular bandages; two compress bandages; elastic support (roll); three combine dressings; four pairs non-latex gloves; three roles of adhesive tape; four sheets of moleskin; two chemical cold packs; two containers of eye-wash solution; two bottles tincture green soap; two bottles calamine lotion; 30 aspirin tablets; 30 acetaminophen tablets; two patient-information tags; forceps; paramedic shears; antiseptic kit (which includes one bottle povidone, four povidone iodine swabs, six gauze pads, six non-stick pads); and two bodily fluids barrier kits (including four pairs non-latex gloves, two face shields, two mouth-to-mouth barriers, four antiseptic towelettes, two biohazard disposal bags). Kit contains protective components for the user. Also includes instructions for mouth-to-mouth barrier use, first aid manual, contents list and lead pencil. Comes in a red nylon duck case attached to a 2"-wide belt with buckle. Type IV. Forest Service Spec 6170-6. (NFES #1143)

First Aid Kit for up to 25 people.

① 24-month maximum shelf life (extendable)

Std. pack: 10

6545-01-010-7754 AbilityOne Case: 10 x 10 x 2-3/4" EA \$119.74

Bodily Fluids Barrier Kit

For use with other first aid kits or by itself, this kit contains components to protect first responders and first aid providers from body fluids such as blood. Each kit comes in a red nylon case with hanging snap and includes two one-person



sets, each in a reclosable pouch. Each set contains one pair of latex gloves, one combination face-and-eye shield, one mouth-to-mouth shield, two towelettes, and one biohazard disposal bag with tie. Forest Service Spec 6170-15.

(NFES #0640)

Std. pack: 10

6515-01-376-7247 AbilityOne KT \$31.74

Personal Protection

Fire Shelter, Complete (M-2002)

New-generation fire shelter provides increased protection from radiant and convective heat in wildland firefighter entrapment situations. This set includes: fire shelter NSN 4240-01-498-3184; nylon duck carrying case NSN 8465-01-498-3190; carrying case plastic liner NSN 8465-01-498-3191. Deployed size: 86" long; 15-1/2" high; 31" wide. Forest Service Spec 5100-606. (NFES #0925)



■ Std. pack: 10

4240-01-498-3194 Regular EA \$242.47

Fire Shelter, Complete (M-2002) (Large)

New-generation fire shelter provides increased protection from radiant and convective heat in wildland firefighter's entrapment situations. Large-size shelter designed for firefighters taller than 6'1" or whose girth exceeds 53" at any point. The larger fire shelter provides better protection for larger people by allowing less contact of the shelter material with the occupant's body, and it provides more air space between the shelter and occupant. The large fire shelter is easily identified by the orange deploy strap. This set includes: fire shelter NSN 4240-01-529-8804; nylon duck carrying case NSN 8465-01-498-3190 and carrying case plastic liner NSN 8465-01-498-3191. Deployed size: 96" long; 19-1/2" high; 33" wide. Forest Service Spec 5100-606. (NFES #0975)



■ Std. pack: 10

4240-01-527-5248 Large EA \$320.66

Fire Shelter, Single (M-2002)

New generation fire shelter provides increased protection from radiant and convective heat in wildland firefighter entrapment situations. Each shelter comes folded in a quick-opening clear polyvinyl bag. (Fire shelter only; does not come with case or case liner.) Deployed size: 86" long; 15-1/2" high; 31" wide. For use with M-2002 Fire Shelter Case NSN 8465-01-498-3190 and M-2002 Fire Shelter Case Liner NSN 8465-01-498-3191. (Each sold separately.) This item is a component of Fire Shelter, Complete (M-2002) NSN 4240-01-498-3194. Forest Service Spec 5100-606. (NFES #0926)



■ Std. pack: 10

4240-01-498-3184 EA \$228.66

Fire Shelter, Single (M-2002) (Large)

Fire shelter provides increased protection from radiant and convective heat in wildland firefighter entrapment situations. Large size shelter designed for firefighters taller than 6'1" or whose girth exceeds 53" at any point. Each shelter comes folded in a quick-opening clear polyvinyl bag. (Fire shelter only; does not come with a case or case liner.) Deployed size: 96" long; 19-1/2" high; 33" wide. For use with M-2002 fire shelter case NSN 8465-01-498-3190 and M-2002 fire shelter case liner NSN 8465-01-498-3191 (each sold separately). This item is a component of Fire Shelter, Complete (M-2002, Large) NSN 4240-01-527-5248. Forest Service Spec 5100-606. (NFES #0973)



■ Std. pack: 10

4240-01-529-8804 Large EA \$298.00

New-Generation Fire Shelters (M-2002)

Components	Complete Unit Size: Regular NSN 4240-01-498-3194 (NFES #0925) "X" indicates whether item is included in unit	Complete Unit Size: Large NSN 4240-01-527-5248 (NFES #0975) "X" indicates whether item is included in unit
Shelter (Regular) NSN 4240-01-498-3184 (NFES #0926)	X	
Shelter (Large) NSN 4240-01-529-8804 (NFES #0973)		X
Carrying Case NSN 8465-01-498-3190 (NFES #0927)	X	X
Plastic Case Liner NSN 8465-01-498-3191 (NFES #0928)	X	X

Fire Shelter Carrying Case (M-2002)

Nylon duck case for carrying M-2002 fire shelter. Opening flap closes with Velcro. Includes vertical and horizontal hangers. Instructions provided in front pocket. For use with M-2002 fire shelter NSN 4240-01-498-3184 (regular) or NSN 4240-01-529-8804 (large) and fire shelter carrying case liner (M-2002) NSN 8465-01-498-3191. This item is a component of Fire Shelter, Complete (M-2002) NSN 4240-01-498-3194 and NSN 4240-01-529-8804. Forest Service Spec 5100-609. (NFES #0927)



Std. pack: 10

8465-01-498-3190 Blue EA \$12.33

Fire Shelter Carrying Case Liner (M-2002)

Open-topped hard plastic liner fits inside M-2002 fire shelter carrying case. Liner protects the shelter from being crushed. For use with M-2002 Fire Shelter NSN 4240-01-498-3184 (Regular) or NSN 4240-01-529-8804 (large) and Fire Shelter Carrying Case (M-2002) NSN 8465-01-498-3190. This item is a component of Fire Shelter, Complete (M-2002) NSN 4240-01-498-3194 and NSN 4240-01-529-8804. Forest Service Spec 5100-610. (NFES #0928)



Std. pack: 50

8465-01-498-3191 EA \$7.46

Training/Practice Fire Shelter, Complete (M-2002)

Reusable practice fire shelter system for training in use of M-2002 fire shelter. Same size and dimensions as M-2002 fire shelter. Includes the carrying case, case liner, polyvinyl bag, and practice shelter. Note: This item is not fire-resistant and should not be used as a fire shelter. Forest Service Spec 5100-611. (NFES #2678)



Std. pack: 10

6930-01-499-0605 EA \$87.36

Training/Practice Fire Shelter, Complete (M-2002) (Large)

Reusable practice fire shelter system for training in use of M-2002 large fire shelter. Large-size shelter designed for firefighters taller than 6'1" or whose girth exceeds 53" at any point. Same size and dimensions as M-2002 Large fire shelter. Includes the carrying case, case liner, polyvinyl bag, and practice shelter. Note: This item is not fire-resistant and should not be used as a fire shelter. Forest Service Spec 5100-611. (NFES #2799)



Std. pack: 10

6930-01-529-8807 Large EA \$93.32

Training/Practice Fire Shelters (M-2002)

Components	Complete Practice Unit Size: Regular NSN 6930-01-499-0605 (NFES #2678) "X" indicates whether item is included in unit	Complete Unit Size: Large NSN 6930-01-529-8807 (NFES #2799) "X" indicates whether item is included in unit
Practice Shelter (Regular) NSN 6930-01-499-0608 (NFES #2679)	X	
Practice Shelter (Large) NSN 6930-01-529-8805 (NFES #2798)		X
Practice Carrying Case NSN 6930-01-499-0614 (NFES #2680)	X	X
Practice Polyvinyl Bag NSN 6930-01-499-0618 (NFES #2681)	X	X
Plastic Case Liner NSN 8465-01-498-3191 (NFES #0928)	X	X

Training/Practice Fire Shelter (M-2002)

Reusable practice fire shelter system is designed for training in use of M-2002 fire shelter. Same size and dimensions as M-2002 fire shelter. Reusable polyvinyl bag (NSN 6930-01-499-0618), carrying case (NSN 6930-01-499-0614) and carrying case liner (NSN 8465-01-498-3191) are sold separately. Note: This item is not fire-resistant and should not be used as a fire shelter. Forest Service Spec 5100-611. (NFES #2679)



■ Std. pack: 10

6930-01-499-0608 EA \$77.24

Training/Practice Fire Shelter (M-2002) (Large)

Reusable practice fire shelter system is designed for training in use of M-2002 Large fire shelter. Large size shelter designed for firefighters taller than 6'1" or whose girth exceeds 53" at any point. Same size and dimensions as M-2002 Large fire shelter. Reusable polyvinyl bag (NSN 6930-01-499-0618), carrying case (NSN 6930-01-499-0614) and carrying case liner (NSN 8465-01-498-3191) are sold separately. Note: This item is not fire-resistant and should not be used as a fire shelter. Forest Service Spec 5100-611. (NFES #2798)



■ Std. pack: 10

6930-01-529-8805 Large EA \$68.76

Training/Practice Fire Shelter Carrying Case (M-2002)

Nylon duck case for carrying M-2002 practice shelter. Opening flap closes with Velcro. Includes vertical and horizontal hangers. Instructions provided in front pocket. Practice fire shelter (Regular NSN 6930-01-499-0608 or Large 6930-01-529-8805), reusable polyvinyl bag (NSN 6930-01-499-0618) and carrying case liner (NSN 8465-01-498-3191) are sold separately. Forest Service Spec 5100-612. (NFES #2680)



■ Std. pack: 10 or 100

6930-01-499-0614 Red EA \$19.55

Training/Practice Fire Shelter Bag, Polyvinyl (M-2002)

Reusable polyvinyl bag for M-2002 practice fire shelter. Simulates the tear-open bag used with the real fire shelter. Polyvinyl bag only. Practice fire shelter (Regular NSN 6930-01-499-0608 or NSN 6930-01-529-8805), carrying case (NSN 6930-01-499-0614), and carrying case liner (NSN 8465-01-498-3191) are sold separately. Forest Service Spec 5100-611. (NFES #2681)



■ Std. pack: 100

6930-01-499-0618 EA \$13.36

		
	Regular Fire Shelter (inches)	Large Fire Shelter (inches)
Length:	86"	96"
Height:	15-1/2"	19-1/2"
Width:	31"	33"
Packed Size:	8-1/2 x 5-1/2 x 4"	9 x 5-1/2 x 4"

Large New-Generation Fire Shelter

Tony Petrilli, Project Leader

(Taken from TechTips 0551-2325-MTDC, June 2005)

Highlights

- The large version is recommended for firefighters who are taller than 6'1" or whose girth is larger than 53".
- The large version weighs just 0.6 lbs. more than the regular fire shelter and can be carried in the same hard-plastic liner and case.
- Firefighters who are shorter than 5'7" may have difficulty deploying and holding down the large fire shelter.

How Does the Large Shelter Differ from the Regular Shelter?

The large shelter is longer, wider and taller than the regular shelter and weighs about 0.6 lbs. more. The table to the left shows the dimensions of both shelters. The large shelter fits easily into the hard plastic liner and case used for the regular shelter. The large shelter is easily identified by "LARGE" stenciled on the quick-deployment strap stitched onto the plastic bag holding the shelter. The large shelter's deployment strap is orange rather than yellow, the color of the strap on the regular shelter. This strap is visible whether the shelter is inside or outside its case.

Wildland Firefighter's Face-and-Neck Shroud

Flame-resistant shroud protects lower face and neck of a wildland firefighter from radiant heat. Attaches to Wildland Firefighter's Helmet NSN 8415-01-055-2265 via a hook-and-pile fastener tape. Shroud extends approximately 10" below helmet and encircles the head, leaving 6"-wide, 4"-deep opening for the eyes. Made from two layers of material for extra protection. Closes in front with hook-and-loop fastener tape. One size fits all. Washable. Forest Service Spec 5100-601. (NFES #1274)



■ Std. pack: 20

8415-01-483-6075 Yellow EA \$26.95

Chest Harness

Black nylon webbing harness is designed for carrying a fire shelter on the chest. Features straps over the shoulders and around the chest. The fire shelter fastens to a horizontal hanger. Forest Service Spec 5100-104, Rev A. MTDC Drawing 948. (NFES #0294)



■ Std. pack: 20

8465-01-463-4648 EA \$17.09

ICON KEY

The following is a list of icons used in this publication and the information each icon represents:



Key information to help buying decisions



Includes information on recycled content



The product is part of a specific standard pack. Standard pack is a guide to how many items are packed in a single case. Standard pack does not mean "minimum order."



Material Safety Data Sheet (MSDS) is available

Comprehensive Procurement Guideline Compliant; the EPA designates these items with required recycled content



Items with biodegradable packing materials as required by U.S. Navy's Plastics Removal in Marine Environments program



Contact us for more information

Training Materials

- *The New Generation Fire Shelter*, pamphlet (NFES #2710)
- *The New Generation Fire Shelter*, VHS and DVD (VHS – NFES #2711, DVD – NFES #2712)

Spanish-language versions also are available:

- *El Refugio de Protección Nueva Generación*, pamphlet (NFES #2736)
- *El Refugio de Protección Nueva Generación*, VHS (NFES #2735)

Training materials can be ordered through the Great Basin Cache located at the National Interagency Fire Center (NIFC). All fire-shelter training materials are within PMS 411.

For more ordering information, go to the National Wildfire Coordinating Group publications website: <http://www.nwcg.gov/pms/pubs/pubs.htm>.

Copies of the complete TechTips document may be ordered from:

USDA Forest Service, Missoula Technology and Development Center (MTDC)
5785 Highway 10 West
Missoula, MT 59808-9361

Phone: (406) 329-3978

Fax: (406) 329-3719

E-mail: wo_mtdc_pubs@fs.fed.us

For additional technical information, contact Tony Petrilli at MTDC.

Phone: (406) 329-3965

E-mail: apetrilli@fs.fed.us

Electronic copies of MTDC's documents are available on the Internet at:

Website: <http://www.fs.fed.us/t-d/pubs/>
(User name: t-d; Password: t-d)

Forest Service and Bureau of Land Management employees can search a more complete collection of MTDC's documents, videos, and CDs on their internal computer networks at:

Website: <http://fsweb.mtdc.wo.fs.fed.us/search/>.



A

Wildland Firefighter's Helmet

A. Cap-style helmet with peak includes three non-metallic headlamp/goggle retainer clips and four retro-reflective strips. Four-point suspension headband with crown straps, sweatband, and nape devise with slide-tab system at back for size adjustment. Three strips of hook-and-loop fastening tape on inside of helmet for attaching a face-and-neck shroud. Adjustable chin strap. Fits head sizes 6-1/2 to 8. Conforms to NFPA 1977. (NFES #0109)

■ Std. pack: 20

8415-01-055-2265	Yellow	EA	\$24.29
------------------	--------	----	---------

Wildfire helmets are specifically engineered to meet the requirements of wildland firefighters. Available in both cap and hat (full brim) styles. The helmets include goggle retainer clips, light-reflective strips, six-point ratchet suspension system, and a postman's slide chinstrap. Includes three strips of hook-fastening tape for attaching a face-and-neck shroud NSN 8415-01-483-6075. Conforms to NFPA 1977. Fits head sizes 6-1/2 to 8.

B. Cap style.

8415-01-504-9044	Red	EA	\$30.83
8415-01-504-9045	White	EA	\$31.55
8415-01-504-9042	Yellow	EA	\$31.00

C. Hat style (full brim).

8415-01-504-9048	Red	EA	\$34.11
8415-01-504-9050	White	EA	\$34.21
8415-01-504-9047	Yellow	EA	\$34.01



B



C

Safety Goggles

D. Low-profile design goggles protect against chemical splash and impact. Lens provides superior optics and peripheral vision. Soft elastomer seal on frame seals goggles to face while providing enhanced comfort. Impact-resistant, clear polycarbonate lens absorbs more than 99.9 percent of harmful UV light. Indirect venting increases air circulation. Quick-adjust headband. This is a component of Mop-Up Kit NSN 4210-01-321-4206. Meets ANSI Z87.1. (NFES #0318)

Gray frame with clear lens.

■ Std. pack: 50

4240-01-504-7863	Uvex Stealth S3960C, or equal	PR	\$11.49
------------------	-------------------------------	----	---------



D

Safety Glasses

E. Glasses provide eye protection while the wearer performs light work and can be worn over most prescription glasses. Wrap-around-style goggles with vented side protection are made of polycarbonate plastic and feature an anti-scratch, anti-fog coating and UV protection. In accordance with ANSI Z87.1.

(NFES #0475)

■ Std. pack: 100

4240-01-292-2816	UNICOR	Clear	PR	\$4.22
------------------	--------	-------	----	--------

(NFES #0476)

■ Std. pack: 100

4240-01-292-5055	UNICOR	Tinted Amber	PR	\$4.22
------------------	--------	--------------	----	--------

(NFES #0474)

■ Std. pack: 100

4240-01-292-2817	UNICOR	Tinted Gray	PR	\$4.22
------------------	--------	-------------	----	--------



E



F

Ear Plugs

F. Plugs are designed to provide general hearing protection in noisy environments. Made of non-toxic, non-allergenic, closed-cell PVC foam that expands to fit most ear sizes. New two-color design allows for quick inspection of proper insertion by users. Dispenser box contains 200 individually wrapped pairs. A-A-54878. (NFES #1027)

■ Std. pack: 1 (200 pr)

6515-00-137-6345	AbilityOne	BX(contains 400 EA)	\$26.90
------------------	------------	---------------------	---------

Firefighter's Work Gloves

Heavy-duty, Gunn-cut, rough-out cowhide gloves are designed for use on fire lines and can be used for general forestry work. Each glove features an adjustable wrist strap. NFPA 1977 compliant. Forest Service Spec 6170-5.



(NFES #1293)

■ Std. pack: 10 or 100

8415-01-394-0208	UNICOR	Size: XS	PR	\$13.64
------------------	--------	----------	----	---------

(NFES #1294)

■ Std. pack: 10 or 100

8415-01-394-0209	UNICOR	Size: S	PR	\$13.64
------------------	--------	---------	----	---------

(NFES #1295)

■ Std. pack: 10 or 100

8415-01-394-0210	UNICOR	Size: M	PR	\$13.64
------------------	--------	---------	----	---------

(NFES #1296)

■ Std. pack: 10 or 100

8415-01-394-0215	UNICOR	Size: L	PR	\$13.64
------------------	--------	---------	----	---------

(NFES #1297)

■ Std. pack: 10 or 100

8415-01-397-3937	UNICOR	Size: X/L	PR	\$13.64
------------------	--------	-----------	----	---------

Heavy-duty, Gunn-cut, brushed-pigskin gloves are designed for use on fire lines and can be used for general forestry work. Each glove features a keystone double layer thumb crotch, elastic wrist shirring and leather storage strap. NFPA 1977 compliant.



(NFES #1639)

8415-01-565-0623		Size: XS	PR	\$17.68
------------------	--	----------	----	---------

(NFES #1640)

8415-01-565-0620		Size: S	PR	\$17.68
------------------	--	---------	----	---------

(NFES #1641)

8415-01-565-0618		Size: M	PR	\$17.68
------------------	--	---------	----	---------

(NFES #1642)

8415-01-565-0624		Size: L	PR	\$17.68
------------------	--	---------	----	---------

(NFES #1643)

8415-01-565-0625		Size: X/L	PR	\$17.68
------------------	--	-----------	----	---------

Heavy-duty, Gunn-cut, split-cowhide leather gloves are designed for use on fire lines and can be used for general forestry work. Features a wing thumb, continuous index finger construction, elastic Kevlar knit wristlet and storage strap. Anatomically designed and unlined. NFPA 1977 compliant.



(NFES #1474)

8415-01-568-0011	Gray	Size: X/S	PR	\$26.90
------------------	------	-----------	----	---------

(NFES #1475)

8415-01-568-0006	Gray	Size: S	PR	\$26.90
------------------	------	---------	----	---------

(NFES #1476)

8415-01-568-0013	Gray	Size: M	PR	\$26.90
------------------	------	---------	----	---------

(NFES #1477)

8415-01-568-0008	Gray	Size: L	PR	\$26.90
------------------	------	---------	----	---------

(NFES #1478)

8415-01-568-0012	Gray	Size: X/L	PR	\$26.90
------------------	------	-----------	----	---------



Emergency fire orders:
See page 4 of this publication.

Wildland Firefighter's Shirt (Nomex)

Flame-resistant, 5-1/2-oz., aramid (Nomex) shirt is designed for use by wildland firefighters as a safety garment. The bright yellow shirt is single-breasted with a button front, a rolled collar and a straight-cut bottom. Shirt has two flap-closing breast pockets and hook-and-pile fasteners for pockets and cuffs. Forest Service Spec 5100-91.



(NFES #0522) Std. pack: 50

8415-01-211-6316	Yellow	Size: XS (13-1/2 x 31")	EA	\$67.58
------------------	--------	-------------------------	----	---------

(NFES #0577) Std. pack: 50

8415-00-233-5818	Yellow	Size: S (14-1/2 x 32")	EA	\$67.58
------------------	--------	------------------------	----	---------

(NFES #0511) Std. pack: 50

8415-01-434-0618	Yellow	Size: S/Long (14-1/2 x 33")	EA	\$67.58
------------------	--------	-----------------------------	----	---------

(NFES #0578) Std. pack: 50

8415-00-233-5819	Yellow	Size: M (15-1/2 x 33")	EA	\$67.58
------------------	--------	------------------------	----	---------

(NFES #0569) Std. pack: 50

8415-01-421-3905	Yellow	Size: M/Long (15-1/2 x 34")	EA	\$67.58
------------------	--------	-----------------------------	----	---------

(NFES #0579) Std. pack: 50

8415-00-259-8718	Yellow	Size: L (16-1/2 x 34")	EA	\$67.58
------------------	--------	------------------------	----	---------

(NFES #2078) Std. pack: 50

8415-01-285-3530	Yellow	Size: L/Long (16-1/2 x 36")	EA	\$67.58
------------------	--------	-----------------------------	----	---------

(NFES #0580) Std. pack: 50

8415-00-259-8722	Yellow	Size: XL (17-1/2 x 35")	EA	\$67.58
------------------	--------	-------------------------	----	---------

(NFES #2079) Std. pack: 50

8415-01-284-7500	Yellow	Size: XL/Long (17-1/2 x 36")	EA	\$67.58
------------------	--------	------------------------------	----	---------

(NFES #0570) Std. pack: 50

8415-01-421-3907	Yellow	Size: XXL (18-1/2 x 36")	EA	\$67.58
------------------	--------	--------------------------	----	---------

(NFES #0512) Std. pack: 50

8415-01-434-0626	Yellow	Size: XXL/Long (18-1/2 x 37")	EA	\$67.58
------------------	--------	-------------------------------	----	---------

(NFES #2910) Std. pack: 50

8415-01-533-1740	Yellow	Size: XXXL (19-1/2 x 37")	EA	\$67.58
------------------	--------	---------------------------	----	---------

(NFES #2911) Std. pack: 50

8415-01-533-2435	Yellow	Size: XXXL/Long (19-1/2 x 38")	EA	\$67.58
------------------	--------	--------------------------------	----	---------

Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)

BDU-style flame-resistant pants include waist-adjustment buckles, cuff hook-and-loop adjustment straps and cargo pockets. Wildland firefighter safety garment is made from a 7.5-oz./sq. yd., twill weave, meta-aramid (Nomex) blend material. Forest Service Spec 5100-92.



Note about orders for BDUs with 33" inseams: BDUs with 34" inseams will be substituted until stock is depleted, then the 33"-inseam version will be shipped to fulfill subsequent orders.

(NFES #2800) Std. pack: 30

8415-01-464-2282	Spruce Green	Waist: 26 to 30"; Length: 30"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2700) Std. pack: 30

8415-01-464-4242	Spruce Green	Waist: 26 to 30"; Length: 33"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2841) Std. pack: 30

8415-01-537-4986	Spruce Green	Waist: 26 to 30"; Length: 36"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2801) Std. pack: 30

8415-01-464-3672	Spruce Green	Waist: 28 to 32"; Length: 30"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2701) Std. pack: 30

8415-01-464-4247	Spruce Green	Waist: 28 to 32"; Length: 33"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2843) Std. pack: 30

8415-01-537-4982	Spruce Green	Waist: 28 to 32"; Length: 36"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2802) Std. pack: 30

8415-01-464-3671	Spruce Green	Waist: 30 to 34"; Length: 30"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2702) Std. pack: 30

8415-01-464-4244	Spruce Green	Waist: 30 to 34"; Length: 33"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2844) Std. pack: 30

8415-01-537-4983	Spruce Green	Waist: 30 to 34"; Length: 36"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2803) Std. pack: 30

8415-01-464-3676	Spruce Green	Waist: 32 to 36"; Length: 30"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2703) Std. pack: 30

8415-01-464-4248	Spruce Green	Waist: 32 to 36"; Length: 33"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2845) Std. pack: 30

8415-01-537-4985	Spruce Green	Waist: 32 to 36"; Length: 36"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2804) Std. pack: 30

8415-01-464-3677	Spruce Green	Waist: 34 to 38"; Length: 30"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2704) Std. pack: 30

8415-01-464-5742	Spruce Green	Waist: 34 to 38"; Length: 33"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2847) Std. pack: 30

8415-01-537-5677	Spruce Green	Waist: 34 to 38"; Length: 36"	PR	\$81.89
------------------	--------------	-------------------------------	----	---------

(NFES #2805)  Std. pack: 30

8415-01-464-3678 Spruce Green Waist: 36 to 40"; Length: 33" PR \$81.89

(NFES #2705)  Std. pack: 30

8415-01-464-5621 Spruce Green Waist: 36 to 40"; Length: 33" PR \$81.89

(NFES #2848)  Std. pack: 30

8415-01-537-5681 Spruce Green Waist: 36 to 40"; Length: 36" PR \$81.89

(NFES #2706)  Std. pack: 30

8415-01-464-5624 Spruce Green Waist: 38 to 42"; Length: 33" PR \$81.89

(NFES #2849)  Std. pack: 30

8415-01-537-5678 Spruce Green Waist: 38 to 42"; Length: 36" PR \$81.89

(NFES #2707)  Std. pack: 30


8415-01-464-5645 Spruce Green Waist: 40 to 44"; Length: 33" PR \$81.89

(NFES #2806)  Std. pack: 30

8415-01-464-3673 Spruce Green Waist: 38 to 42"; Length: 30" PR \$81.89

(NFES #2807)  Std. pack: 30

8415-01-464-3675 Spruce Green Waist: 40 to 44"; Length: 30" PR \$81.89

(NFES #2850)  Std. pack: 30

8415-01-537-5679 Spruce Green Waist: 40 to 44"; Length: 36" PR \$81.89

(NFES #2842)  Std. pack: 30

8415-01-537-4981 Spruce Green Waist: 44 to 48"; Length: 30" PR \$81.89

(NFES #2846)  Std. pack: 30

8415-01-537-4984 Spruce Green Waist: 44 to 48"; Length: 33" PR \$81.89

(NFES #2851)  Std. pack: 30

8415-01-537-5680 Spruce Green Waist: 44 to 48"; Length: 36" PR \$81.89

Wildland Firefighter's Pants, Type II, Para-Aramid (Kevlar)

BDU-style include waist-adjustment buckles, cuff hook-and-loop adjustment straps and cargo pockets. Wildland firefighter flame-resistant pants are made from a 7.0 oz./sq. yd., rip-stop weave, para-aramid (Kevlar) blend material. Forest Service Spec 5100-92.

(NFES #2945)  Std. pack: 30

8415-01-559-3543 Light Spruce Green Waist: 30 to 34"; Length: 33" PR \$145.68

(NFES #2958)  Std. pack: 30

8415-01-559-3549 Light Spruce Green Waist: 32 to 36"; Length: 30" PR \$145.68

(NFES #2946)  Std. pack: 30

8415-01-559-3544 Light Spruce Green Waist: 32 to 36"; Length: 33" PR \$145.68

(NFES #2959)  Std. pack: 30

8415-01-559-3541 Light Spruce Green Waist: 34 to 38"; Length: 30" PR \$145.68

(NFES #2947)  Std. pack: 30

8415-01-559-3547 Light Spruce Green Waist: 34 to 38"; Length: 33" PR \$145.68

(NFES #2963)  Std. pack: 30

8415-01-559-3546 Light Spruce Green Waist: 36 to 40"; Length: 30" PR \$145.68


(NFES #2948)  Std. pack: 30

8415-01-559-3548 Light Spruce Green Waist: 36 to 40"; Length: 33" PR \$145.68

The following NSNs are currently out of stock. Due to delays in material availability related to the war effort, we expect deliveries in the summer. For status on availability, please contact Maria White at (817) 850-8325 or call (800) 525-8027 and select option 3.

(NFES #2956)  Std. pack: 30

8415-01-559-3545 Light Spruce Green Waist: 28 to 32"; Length: 30" PR \$145.68

(NFES #2944)  Std. pack: 30

8415-01-559-3540 Light Spruce Green Waist: 28 to 32"; Length: 33" PR \$145.68

(NFES #2957)  Std. pack: 30

8415-01-559-3542 Light Spruce Green Waist: 30 to 34"; Length: 30" PR \$145.68

After-hours/weekend support:
See page 4 of this publication.

Packs and Accessories



A



B



C



D



E

Personal Gear Pack

A. Heavyweight, urethane-coated nylon duck pack carries up to 40 lbs. of gear. Styled with a main compartment, a sleeping bag compartment, and front and back pockets. Features adjustable shoulder straps that hide away in back pocket and buckles that allow pack to be attached to a firefighter's field pack. Includes carrying handle on side of bag. Forest Service Spec 5100-215. (NFES #1855)

Std. pack: 10

8465-01-141-2321	AbilityOne	Red	EA	\$50.60
------------------	------------	-----	----	---------

Packsack

B. Intended for use in a wide variety of field-related activities, including wildland fire suppression. The top of the packsack closes with a drawstring and a zippered pocket flap. Includes shoulder straps and a chest strap. Heavy-duty nylon duck cloth. This is a component of Mop-Up Kit NSN 4210-01-321-4206. Forest Service Spec 5100-214. (NFES #0744)

Std. pack: 20

8465-00-205-3493	AbilityOne	Dark Green	18 x 16 x 8"	EA	\$45.86
------------------	------------	------------	--------------	----	---------

Tent Bag

C. Personal gear pack tent bag is designed to hold a one-person tent that compacts into a 28 x 5" size (tent not included). For attachment to Personal Gear Pack NSN 8465-01-141-2321. Forest Service Spec 5100-215B. Drawing MTDC 949. (NFES #0281)

Std. pack: 20

8465-01-463-4649	AbilityOne	Red	EA	\$27.73
------------------	------------	-----	----	---------

Complete Field Pack

D. All the tools the wildland firefighter needs in one kit. Includes a main pack with a belt, two canteen cases, and a belt pack. All components are made of coated nylon duck. Also includes all of the necessary hardware and an adjustable padded harness (for men or women). Canteen sold separately as NSN 8465-00-102-6381. Forest Service Spec 5100-217. (NFES #1372)

Individual components (except for the Main Pack NSN 8465-01-193-9781) are no longer available from GSA.

Std. pack: 10

8465-01-169-3996	AbilityOne	Bright Yellow	EA	\$72.99
------------------	------------	---------------	----	---------

Field Pack Main Pack

Replacement nylon duck pack is for the main pack included in the Complete Field Pack NSN 8465-01-169-3996. This component of the field pack is only available in limited quantities. Once the current stock has been depleted, it will no longer be available. Future requirements may be obtained only by procuring the complete yellow field pack, NSN 8465-01-169-3996. Forest Service Spec 5100-217. (NFES #1559)

Std. pack: 20

8465-01-193-9781	AbilityOne	Bright Yellow	EA	\$31.84
------------------	------------	---------------	----	---------

Briefcase

E. All-purpose case is made of sturdy nylon Cordura. Features a single inner compartment, pockets on each side, and a shoulder strap.

(NFES #1526)

Std. pack: 20

8460-01-193-9769	AbilityOne	Smoke Gray	16 x 12 x 3"	EA	\$41.90
------------------	------------	------------	--------------	----	---------

Fireline Pack (Complete)

F. Gear carrier is designed for use by wildland firefighters. Fireline pack includes a main compartment (measuring approximately 1,000 cu. in., with top rain skirt allowing expansion), two side pockets (which can hold two one-quart water bottles each), two lid pockets, two fusee pockets, and a belt pocket (all totaling 2,100 cu. in.). Bottom-mounted fire shelter sleeve can accommodate either a new-generation or old-design fire shelter. Lumbar-style pack hangs low on back for improved line-digging ergonomics. Includes two canteen cases and a stuff sack. Forest Service Spec 5100-605. (NFES #0674)

■ Std. pack: 10

8465-01-503-4484	Blue	EA	\$146.65
------------------	------	----	----------



Main Fireline Pack

Replacement nylon duck fireline pack for Fireline Pack (Complete) NSN 8465-01-503-4484. Main pack only. Does not include canteen cases or stuff sack. Forest Service Spec 5100-605. (NFES #0678)

■ Std. pack: 10

8465-01-503-4488	Blue	EA	\$121.12
------------------	------	----	----------



Fireline Pack Carrying Case (Stuff Sack)

G. Cylindrical nylon duck carrying case (stuff sack) is designed for use with Main Fireline Pack NSN 8465-01-503-4488. Forest Service Spec 5100-605. (NFES #0677)

■ Std. pack: 200

8465-01-503-4482	Blue	EA	\$6.93
------------------	------	----	--------



Fireline Pack Canteen Case

H. Replacement canteen case for Main Fireline Pack NSN 8465-01-503-4488. Made from nylon duck and webbing. Forest Service Spec 5100-605. (NFES #0675)

■ Std. pack: 200

8465-01-503-4479	Blue	EA	\$7.56
------------------	------	----	--------

ICON KEY

The following is a list of icons used in this publication and the information each icon represents:



Key information to help buying decisions



Material Safety Data Sheet (MSDS) is available



Items with biodegradable packing materials as required by U.S. Navy's Plastics Removal in Marine Environments program



Includes information on recycled content



Comprehensive Procurement Guideline Compliant; the EPA designates these items with required recycled content



The product is part of a specific standard pack. Standard pack is a guide to how many items are packed in a single case. Standard pack does not mean "minimum order."



Contact us for more information

Canteens, Water Bags and Accessories

Canteen

For carrying water, this canteen features a chained screw cap and an adjustable over-the-shoulder carrying strap. It is made of polyethylene plastic and the sides are covered by polycarbonate disks for protection against punctures and abrasion. (NFES #1063)



■ Std. pack: 10

8465-00-082-3054	Capacity: 4 qt.	EA	\$9.92
------------------	-----------------	----	--------

Rigid plastic water bottle with cap is rectangular and disposable. Measures 2-1/2 x 3-3/4 x 8-1/4" overall. Comes with a protective cover that encloses the entire canteen. (NFES #0038)



■ Std. pack: 100

8465-01-062-5854	AbilityOne Opaque White	Capacity: 1 qt.	EA	\$6.48
------------------	-------------------------	-----------------	----	--------

Rigid plastic water bottle with cap is rectangular and disposable. Measures 2-1/2 x 3-3/4 x 8-1/4". Forest Service Spec 5100-84. (For cover, see Canteen Case NSN 8465-00-118-4956.) (NFES #0037)



■ Std. pack: 100

8465-00-102-6381	Opaque White	Capacity: 1 qt.	EA	\$0.57
------------------	--------------	-----------------	----	--------

Canteen Case

Designed to cover Canteen NSN 8465-00-102-6381, this medium-weight cotton duck case features snap fasteners to hold the canteen in place. Web loops attach to belt. Silkscreen reads: "FSS." Forest Service Spec 5100-85. (NFES #0054)



■ Std. pack: 50 or 300

8465-00-118-4956	AbilityOne White	Capacity: 1 qt.	EA	\$2.78
------------------	------------------	-----------------	----	--------

Water Bag

This backpack-style bag for drinking water comes complete with two replaceable inner bladders and removable straps. Nylon duck outer covering includes a pocket to store extra bladder. Can be used in conjunction with Field Pack Harness NSN 8456-01-194-7019. Includes an exterior spigot. MTDC Drawing 834. (Replacement liner may be purchased as NSN 8465-01-310-5130.) (NFES #0912)



■ Std. pack: 20

8465-01-310-1259	Blue	Capacity: 5 gal.	EA	\$61.60
------------------	------	------------------	----	---------

Water Bag Liner

Replacement drinking water bladder has attached rubber spigot. (For use with Water Bag NSN 8465-01-310-1259.) (NFES #0911)



■ Std. pack: 10 or 100

8465-01-310-5130	Clear or Silver	Capacity: 5 gal.	EA	\$3.30
------------------	-----------------	------------------	----	--------

Drinking Water Bag

For use in transporting drinking water only. Includes integral sling straps with a 4" steel cargo ring. Intended for transport by truck or helicopter external load. Complete unit includes two replaceable PVC liners (NSN 8465-01-369-2147), one fill opening and two drain openings, each with a four-foot dispenser hose with fittings for proper attachment and flow control. Has three fill-and-use openings. All accessories and extra liner packed in the water bag's external pocket. Forest Service Spec 5100-94. (NFES #0435)



■ Std. pack: 1

8465-01-369-3557	Royal Blue	Capacity: 55 gal.	EA	\$259.07
------------------	------------	-------------------	----	----------

Drinking Water Bag Liner

Replacement plastic liner for 55-gallon Drinking Water Bag NSN 8465-01-369-3557. For potable water use only. Forest Service Spec 5100-95. (NFES #0436)



■ Std. pack: 5

8465-01-369-2147			EA	\$73.27
------------------	--	--	----	---------

Suppression Water Bag

For wildland fire suppression use only. Has integral sling straps with a 4" steel cargo ring. Intended for transport by truck or helicopter external load. Complete unit includes two replaceable liners (NSN 8465-01-369-2149), one fill opening, and one drain opening; with a four-foot dispenser hose with fittings for proper attachment and flow control. Has two fill-and-use openings. All accessories packed in the water bag's external pocket. Forest Service Spec 5100-94. (NFES #0437)



■ Std. pack: 1

8465-01-369-2148	Yellow	Capacity: 55 gal.	EA	\$217.38
------------------	--------	-------------------	----	----------

Suppression Water Bag Liner

Replacement liner for 55-gallon Suppression Water Bag NSN 8465-01-369-2148. Forest Service Spec 5100-95. (NFES #0438)



■ Std. pack: 5

8465-01-369-2149			EA	\$32.13
------------------	--	--	----	---------

Water Jug

Unassembled reservoir consists of a five-gallon plastic liquid container with a 38-mm opening, a white 38-mm polyethylene cap, and a knock-down water container box. Box is made of plain brown cardboard (weather-resistant) with openings for a water spout and handles. (NFES #0048)



■ Std. pack: 1 (20 EA/BX)

7310-00-128-6837 Capacity: 5 gal. BX(contains 20 EA) \$121.17

Plastic Storage Container

This molded, plastic container stores foods and beverages and features a contoured handle and spout.

Made of high-density plastic. Without fiberboard carton. (NFES #2058)



■ Std. pack: 6

8115-00-145-0038 White Capacity: 5 gal. EA \$10.03

Food Container (Disposable)

Plastic food and beverage pail features a spout in the lid. Kit consists of: one box; one plastic pail; two 13 x 13" insulation; one 15 x 48" extra insulation; and two labels for marking packed date. Supplied over-packed in a box and insulated by foam. Useful for providing hot food and drink to wildland firefighters in the field. MEDC Drawing 831. (NFES #0073)



■ Std. pack: 1

7360-01-310-5131 AbilityOne Capacity: 5 gal. KT \$22.41



Food-Handling Equipment

Plastic Flatware

For use with field rations, odorless and tasteless flatware is heat tolerant and meets FDA requirements.

High-impact flatware is durable. (NFES #0497)

Spoon.

■ Std. pack: 30

7340-00-170-8374 AbilityOne Tan/Sand Length: 5-3/4" HD \$6.03



Individual Flatware Set

High-impact set is excellent for use during picnics or with military rations. Smooth-finished flatware is made of high-impact, modified polystyrene and can be discarded after use. Set contains a 5" knife, a 5" fork and a 5" spoon in an easy-to-open cellophane bag. Heat-tolerant utensils are free of objectionable taste and odor. (NFES #0129)



■ Std. pack: 25

7360-00-634-4800 AbilityOne Tan/Sand BX(contains 10 EA) \$2.79

Paper Tableware

Round, disposable paper cup is tapered to stack easily. It is odorless and leakproof. Meets FDA requirements.

Features a plastic coating on the inner surface.

Tall-style cup with handle is for hot liquids. Does not have a lid. (NFES #0465)

■ Std. pack: 1 (1,000/BX)

7350-00-988-6498 AbilityOne White Capacity: 8 oz. BX(contains 1000 EA) \$72.91



Disposable plate is tasteless, odorless and water- and grease-resistant. Flat-bottom, nesting design meets FDA requirements.

Three-compartment plate has one main compartment that covers 50 percent of plate and two smaller compartments, each covering 25 percent of plate. Compartment dividers are one-half as high as plate rim.

Round plate of molded pulp paper provides extra resistance to water and grease. (NFES #0464)

■ Std. pack: 1 (500/BX)

7350-01-263-6700 AbilityOne White Diameter: 10-1/4"; Depth: 7/8" BX(contains 500 EA) \$82.18



Disposable Dinnerware

Kit contains 60 each of the following disposable items: food cups; hot/cold cups; sets of flatware; paper table napkins; paper plates and inserts. Packaged in a fiberboard box that contains a 25-person, one-day, two-meal kit. (NFES #0135)



■ Std. pack: 1

7360-00-139-0480 AbilityOne

KT \$70.41

Dining Packet

For use with in-flight lunchboxes. Each packet contains: white plastic knife, fork and spoon; 6" plastic drinking straw; two-ply, 17" paper napkin; wash-and-dry paper towel; salt and pepper packets; two round, wooden toothpicks. This practical assortment is sealed in a sanitary cellophane envelope.



Also contains a can opener, chewing gum and sugar. A-A-3012. (NFES #0935)

■ Std. pack: 1 (200 PACKETS/BX)

7360-00-660-0526 AbilityOne

BX(contains 200 EA) \$132.26

Vacuum Jug

Intended for use during military operations, this jug can be used for hot or cold liquids (with the exception of milk and milk products). It is thermal-efficient and maintains contents' original temperature for approximately six hours. Made of stainless steel, with a captive metal cover with gasket, vent, chain and cam-type locking device. This unit features a reinforced outer shell and is buoyant. May have bail handle or two rigid or drop handles and key-type spigot assembly with spigot guard. Conforms to NSF international standards.



Satin or butler finish.

(NFES #0827)

■ Std. pack: 1

7330-00-819-7738

Capacity: 10 gal.

EA \$632.62

Water Cooler

Jug is for cold liquids and features a self-closing faucet. Not for use with milk or milk products. Leakproof inner and outer shells form an insulating space. Maintains contents' original temperature for approximately four hours. With plastic outer shell, plastic cover/stopper and urethane foam insulation (CFC free); faucet guarded. With seamless plastic inner shell Meets FDA requirements. (NFES #0943)



With the side bracket for cup or salt tablet dispenser and two grip handles.

■ Std. pack: 1

7330-01-449-2319

P/N 1685-01-11
or equal

Orange

Diameter: 12-1/2";
Height: 19"

EA

\$33.80

Food Rations, Meals Ready to Eat (MRE)

Each assorted meal is complete (except for water) and designed for one person. Meal, ready-to-eat (MRE) food is ideal under conditions that preclude preparation. Each meal is different and consists of meat, fruit, dessert, bakery item, spoon, and a condiment/accessory packet (coffee, cream, sugar, salt, chewing gum, toilet tissue, matches, hand cleaner, etc.). Includes a flameless heater. (NFES #1842)



Note: MREs provided by GSA may have limited remaining shelf life (i.e., six months) when received before requiring inspection and shelf life extension. MREs should be purchased only for immediate short-term needs and not for long-term storage.

① 36-month maximum shelf life (extendable)

■ Std. pack: 1 (12 EA/BX)

8970-00-149-1094

BX(contains 12 EA)

\$96.57

Trash Bag

Plastic premium-quality trash bag is intended for most office and average outdoor trash. Moderately resistant to punctures and tears and does not include closure ties.

Medium-duty bag.

The 33-gallon size has a 50-lb. load capacity. (NFES #0021)



♻️ 25% Postconsumer Material

■ Std. pack: 1 (125/BX)

8105-01-183-9768

CRG

AbilityOne

Clear


33 x 39";
0.78 mil

BX(contains 125 EA)

\$26.28

Every item from GSA Global Supply™
is available for delivery worldwide.

Sleeping Bags and Accessories



Firefighter's Sleeping Bag

A. Summer-weight sleeping bag features a shell that is composed of nylon taffeta and is royal blue outside and gray inside. Features 2.3 lbs. of hollow polyester fiber batting and is suitable for use in temperatures down to 45° F. Weight: 3 lbs. Forest Service Spec 5100-38. (NFES #1062)

■ Std. pack: 10

8465-00-081-0798	AbilityOne	80 x 34"	EA	\$39.40
------------------	------------	----------	----	---------

Sleeping Bag

B. Mummy-type sleeping bag is for use by wildland firefighters in cold weather. Includes synthetic fill and is comfortable to 30° F (rated to 20° F). Features a 3/4" zipper and full hood with draw-cord closure. Dark green inside and out. (NFES #0022)

■ Std. pack: 5

8465-01-119-5562			EA	\$69.99
------------------	--	--	----	---------

Sleeping Bag Pad

C. When used in conjunction with a sleeping bag, EVA pad insulates the sleeper well from the cold, hard ground. Forest Service Spec 5100-522. (NFES #1566)

■ Std. pack: 1 (50 EA/BX)

8465-01-223-8421	Gray	75 x 23 x 3/8"	BX(contains 50 EA)	\$413.49
------------------	------	----------------	--------------------	----------

Blanket

D. This heavyweight, twill blanket is made of 80 percent wool and 20 percent cotton/nylon, nylon or similar synthetic fibers. Edges are finished with over-edge stitching. Blanket will not shrink more than 10 percent. (NFES #0441)

■ Std. pack: 10

7210-00-205-2804	PRIME	Heather	66 x 84"	EA	\$18.10
------------------	-------	---------	----------	----	---------

Tent Fly

These general-purpose, heavy-duty tent flies are designed for use in wildland firefighting camps. Water-repellent and flame-retardant. Both tent flies features brass grommets for tie-down ropes.

E. Type I. Yellow oxford nylon cloth with polyurethane coating. Includes red polyurethane-coated nylon duck cloth carrying case, ropes and rope tensioners. Forest Service Spec 5100-31. (NFES #0070)

■ Std. pack: 1

8340-00-102-6370	Yellow	16 x 24 ft.	EA	\$247.38
------------------	--------	-------------	----	----------

F. Type II. Blue ripstop nylon cloth with polyurethane coating. Can be used as ground cloth. Forest Service Spec 5100-31. (NFES #1521)

■ Std. pack: 20

8340-01-185-5512	Blue	9 x 10 ft.	EA	\$56.02
------------------	------	------------	----	---------

Ridge Pole

G. Aluminum ridge pole for use with Forest Service wall tent and tent flies. Components: two end sections; three mid-sections; one connector. Each end and mid-section is 42" long; the connector section is 22". Forest Service MEDC Drawing 694. (NFES #0089)

■ Std. pack: 1

8340-01-107-5694		Length: 16 ft.	EA	\$112.46
------------------	--	----------------	----	----------

Tent Pole

H. Telescoping upright aluminum tent pole is for use with tent fly and wall tent. Length: 10 ft., 6" when fully extended, or 39-7/8" when fully retracted. MIL-P-40148. (NFES #0083)

■ Std. pack: 6

8340-00-753-6574			EA	\$54.29
------------------	--	--	----	---------

Personal Grooming Aids



Paper Towels

A. Absorbent paper towels for kitchen use. Perforated sheets in roll form on a paperboard core.

(NFES #0240)

♻️ Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

📦 Std. pack: 1 (30 RO/BX)

8540-01-169-9010	CPG	White	11 x 9"	BX(contains 30 EA)	\$28.35
------------------	-----	-------	---------	--------------------	---------

Bath Towel (Disposable)

B. Heavy-duty, two-ply bath towel is made of disposable paper and features mesh reinforcement between the plies. (NFES #1038)

♻️ 100% Recycled, Which Includes 40% Postconsumer Material

📦 Std. pack: 1 (300 EA/BX)

7210-01-029-0370	CPG	AbilityOne	White	22 x 39"	BX(contains 300 EA)	\$82.56
------------------	-----	------------	-------	----------	---------------------	---------

Toilet Paper

C. Toilet tissue consists of 4 x 4" perforated sheets wound around a core. Uncompressed rolls are individually wrapped.

Single-ply.

Basis weight: 10 lbs. (NFES #0142)

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

📦 Std. pack: 1 (80 RO/BX)

8540-00-530-3770	CPG	AbilityOne	White	Length: 4,800"	BX(contains 80 EA)	\$61.20
------------------	-----	------------	-------	----------------	--------------------	---------

Bar Soap

D. High-quality, mildly scented soap is non-medicated and provides extra softness with skin conditioners. These regular-sized bars are individually wrapped. (NFES #0208)

⌚ 24-month maximum shelf life (extendable)

📦 Std. pack: 1 (72CK/BX)

8520-01-411-0628				Bar Size: 3 to 3-1/2 oz.	BX(contains 72 EA)	\$25.75
------------------	--	--	--	--------------------------	--------------------	---------

Personal Wash Kit

E. This convenient kit contains the following: one bar of soap; one plastic soap holder; two bath towels; one face towel; one wash cloth; one plastic wash basin with a six-quart capacity; one small poly bag; one large poly bag; and a tie. MEDC Drawing 503. (NFES #0126)

📦 Std. pack: 10 or 100

7360-00-139-1063		AbilityOne			KT	\$6.21
------------------	--	------------	--	--	----	--------

Disposable Washcloth

F. Disposable washcloth for the cleansing of hands, face and body without water. Individually packaged towelette can be used in hospitals, clinics and nursing care facilities. Ideal for use in camping, sports, travel and fitness activities. (NFES #0206)

⌚ 36-month maximum shelf life (extendable)

📦 Std. pack: 1

8520-01-415-2929	P/N Just Clean Skin U00295 or equal		11-1/2 x 11-3/4"	BX(contains 255 EA)	\$70.08
------------------	-------------------------------------	--	------------------	---------------------	---------

Pails

Collapsible Pail



Round, collapsible pail is made of vinyl-coated nylon scrim. With a stiffened and reinforced top rim. Approximate size is 9" in diameter and 11" high. High tensile strength. Leak-proof seams. Withstands up to 100 psi hydrostatic pressure. (NFES #0141)

Std. pack: 10 or 100

8465-00-128-6928	Yellow	Capacity: 3 gal.	EA	\$9.42
------------------	--------	------------------	----	--------

Utility Pail



Utility pail is made of molded polyethylene plastic and features one-quart graduations conveniently marked on the inside. Leak-proof with tapered sides for easy stacking. Rim curls outward to improve rigidity.

Pail has a plastic- or rubber-coated abrasion-resistant steel bail handle and pouring lip. Bleach-resistant pail has a pouring lip and heavy-duty wall thickness. Not intended for carrying or storing concentrated acids or strong oxidizing agents. (NFES #0487)

Std. pack: 12

7240-00-246-1097	AbilityOne	Blue	Capacity: 3 gal.	EA	\$4.04
------------------	------------	------	------------------	----	--------

Rope and Cord

Rope

Twisted, three-strand rope is suitable for various uses, such as cattle ties, lines, halters and tent ropes. A-A-52088.

Made of cotton or cotton-blend fibers.

Has a 890-lb. breaking strength. Diameter: 3/8". (NFES #1801)



Std. pack: 1

4020-00-068-7906	Natural	Circumference: 1-1/8"	SL(contains 600 FT)	\$62.06
------------------	---------	-----------------------	---------------------	---------

Cord

Braided polyamide nylon cord is light- and heat-resistant. Has a 550-lb. breaking strength and 30 percent minimum elongation. Used by the Forest Service for shroud lines on cargo parachutes. MIL-C-5040H, Type III. (NFES #0533)



Std. pack: 1

4020-00-240-2146	AbilityOne	White	SL(contains 2100 FT)	\$166.58
------------------	------------	-------	----------------------	----------

Wiping Cloth

Wiping Cloth

Soft and absorbent, this sanitized rag wipes machinery and equipment surfaces clean of water, grease and oil. Cloth contains cotton fiber mixed with synthetic fabrics. Measures at least 9" wide and 200 sq. in. (The 50-lb. bale is compressed to less than 3-1/2 cu. ft.)

For heavy-duty wiping, rag is made from mixed color remnants, mill ends, and reclaimed fabrics (3 to 10 oz./sq. yd.). (NFES #0565)


Std. pack: 1

7920-00-205-1711	PRIME	Assorted Colors	BE(contains 50 LB)	\$28.79
------------------	-------	-----------------	--------------------	---------



Routine fire orders:
See page 4 of this publication.

Packaging Material



Fire Equipment Repack Box

A. Useful for repacking a firefighter's sleeping bag, the double-walled box has a bursting strength of 275 psi and falls into the domestic class. Type CF. Regular-slotted box. Style RSC.

Useful for repacking firefighter sleeping bags. (NFES #0513)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (10 EA/BD)

8115-01-290-9543 CPG 36-1/2 x 24-1/2 x 17" BD(contains 10 EA) \$60.64

Weather-resistant, single-wall corrugated fiberboard box has a bursting strength of 350 psi. Full telescoping box, style FTC, grade V3c, ASTM D5118.

Useful for repacking backfiring fuses. (NFES #1580)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (10 EA/BD)

8115-01-219-5749 CPG 14-1/2 x 12 x 5-3/4" BD(contains 10 EA) \$254.42

B. Weather-resistant, single-walled box has a bursting strength of 350 psi. Regular-slotted box. Style RSC.

Useful for repacking firefighter jeans. (NFES #2030)

Contains 25% Recovered Material, Contains 25% Recovered Material Plastic

Std. pack: 1 (15 EA/BD)

8115-00-183-9481 CPG AbilityOne 24 x 16 x 12" BD(contains 15 EA) \$93.31

Useful for repacking firefighter shirts. (NFES #2007)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (5 EA/BD)

8115-00-292-0123 CPG AbilityOne 24 x 16 x 16" BD(contains 5 EA) \$35.05

Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 350 psi and falls into the domestic class. Grade: 350. Regular-slotted box. Style RSC.

Useful for repacking canteens. Type CF. (NFES #2006)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (10 EA/BD)

8115-00-139-0722 CPG 23 x 19 x 10" BD(contains 10 EA) \$42.15

Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 500 psi and falls into the domestic class. Type CF. Regular-slotted box. Style RSC.

Useful for repacking firefighting water pumps. (NFES #0643)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (10 EA/BD)

8115-00-139-0749 CPG 41 x 15 x 19" BD(contains 10 EA) \$72.43

Useful as a general-purpose repack carton. (NFES #0353)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (10 EA/BD)

8115-00-139-0706 CPG 39 x 13 x 13" BD(contains 10 EA) \$60.45

Useful for repacking general-purpose sleeping bags. (NFES #0644)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (10 EA/BD)

8115-00-139-0691 CPG 33 x 16 x 22" BD(contains 10 EA) \$74.55

Provided with handhold cut-outs. Useful for repacking chainsaw kits. (NFES #0645)

25% Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (10 EA/BD)

8115-01-504-1463 CPG 42 x 13-1/2 x 14" BD(contains 10 EA) \$66.87

Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 500 psi and falls into the domestic class. Cover: Grade 350. Type CF. Half-slotted box with cover. Style HSCC.

Useful for repacking firefighting shovels. (NFES #0337)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (10 EA/BD)

8115-00-139-0689 CPG 55 x 12-1/2 x 11-3/4" BD(contains 10 EA) \$126.63

Useful for repacking Pulaski tools. (NFES #0338)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (10 EA/BD)

8115-00-139-0673 CPG 37-1/2 x 18-1/2 x 8" BD(contains 10 EA) \$93.81

Useful for repacking McLeod tools. (NFES #0305)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (10 EA/BD)

8115-00-139-0690 CPG 56 x 20 x 11" BD(contains 10 EA) \$158.98

Useful for repacking fireline combination tool. (NFES #0384)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (10 EA/BD)

8115-01-307-2951 CPG 46 x 11 x 8" BD(contains 10 EA) \$88.49

Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 500 psi and falls into the domestic class. Cover: Grade 350. Type CF. Half-slotted box with cover. Style HSCC.



Useful for repacking coffee pots. (NFES #0500)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (10 EA/BD)

8115-00-139-0652 CPG 22 x 22 x 36" BD(contains 10 EA) \$96.62

Useful for repacking 50 sleeping pads (75 x 23"). (NFES #0134)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Std. pack: 1 (10 EA/BD)

8115-01-381-6529 CPG 76 x 22-1/2 x 20-1/2" BD(contains 10 EA) \$219.38

Corrugated Box



This corrugated, fiberboard shipping box features overlapped, glued joints or butted, taped joints. (Dimensions shown below are inside dimensions in order of length, width and depth.)


Single-walled weather-resistant box.

Regular-slotted box has a bursting strength of 400 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 140 lbs. Useful for repacking fly tent. (NFES #0823)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

8115-00-417-9318	AbilityOne	15 x 15 x 10"	BD(contains 25 EA)	\$124.45
------------------	------------	---------------	--------------------	----------

Packaging Tape Dispenser



Handheld tape dispenser is great for cutting filament-reinforced tape. Accommodates a 60-yard roll up to 1" wide with a 3" core. (NFES #2139)

Std. pack: 24

7520-00-579-9053		EA	\$5.72
------------------	--	----	--------

Strapping Tape



Fiberglass filament-reinforced tape is for closing full overlap or full telescope boxes, as well as general bundling and packaging. Also used for carton reinforcing, unitizing and holding applications. Has a 3" core.

Medium-tensile-strength tape (300-lbs per in. width) is transparent.


For dispenser, see Packaging Tape Dispenser NSN 7520-00-579-9053. (NFES #0222)

12-month maximum shelf life (extendable)

Std. pack: 9 or 36

7510-00-582-4772	AbilityOne	White	Width: 1"	RO(contains 60 YD)	\$3.48
------------------	------------	-------	-----------	--------------------	--------

Packaging Tape



This tape is excellent for sealing containers in situations that require high strength and resistance to water, sunlight and other adverse elements. Includes a plastic film backing and can be used in temperatures ranging from -65 to 160° F. Has a 3" core.

(NFES #0395)

12-month maximum shelf life (extendable)

Std. pack: 6 or 24

7510-00-079-7906	SKILCRAFT	Tan	Width: 2"	RO(contains 60 YD)	\$3.32
------------------	-----------	-----	-----------	--------------------	--------

(NFES #0396)

12-month maximum shelf life (extendable)

Std. pack: 3 or 12

7510-00-079-7905		Tan	Width: 3"	RO(contains 60 YD)	\$4.80
------------------	--	-----	-----------	--------------------	--------

Masking Tape



General-purpose tape protects contoured or rounded surfaces from being marred by paint, varnish, or other finishing materials. Crepe-paper backing adds strength, which is invaluable during tape removal. This tape is an excellent choice for light-duty bundling, packaging and holding. Resistant to moisture and solvents. Has a 3" core.

(NFES #0770)

12-month maximum shelf life (extendable)

7510-00-266-6712		Natural	Width: 1"	RO(contains 60 YD)	\$1.20
------------------	--	---------	-----------	--------------------	--------

Duct Tape



Adheres readily to steel, galvanized sheet metal and other materials. Pressure-sensitive adhesive conforms to irregular surfaces.

Indoor/outdoor use. Plastic-coated cloth tape is vapor-proof.

(NFES #0071)

12-month maximum shelf life (extendable)

5640-00-103-2254	AbilityOne	Aluminum or Silver-Gray	Width: 2"	RO(contains 60 YD)	\$6.26
------------------	------------	-------------------------	-----------	--------------------	--------

Electrical Insulation Tape




Plastic, pressure-sensitive, dielectric can withstand 6,000 volts. (NFES #0619)

5970-01-463-5494		Black	Width: 3/4"	RO(contains 108 FT)	\$3.32
------------------	--	-------	-------------	---------------------	--------



Plastic Sheeting



Normal impact-strength polyethylene plastic film is for general-purpose packaging. It protects items from dust and is highly resistant to water and moderately resistant to vapor. Low-slip type. (Note: Thickness is listed for identification purposes as nominal. Actual thickness may be less than listed.)

Not for use in contact with food.

A. (NFES #0144)

■ *Std. pack: 3 or 12*

8135-00-579-6487	AbilityOne	Black	Width: 20 ft.; Thickness: 0.006"	RO(contains 100 FT)	\$80.68
------------------	------------	-------	-------------------------------------	---------------------	---------

B. (NFES #0143)

■ *Std. pack: 3 or 12*

8135-00-618-1783	AbilityOne	Clear	Width: 16 ft.; Thickness: 0.006"	RO(contains 100 FT)	\$65.49
------------------	------------	-------	-------------------------------------	---------------------	---------

Shipping Tag

Rectangular tag provides sturdy marking surface for use in shipping or transporting goods.

Cloth tag with metal-reinforced 7/32" eyelet.

(NFES #0216)



8135-00-178-9193	White	6-1/4 x 3-1/8"	HD	\$8.40
------------------	-------	----------------	----	--------

Boxcar Seal

This self-locking, boxcar-style seal discourages pilfering. Metal strap is passed through a hasp fastener and ends of strap are locked together inside metal box when closed, providing a sturdy seal. For sealing fire caches, toolboxes, mess kits, and more. Reads: "U.S. Forest Service" and numbered in a series. Federal Spec FF-S-2738. (NFES #1938)



■ *Std. pack: 50*

5340-00-901-8105	Length: 8-1/2"; Width: 0.3"; Thickness 0.03"	HD	\$5.83
------------------	--	----	--------

Prices in this catalog
are subject to change
without notice. Current
prices are available at
www.GSAglobalsupply.gov.

Weather Gear

Weather Observation Kit

A complete observing kit with everything needed to measure temperature, relative humidity and wind velocity. Consists of Weather Kit Case NSN 8465-00-521-3057, Smoke Chaser's Compass NSN 6605-00-553-8795, Wind Speed Indicator NSN 6680-00-833-7010, and Sling Psychrometer NSN 6685-00-826-1662 (mercury-free). Also contains 1-oz. plastic Screw-Cap-Bottle NSN 8125-00-824-9058, Wood Pencil NSN 7510-00-281-5234, notebook, and humidity and dew-point tables. Forest Service Spec 5100-150, MEDC-531. (NFES #1050)



☿ Mercury-Free Item According to ASTM/EPA Test Methods

■ *Std. pack: 10*

6660-01-024-2638	AbilityOne	KT	\$160.88
------------------	------------	----	----------

Weather Kit Case

This kit contains the right tools for rating forest-fire danger. Cloth case's pockets accommodate a wind meter, a compass, a psychrometer, a writing board, a notebook, pencils and a water bottle. Includes a snap-close cover flap and belt loops. Forest Service Spec 5100-450. (NFES #1154)



■ *Std. pack: 25*

8465-00-521-3057	AbilityOne	EA	\$17.11
------------------	------------	----	---------

Psychrometer

As a component of the weather observation kit, this pocket-size psychrometer measures relative humidity of atmospheric air.

Two non-mercury thermometers on a metal mounting plate allow for dry- and wet-bulb readings.

Thermometer range is 30 to 110° F.

Features a sling handle for whirling and comes in a case. Includes plastic calculator for determining relative humidity. (NFES #1156)



☿ Mercury-Free Item According to ASTM/EPA Test Methods

■ *Std. pack: 50*

6685-00-826-1662	EA	\$45.74
------------------	----	---------

Wind Speed Indicator

Floating ball-type anemometer is for determining wind velocity in miles per hour with low- and high-range scales. This component of the weather observation kit has plastic and metal construction. Includes carrying case, instructions and three cleaning rods. Forest Service Spec 5100-454. (NFES #1155)



■ *Std. pack: 12 or 72*

6680-00-833-7010	8 x 3 x 3/4"	EA	\$18.64
------------------	--------------	----	---------

Screw-Cap Bottle

This unbreakable, heat-resistant plastic bottle is a component of the Forest Service carrying case and is used in the belt weather case. (NFES #1157)



■ Std. pack: 144

8125-00-824-9058 Capacity: 1-1/4 oz. EA \$2.88

Smoke Chaser's Compass

Smoke chaser's compass has a clear, flat, plastic base plate, liquid-filled compass capsule, neck cord, and set of instructions. Base has a built-in magnifying glass. (NFES #1814)



■ Std. pack: 20

6605-00-553-8795 4 x 2 x 1/2" EA \$10.21

Magnetic Compass

Ideal for hiking and general forestry, this compass features a clear plastic base plate with hinged cover, neck cord, and set of instructions. Cover contains a mirror on the inside. (NFES #0047)



■ Std. pack: 20

6605-00-171-5121 Black EA \$23.80

Ignition Devices

Backfiring Fusee

For starting backfires, this device is simple to use and features positive-ignition action similar to highway flares. Ferrule in base accommodates stick or handle extension. Burns for 10 minutes. Forest Service Spec 5100-360. (NFES #0105)



■ Std. pack: 1 (72 EA/BX)

1370-00-294-1279 MSDS BX(contains 72 EA) \$90.04

Drip Torch



Drip torch is designed for igniting fires in vegetation with a mixture of diesel fuel and gasoline. Aluminum tank and handle assembly. Tank capacity is between 1-1/8 and 1-3/8 gallons. Torch has a 6" diameter. Spout/igniter assembly can be stowed inside of the fuel tank when torch is not in use. Spout with steel fuel trap extends a minimum of 10" from the top of the tank to the end of the nozzle with the igniter extending beyond the nozzle. Fuel trap in the spout and check valve assembly in the tank cover provides flashback protection. Breather valve assembly provides smooth flow of fuel when torch is in use. Meets DOT requirements for transport of flammable liquids. Forest Service Spec 5100-614. (NFES #0241)

4210-01-558-9951 Red EA \$102.96

Aviation Equipment

Cargo Lead Line

While the user is transporting cargo via helicopter, this lead line can be used to keep load at a fixed distance below. Has a 3,000-lb. capacity. (For use with light- and medium-class helicopters only.) Forest Service Spec 5100-503. (NFES #0528)



■ Std. pack: 5

1670-01-029-8554 Length: 12 ft. EA \$88.49

Cargo Swivel

Cargo swivel is for use when freight is transported by helicopter with external cargo hook attachments, swivel permits sling lines to rotate freely. Prevents lines from twisting and breaking. Has a 3,000-lb. capacity. (For use with light- and medium-class helicopters only.) Forest Service Spec 5100-501. (NFES #0526)



■ Std. pack: 6

1670-01-029-8555 EA \$207.58

Cargo Net

For the transport and delivery of freight suspended from beneath helicopters. Net is round with drawstring, with a 3,000-lb. capacity. (For use with light- and medium-class helicopters only.) Forest Service Spec 5100-502. (NFES #0531)



■ Std. pack: 1

1670-01-029-8556 Diameter: 12-1/2 ft. EA \$345.68

Message Dropper Pouch

This plastic pouch is designed to hold messages dropped from aircraft. Small, clear vinyl bag also holds ballast (sand). Comes with plastic streamer (international orange or yellow), message blanks and instructions. Forest Service Spec 5100-110. (NFES #0284)



■ Std. pack: 25 or 100.

1670-00-797-4495 AbilityOne EA \$5.71

Marking Material



Flagging Ribbon

A. “Hazards” flagging ribbon is black with yellow 1/2" diagonal stripes every half inch. (NFES #0267)

① 12-month maximum shelf life (extendable)

Std. pack: 12

9905-01-523-2324	Length: 300 ft.; Width: 1-3/16"	BX(contains 12 EA)	\$19.60
------------------	---------------------------------	--------------------	---------

B. Fluorescent pink ribbon features the words “Escape Route” in bold black capital lettering 1"-high (repeated every 20"). (NFES #0566)

① 12-month maximum shelf life (extendable)

Std. pack: 12

9905-01-523-2578	Length: 150 ft.; Width: 1-1/2"	BX(contains 9 EA)	\$17.53
------------------	--------------------------------	-------------------	---------

C. Vinyl plastic strip can be used as a flagging marker in field survey work and for designating and identifying specific outdoor objects and locations.

Fluorescent color (often referred to as “glow colors”).

(NFES #2396)

① 12-month maximum shelf life (extendable)

9905-00-196-1068	Chartreuse	Length: 50 yards; Width: 1-3/16"	BX(contains 12 EA)	\$13.17
------------------	------------	----------------------------------	--------------------	---------

Surveyor’s Flagging Ribbon

Vinyl flagging ribbon is colorfast and will withstand extreme climate changes.

D. (NFES #0279)

9905-01-458-1192	Red	Length: 300 ft.; Width: 1-3/16"	BX(contains 12 EA)	\$16.09
------------------	-----	---------------------------------	--------------------	---------

E. (NFES #0278)





9905-01-458-2058	Yellow	Length: 300 ft.; Width: 1-3/16"	BX(contains 12 EA)	\$15.98
------------------	--------	---------------------------------	--------------------	---------

F. (NFES #2398)

9905-01-458-2060	Fluorescent Orange	Length: 150 ft.; Width: 1-3/16"	BX(contains 12 EA)	\$19.29
------------------	--------------------	---------------------------------	--------------------	---------

G. (NFES #2401)

9905-01-458-2059	Fluorescent Pink	Length: 150 ft.; Width: 1-3/16"	BX(contains 12 EA)	\$19.42
------------------	------------------	---------------------------------	--------------------	---------



Note on Standard Pack: Items are available under Unit of Issue (UI) quantities, e.g., “EA” for single units. For large orders, you can use “Standard Pack” as a guide to how many items are packed per single case, pallet, etc. “Standard Pack” does not mean “minimum order.”

Fire Forms

Optional Form



OF 286: Emergency Equipment Use Invoice.

Consists of a four-part chemical transfer snap-out set.

(NFES #0863)

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

📁 Std. pack: 10

7540-01-120-4062 UNICOR 8-1/2 x 11" HD \$13.39

OF 288: Emergency Fire Fighter Time Report.

Consists of a four-part carbon-interleaved snapout set. Serially numbered.

(NFES #0866)

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

📁 Std. pack: 10

7540-01-124-7633 UNICOR 8-1/2 x 11" HD \$8.62

OF 294: Emergency Equipment Rental Agreement.

Consists of a four-part chemical transfer.

(NFES #0862)

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

📁 Std. pack: 10

7540-01-121-8825 UNICOR 8-1/2 x 11" HD \$15.06

OF 296: Vehicle/Heavy Equipment Safety Inspection Checklist.

Consists of a four-part chemical transfer form in a matchbook style book. Each book contains 50 four-part sets.

(NFES #1173)

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

📁 Std. pack: 50

7540-01-120-0607 UNICOR 8-1/2 x 11" BK(contains 50 SH) \$10.82

OF 297: Emergency Equipment Shift Ticket.

Consists of a four-part carbonless transfer.

(NFES #0872)

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7540-01-119-5628 UNICOR 4-1/4 x 6-1/2" BK(contains 25 EA) \$2.50

*For Questions concerning forms please call (817) 850-8420.
(This is the Forms Item Manager's phone number).*

OF 304: Emergency Equipment Fuel and Oil Issue.

Consists of a six-part carbonless transfer.

(NFES #0420)

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

📁 Std. pack: 100

7540-01-317-7366 UNICOR 4-1/4 x 6-1/2" BK(contains 25 EA) \$3.82

OF 305: Emergency Equipment Rental-Use Envelope.

(NFES #0422)

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

📁 Std. pack: 5

7540-01-317-7367 UNICOR Light Brown 9-1/2 x 12" HD \$25.34

OF 313: Incident Injury Case File Envelope.

12 x 9-1/2" envelope has a top opening.

(NFES #1098)

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7540-01-475-4309 UNICOR 9-1/2 x 12" HD \$37.52

OF 314: Incident Claims Case File Envelope.

12 x 9-1/2" envelope has a top opening.

(NFES #1099)

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7540-01-475-4308 UNICOR 9-1/2 x 12" HD \$37.52

OF 315: Incident Replacement Requisition.

Consists of a four-part chemical transfer snap-out set. (NFES #1300)

Form is available online for download and printing. Visit the GSA Forms Library at www.gsa.gov/forms.

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7540-01-475-0708 UNICOR 8-1/2 x 11" HD \$16.61

OF 315A: Incident Replacement Requisition (continuation).

Consists of a four-part chemical transfer snapout set. Continuation sheet for OF 315. (NFES #1286)

Form is available online for download and printing. Visit the GSA Forms Library at www.gsa.gov/forms.

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7540-01-475-0707 UNICOR 8-1/2 x 11" HD \$16.61

OF 316: Interagency Incident Waybill.

Consists of a four-part chemical transfer snap-out set.

(NFES #1472)

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7540-01-475-4307 UNICOR 8-1/2 x 11" HD \$17.06

OF 316A: Interagency Incident Waybill (continuation).

Four-part chemical transfer snapout set. Continuation sheet for OF 316.

(NFES #1473)

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7540-01-475-4306 UNICOR 8-1/2 x 11" HD \$17.06

Standard Form



SF 91: Motor Vehicle Accident Report.

(NFES #0399)

Form is available online for download and printing. Visit the GSA Forms Library at www.gsa.gov/forms.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Std. pack: 20

7540-00-634-041			5-1/2 x 8-1/2" (folded)	HD	\$5.26
-----------------	--	--	-------------------------	----	--------

SF 261: Crew Time Report.

Consists of a two-part set. Carbonless transfer.

(NFES #0891)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Std. pack: 40

7540-01-058-0222			4-1/4 x 7-1/2"	BK(contains 50 EA)	\$1.71
------------------	--	--	----------------	--------------------	--------

Icon Key

The following is a list of icons used in this publication and the information each icon represents:



Key information to help buying decisions



Includes information on recycled content



The product is part of a specific standard pack. Standard pack is a guide to how many items are packed in a single case. Standard pack does not mean "minimum order".



MSDS Material Safety Data Sheet (MSDS) is available



CPG Comprehensive Procurement Guideline Compliant; the EPA designates these items with required recycled content



PRIME Items with biodegradable packing materials as required by U.S. Navy's Plastics Removal in Marine Environments program



Contact us for more information

Office Supplies

Easel



Easel height adjusts from tabletop to standing height (48 to 67") with the twist of a knob. This compact, lightweight frame easel provides a versatile surface with flipchart pad retainer and collapses for space-efficient storage and portability. A built-in accessory tray allows for marker and eraser storage.

Dry erase melamine white board.

(NFES #3161)

7520-01-424-4867	AbilityOne	35" L, 26" W	EA	\$214.07
------------------	------------	--------------	----	----------

Retractable Ballpoint Pen



This retractable pen provides smooth writing and the high-quality ink will not smear. "U.S. Government" is lettered on the barrel. Includes a convenient pocket clip. Barrel signifies ink color.

(NFES #0447)

18-month maximum shelf life (extendable)

7520-01-332-2833	SKILCRAFT	AbilityOne	Blue Ink	Medium Point	DZ	\$7.43
------------------	-----------	------------	----------	--------------	----	--------

Flat Liquid Ink Highlighter



These high-quality highlighters feature a chisel tip, an ergonomically designed barrel, and fluorescent ink in assorted eye-catching colors. The multi-purpose ink even works on faxes. Each highlighter includes a handy pocket clip. Conforms with ASTM D-4236.

Set of four highlighters includes one of each orange, green, pink and yellow.

(NFES #1039)

18-month maximum shelf life (extendable)

7520-01-238-1728	MSDS	SKILCRAFT	AbilityOne	Assorted	SE	\$5.44
------------------	-------------	-----------	------------	----------	----	--------

Permanent Marker Set (Chisel Tip)

This jumbo-size, permanent, tube-type marker features a durable chisel tip and can be used in various positions for fine, medium or wide strokes. The waterproof, quick-drying ink is perfect for use on porous and non-porous surfaces. This all-purpose marker is premium-quality and AMCI approved non-toxic.



Set of three markers includes one of each black, blue and red.

(NFES #0768)

18-month maximum shelf life (extendable)

7520-00-558-1501	SKILCRAFT	AbilityOne	Assorted	SE	\$2.54
------------------	-----------	------------	----------	----	--------

Binder Clip



Spring-type clip holds large bundles of papers. Wire handles snap down flat to secure pages. Made of tempered steel.

Medium clip has a capacity of 1/2".

(NFES #0784)

7510-00-223-6807	AbilityOne	DZ	\$1.75
------------------	------------	----	--------

Pushpin



Sturdy plastic head with steel pin.

(NFES #1046)

7510-01-207-3978	AbilityOne	Assorted	Length: 3/8"	BX(contains 100 EA)	\$1.91
------------------	------------	----------	--------------	---------------------	--------

Manual Stapler

Desk-type stapler operates manually to staple up to 20 sheets of paper at one time. Anvil adjusts to produce either standard or pin clinch. Base swings clear for tacking. Holds 210 staples per load. Use with Staples NSN 7510-00-272-9662.



Has a 3" throat.

(NFES #2575)

7520-00-281-5895	AbilityOne	Gray	EA	\$8.98
------------------	------------	------	----	--------

Staples

Pre-formed and ready for use in office staplers, these steel staples are rust-resistant. (Crown width and leg length are shown below.)



Standard duty staples for use in Stapler NSNs 7520-00-281-5895, 7520-00-139-6170, 7520-01-315-9854, 7520-00-240-5727, 7520-01-407-9431 and 7520-00-281-5896.

(NFES #0773)

7510-00-272-9662	1/2" L; 1/4" W	BX(contains 5000 EA)	\$1.02
------------------	----------------	----------------------	--------

Rubber Bands

Natural or synthetic rubber bands are long-lasting and dependable.

Size 64. Measures 1/4" wide and 3-1/2" long.

(NFES #0786)



7510-00-243-3435	AbilityOne	BG(contains 0.25 LB)	\$0.90
------------------	------------	----------------------	--------

Hole Punch

Adjustable three-hole paper punch makes 1/4" round holes and features a movable paper guide.



Capable of punching a hole through up to 25 sheets of 20-lb. basis weight paper in a single operation.

(NFES #0268)

7520-00-163-2563	AbilityOne	Gray	EA	\$43.27
------------------	------------	------	----	---------

Pocket Folder

Records are easily accessed in this accordion-type folder. Made of two-ply heavy stock, this folder is reinforced with side gussets at least half the height of the pocket. (Without flap or tie.)



Expanded capacity: 1-3/4". With two gussets.

(NFES #1035)

30% Postconsumer Material

7530-00-285-2913	CPG	AbilityOne	Red	Letter Size	EA	\$3.14
------------------	-----	------------	-----	-------------	----	--------

Work Organizer File

Accordian-style pocket folder expands to 15". Covered with leather-patterned paper. (Frame not included.)



Provides alphabetical indexing from A to Z with 21 pockets.

Features a closing flap. (NFES #0615)

30% Postconsumer Material

7520-00-833-7343	AbilityOne	Brown	9-1/2 x 11-3/4"	EA	\$13.73
------------------	------------	-------	-----------------	----	---------

Units of Issue Used in This Catalog

BEBale	LGLength
BDBundle	OZOunce
BKBook	PDPad
BXBox	PGPackage
CLCoil	PRPair
DZDozen	QTQuart
EAEach	RORoll
HDHundred	SLSpool
KTKit	YDYard

Note: The name or nomenclature used in this publication may not be the Approved Item Name recorded in the Federal Catalog System. In many cases, a name more oriented to our customers is provided.

Customer Service Director Program

The Customer Service Director (CSD) program is performed by a worldwide network of supply and service specialists. Quality customer assistance is as near as a telephone.



GSA Help Line

GSA provides assistance for customers who have a problem or question concerning any of the supplies or services provided by GSA. For more information, call (800) 525-8027, option 2 (DSN 465-1416).

This help line is handled by the National Customer Service Center (NCSC). The NCSC helps by addressing your concerns, providing assistance, and, if necessary, referring you to the appropriate GSA “center of expertise” for specific knowledge in unique or special situations. Technicians are available from 7 a.m. to 6:30 p.m. (CT). After-hours messages will be answered the next business day. You may also contact the NCSC via e-mail at NCSCcustomer.service@gsa.gov.


Field Level – Customer Assistance

CSDs visit customers to provide information about GSA services, help in resolving problems, and answer any questions about GSA support. They provide seminars for either specific or general discussions about any phase of support offered by GSA and make periodic liaison visits to customer installations. To contact your CSD, determine the regional manager for your location (see the following page) and contact that office for more specific information, or visit www.gsa.gov/rmm.

For specific Wildland Fire Equipment assistance, customers should contact the GSA Southwest Supply Center Customer Assistance Branch (see page 4 of this catalog or visit www.gsa.gov/fireprogram).

To get more information about the CSD for your area, please find the regional manager nearest your organization:

Region	Name	Phone	E-mail
1	Paul Bowen	(617) 565-6570	paul.bowen@gsa.gov
2	Frank Mayer	(212) 264-1179	frank.mayer@gsa.gov
3	Dena McLaughlin	(215) 446-5041	dena.mclaughlin@gsa.gov
4	Cheryl Hall	(404) 331-2949	cheryl.hall@gsa.gov
5	Kurt Regep	(312) 886-8870	kurt.regep@gsa.gov
6	Thomas (Tom) F. Brown	(816) 823-2009	thomasf.brown@gsa.gov
7	Cindy Yandell	(817) 574-2479	cindy.yandell@gsa.gov
8	Cheryl Ansaldi	(303) 236-7575	cheryl.ansaldi@gsa.gov
9	Bill Villarroel	(415) 522-2803	william.villarroel@gsa.gov
10	James Hamilton	(253) 931-7496	james.hamilton@gsa.gov
11	Vivieca Lee	(202) 260-6379	vivieca.lee@gsa.gov



National Fire Cache System

The Fire Cache System is a series of designated strategic points where supply tools and equipment are assembled in quantities, or standard units, for exclusive use in fire suppression. The fire caches are operated by the U.S. Forest Service and the Bureau of Land Management. For the most current cache information, visit www.fs.fed.us/fire/cache/.

Great Basin Interagency Support Cache (GBK)

Personnel	Phone/Fax Numbers	E-mail	Location
Rick Blanton, Mgr.	(208) 387-5547 (phone)	rick_blanton@nifc.blm.gov	National Interagency Fire Center 3833 S. Development Ave. Boise, ID 83705-5354
Nicole Hallisey, Asst. Mgr.	(208) 387-5124 (phone)	nicole_hallisey@nifc.blm.gov	
Stan Legg, Ship/Rec. Supv.	(208) 387-5118 (phone)	stan_legg@nifc.blm.gov	
	(208) 387-5573 (fax)		
	(208) 387-5104 (24/7 phone)		

Northern Rockies Interagency Support Cache (NRK)

Personnel	Phone/Fax Numbers	E-mail	Location
Patrick Nooney, Mgr.	(406) 329-4932 (phone)	pnooney@fs.fed.us	5765 W. Broadway Missoula, MT 59808
Bonny Resner, Admin. Mgr.	(406) 329-4949 (phone)	bresner@fs.fed.us	
	(406) 329-4962 (fax)		
	(406) 329-4880 (24/7 phone)		

Rocky Mountain Interagency Support Cache (RMK)

Personnel	Phone/Fax Numbers	E-mail	Location
Marcus Medina, Mgr.	(303) 202-4943 (phone)	mmedina@fs.fed.us	Rocky Mountain Fire Cache DFC – Bldg. 810, Door N27 Lakewood, CO 80225
(Vacant), Asst. Mgr.	(303) 202-4941 (phone)		
	(303) 202-4965 (fax)		
	(303) 378-4171 (24/7 phone)		

Southwest Area – Prescott Interagency Support Cache (PFK)

Personnel	Phone/Fax Numbers	E-mail	Location
Steve Worden, Mgr.	(928) 777-5630 (phone)	shworden@fs.fed.us	2400 Melville Drive Prescott, AZ 86301
(Vacant), Asst. Mgr.	(928) 777-5608 (phone)		
Carla Sartwell, Supply Tech.	(928) 777-5632 (phone)	csartwell@fs.fed.us	
	(928) 777-5608 (fax)		

Southwest Area – Silver City Interagency Support Cache (SFK)

Personnel	Phone/Fax Numbers	E-mail	Location
Dottie Clark, Mgr.	(575) 534-1067 (phone)	dclark03@fs.fed.us	158 Airport Road P.O. Box 931 Hurley, NM 88043
Andrew Barrows, Asst. Mgr.	(575) 534-0453 (phone)	abarrows@fs.fed.us	
	(575) 388-5672 (fax)		
	(575) 534-5257 (24/7 phone)		

California (Southern) Interagency Support Cache (LSK)

Personnel	Phone/Fax Numbers	E-mail	Location
Gamal Awad, Mgr.	(909) 930-3206 (phone)	gawad@fs.fed.us	Logistics Support Center 1310 S. Cucamonga Ave. Ontario, CA 91761-4507
Tom McMahon, Asst. Mgr.	(909) 930-3208 (phone)	tmcmahon@fs.fed.us	
Vicki Jordan, Purchase Agent	(909) 930-3209 (phone)	vjordan@fs.fed.us	
Lisa Harris, Supply Tech.	(909) 930-3207 (phone)	lharris01@fs.fed.us	
	(909) 947-6391 (fax)		
	(951) 276-6725 (24/7 phone)		

National Fire Cache System

California (Northern) Interagency Support Cache (NCK)

Personnel	Phone/Fax Numbers	E-mail	Location
Mark Garland, Mgr.	(530) 226-2851 (phone)	mrgarland@fs.fed.us	6101 Airport Road Redding, CA 96002
Sean Phelan, Asst. Mgr.	(530) 226-2852 (phone)	sphelan@fs.fed.us	
Jeannie Vaughn	(530) 226-2702 (phone)	jvaughn@fs.fed.us	
	(530) 226-2854 (fax) (800) 231-5584 (24/7 phone)		

Northwest Area Interagency Support Cache (NWK)

Personnel	Phone/Fax Numbers	E-mail	Location
Doug Benton, Mgr.	(541) 504-7230 (phone)	dbenton@fs.fed.us	1740 S.E. Ochoco Way Redmond, OR 97756
Eve Ponder, Asst. Mgr.	(541) 504-7235 (phone)	eponder@fs.fed.us	
Karen Mason (Cache Info)	(541) 504-7234 (phone)	karenmason@fs.fed.us	
	(541) 504-7240 (fax)		
	(541) 504-7234 (24/7 phone)		
Wenatchee Cache – East Washington			
(Gabriel Jasso), Mgr.	(509) 884-6593 (phone) (509) 884-2710 (fax)	gjasso@fs.fed.us	
LaGrande Cache – East Oregon			
Howard Sievers, Mgr.	(541) 975-5420 (phone) (541) 975-5478 (fax) (541) 962-5453 (24/7 phone)	hsievers@fs.fed.us	

Alaska Interagency Support Cache (AKK)

Personnel	Phone/Fax Numbers	E-mail	Location
Kevin Fitzgerald, Mgr.	(907) 356-5735 (phone)	kevin_fitzgerald@ak.blm.gov	P.O. Box 35005
Lyell Chittenden, Asst. Mgr.	(907) 356-5742 (phone)	lyell_chittenden@ak.blm.gov	Bldg. 1544
Joanne Waller (Cache Info)	(907) 356-5739 (phone) (907) 356-5754 (fax)	joanne_waller@ak.blm.gov	Fort Wainwright, AK 99703

Southern Area Interagency Support Cache (SAK)

Personnel	Phone/Fax Numbers	E-mail	Location
Matt Dean, Mgr.	(606) 878-7430, X101 (phone)	mdean01@fs.fed.us	788 Sublimity School Road London, KY 40744
Sheila Truett, Asst. Mgr.	(606) 878-7430, X102 (phone)	sdykes01@fs.fed.us	
	(606) 864-9559 (fax)		

Eastern Area Interagency Support Cache (NEK)

Personnel	Phone/Fax Numbers	E-mail	Location
Robert Behrner, Mgr.	(218) 327-4578 (phone)	rbehrner@fs.fed.us	402 11th St. S.E. Grand Rapids, MN 55744
Tom Staydohar, Asst. Mgr.	(218) 327-4579 (phone)	tom.staydohar@dnr.state.mn.us	
	(218) 327-4581 (fax)		
	(218) 327-4558 (24/7 phone)		

Requisitioning From DLA

Throughout the federal government, there are two principal wholesale supply support activities providing intergovernmental support: the Defense Logistics Agency (DLA) and the General Services Administration (GSA). These two agencies have been working closely to eliminate avoidable overlap and duplication in their supply systems and have agreed to support military and civilian customers.

Requisitions for items managed by DLA should be placed with the DLA Call Center toll-free at (877) DLA-CALL(352-2255). Inquiries can be made by calling the DLA number or by e-mailing dscc.callcenter@dla.mil. The DLA Call Center is available 24 hours a day, 365 days a year and is your centralized point for any matters concerning DLA support.

When placing an order with DLA, you will need your FEDSTRIP Activity Address Code (six-digit code) or a Government Credit Card. Defense Logistics Agency (DLA) may ask for a DoDAAC (Department of Defense Activity Address Code) or a SRAN (Stock Record Account Number). Your FEDSTRIP information will be needed to process your order. The information you provide will be used to check the status of your requisition or to return the item to DLA.

Customer Assistance Representatives

DLA customer-assistance representatives are available to assist you with resolving problems by answering any questions about DLA support. Their mission is to provide top-quality customer assistance on a continuing basis. Please call the location nearest you or call (877) DLA-CALL(352-2255).

Location	Phone Numbers
<i>Camp Pendleton, CA</i>	(760) 725-4250 or (760) 725-3998
<i>Fort Irwin, CA</i>	(760) 380-6046
<i>San Diego, CA</i>	(619) 545-4181
<i>Fort Carson, CO</i>	(719) 526-5483
<i>Ogden, UT</i>	(801) 777-6654
<i>Fort Lewis, WA</i>	(253) 967-7458

For the names, addresses and telephone numbers of other DLA customer-assistance representatives, access the DLA website at www.dla.mil and click on "Points of Contact."

Defense Logistics Agency (DLA) Items

Note: DLA-managed items are not available from GSA. They are listed in this publication as a courtesy to customers and must be ordered from the DLA center (RIC) listed for each item. See page 60 of this catalog for ordering information and a list of applicable locations/telephone numbers. The following DLA items have been admitted to the NFES.

Miscellaneous Items

NFES	U/I	Name	NSN	RIC	Unit Price
0053	EA	Cot, Folding, 3.5" x 6.5"	7105-00-935-0422	SMS	\$ 62.65
0058	EA	Sleeping Bag, X-Long	8465-01-452-1690	SMS	\$ 84.15
0149	EA	Pump, Barrel, Hand. w/8" Long Hose	4930-00-739-6733	SMS	\$171.90
0210	EA	Spout, Gas, Flexible, 16", Steel	7240-00-177-6154	SMS	\$ 12.54
0238	EA	Apron, Leather, Safety, 42"L X 26"W	8415-00-250-2531	SMS	\$ 31.46
0344	EA	Plug, Spark, CJ8, 147N	2920-00-946-9689	SMS	\$ 0.99
0559	EA	Guard, Light Bulb	6210-00-264-6444	SMS	\$ 8.75
0686	CL	Rope, Manila, 3/8", 600" Per Cl.	4020-00-834-0708	SMS	\$ 75.41
0811	EA	Glass, Magnifying	6650-00-252-6250	SMS	\$ 4.20
1071	EA	Bag, Duffle, Olive Green, 37"H, 12.5" Dia.	8465-01-117-8699	SMS	\$ 22.20
1117	CO	Foot Powder, 45.0 Grams	6505-01-008-3054	SMS	\$ 1.32
1138	EA	Mirror, Emergency Signaling	6350-01-455-6695	SMS	\$ 17.64
1175	EA	Can, Gasoline, Plastic, 5 GL, w/o Spout	7240-01-337-5269	SMS	\$ 47.29
1258	EA	Battery, Lantern, 6V	6135-00-825-6692	SMS	\$ 7.80
1269	EA	Bag, Flight Helmet, Olive Green	8415-00-782-2989	SMS	\$ 15.78
1759	EA	Stakes, Tent, Wood, 24"	8340-00-261-9751	SMS	\$ 1.60

Defense Logistics Agency (DLA) Items

Gloves, Flight, NOMEX

NFES	U/I	Name	NSN	RIC	Unit Price
1219	PR	Size 7	8415-01-029-0109	SMS	\$ 21.68
1223	PR	Size 8	8415-01-029-0111	SMS	\$ 21.68
1224	PR	Size 9	8415-01-029-0112	SMS	\$ 21.68
1225	PR	Size 10	8415-01-029-0113	SMS	\$ 21.68
1226	PR	Size 11	8415-01-029-0116	SMS	\$ 21.68

Gloves, Inserts (Wool Liners)

NFES	U/I	Name	NSN	RIC	Unit Price
1762	PR	X-Small (Green)	8415-01-527-4653	SMS	\$ 1.45
1763	PR	Small (Green)	8415-01-527-4655	SMS	\$ 1.45
1764	PR	Medium (Green)	8415-01-527-4664	SMS	\$ 1.45
1765	PR	Large (Green)	8415-01-527-4665	SMS	\$ 1.45
1766	PR	X-Large (Green)	8415-01-527-4666	SMS	\$ 1.45

Coveralls – Flight Suit, NOMEX, Sage Green

NFES	U/I	Name	NSN	RIC	Unit Price
0501	EA	Size 36 Short	8415-01-043-8380	SMS	\$145.11
0507	EA	Size 36 Regular	8415-01-043-8381	SMS	\$145.11
0508	EA	Size 36 Long	8415-01-043-8382	SMS	\$145.11
0509	EA	Size 38 Short	8415-01-043-8383	SMS	\$145.11
0572	EA	Size 38 Regular	8415-01-043-8384	SMS	\$145.11
0514	EA	Size 38 Long	8415-01-043-8385	SMS	\$145.11
0517	EA	Size 40 Short	8415-01-043-8386	SMS	\$145.11
0518	EA	Size 40 Regular	8415-01-043-8387	SMS	\$145.11
0519	EA	Size 40 Long	8415-01-043-8388	SMS	\$145.11
0521	EA	Size 42 Short	8415-01-043-8389	SMS	\$145.11
0574	EA	Size 42 Regular	8415-01-043-9529	SMS	\$145.11
0525	EA	Size 42 Long	8415-01-043-8390	SMS	\$145.11
0527	EA	Size 44 Short	8415-01-043-8391	SMS	\$145.11
0539	EA	Size 44 Regular	8415-01-043-8392	SMS	\$145.11
0545	EA	Size 44 Long	8415-01-043-8393	SMS	\$145.11
0546	EA	Size 46 Short	8415-01-043-8394	SMS	\$145.11
0576	EA	Size 46 Regular	8415-01-043-8395	SMS	\$145.11
0547	EA	Size 46 Long	8415-01-043-8396	SMS	\$145.11
0567	EA	Size 48 Regular	8415-01-043-8397	SMS	\$145.11
0548	EA	Size 48 Long	8415-01-043-8398	SMS	\$145.11

NFES #	NSN	Name	Unit of Issue	Price	Page
0006	4210-01-079-9284	Fire Hose Thread Adapter	EA	\$6.33	13
0007	4210-01-079-9283	Fire Hose Thread Adapter	EA	\$6.13	13
0010	4210-00-975-2969	Fire Hose Reducer	EA	\$6.33	14
0021	8105-01-183-9768	Trash Bag	BX	\$26.28	36
0022	8465-01-119-5562	Sleeping Bag	EA	\$69.99	37
0024	4210-00-640-1892	Fire Hose Nozzle	EA	\$134.68	15
0030	6135-00-985-7845	Alkaline Battery	PG	\$4.99	21
0033	6135-00-835-7210	Alkaline Battery	PG	\$10.75	21
0037	8465-00-102-6381	Canteen	EA	\$0.57	34
0038	8465-01-062-5854	Canteen	EA	\$6.48	34
0045	8415-00-286-7507	Chainsaw Operator's Chaps	PR	\$87.37	20
0046	4210-00-767-7123	Fire Hose Clamp	EA	\$30.68	16
0047	6605-00-171-5121	Magnetic Compass	EA	\$23.80	43
0048	7310-00-128-6837	Water Jug	BX	\$121.17	35
0054	8465-00-118-4956	Canteen Case	EA	\$2.78	34
0060	5110-00-242-5385	File (American Pattern)	DZ	\$13.40	20
0063	5110-00-263-0341	File Handle	DZ	\$12.99	20
0067	6545-00-656-1092	First Aid Kit	EA	\$11.80	23
0070	8340-00-102-6370	Tent Fly	EA	\$247.38	37
0071	5640-00-103-2254	Duct Tape	RO	\$6.26	41
0073	7360-01-310-5131	Food Container (Disposable)	KT	\$22.41	35
0078	8415-01-028-5575	Chainsaw Operator's Chaps	PR	\$93.94	20
0083	8340-00-753-6574	Tent Pole	EA	\$54.29	37
0089	8340-01-107-5694	Ridge Pole	EA	\$112.46	37
0105	1370-00-294-1279	Backfiring Fusee	BX	\$90.04	43
0109	8415-01-055-2265	Wildland Firefighter's Helmet	EA	\$24.29	28
0113	4210-00-568-9904	Fire Pump Gasoline Line	LG	\$24.04	19
0115	4210-00-889-1775	Rubber Suction Fire Hose	LG	\$119.23	12
0126	7360-00-139-1063	Personal Wash Kit	KT	\$6.21	38
0129	7360-00-634-4800	Individual Flatware Set	BX	\$2.79	35
0134	8115-01-381-6529	Fire Equipment Repack Box	BD	\$219.38	40
0135	7360-00-139-0480	Disposable Dinnerware	KT	\$70.41	36
0136	4730-00-595-1103	Fire Hose Nozzle	EA	\$14.78	15

NFES #	NSN	Name	Unit of Issue	Price	Page
0137	4210-00-181-8872	Fire Hose Nozzle	EA	\$6.56	15
0138	4210-00-085-2291	Fire Hose Nozzle	EA	\$6.90	15
0141	8465-00-128-6928	Collapsible Pail	EA	\$9.42	39
0142	8540-00-530-3770	Toilet Paper	BX	\$61.20	38
0143	8135-00-618-1783	Plastic Sheeting	RO	\$65.49	42
0144	8135-00-579-6487	Plastic Sheeting	RO	\$80.68	42
0146	5120-00-293-3467	Pulaski Tool	EA	\$56.79	9
0148	4320-01-495-3633	Firefighting Water Pump	EA	\$2,811.00	19
0150	8415-01-294-7717	Chainsaw Operator's Chaps	PR	\$103.06	20
0151	4320-00-595-0762	Firefighting Hand Pump	EA	\$40.57	18
0171	5120-00-965-0609	Forest Fire Shovel	EA	\$38.35	9
0206	8520-01-415-2929	Disposable Washcloth	BX	\$70.08	38
0208	8520-01-411-0628	Bar Soap	BX	\$25.75	38
0212	4820-00-126-5114	Foot Valve	EA	\$39.78	16
0216	8135-00-178-9193	Shipping Tag	HD	\$8.40	42
0218	7240-01-044-5523	Gasoline Can	EA	\$120.66	19
0222	7510-00-582-4772	Strapping Tape	RO	\$3.48	41
0230	4210-01-081-0417	Hoseline Tee with Valved Male Branch	EA	\$18.84	14
0231	4210-00-984-3475	Fire Hose Wye Valve	EA	\$99.25	16
0234	5120-00-596-1426	Spanner Wrench	EA	\$4.77	16
0235	5120-00-596-1427	Spanner Wrench	EA	\$5.45	16
0240	8540-01-169-9010	Paper Towels	BX	\$28.35	38
0241	4210-01-558-9951	Drip Torch	EA	\$102.96	43
0254	5330-00-239-1873	Fire Hose Gasket	PG	\$1.26	13
0257	8465-01-067-9999	Pulaski Tool Sheath	EA	\$4.98	10
0259	4210-00-126-5108	Fire Hose Wye Valve	EA	\$62.52	16
0267	9905-01-523-2324	Flagging Ribbon	BX	\$19.60	44
0268	7520-00-163-2563	Hole Punch	EA	\$43.27	47
0278	9905-01-458-2058	Surveyor's Flagging Ribbon	BX	\$15.98	44
0279	9905-01-458-1192	Surveyor's Flagging Ribbon	BX	\$16.09	44
0281	8465-01-463-4649	Tent Bag	EA	\$27.73	32
0284	1670-00-797-4495	Message Dropper Pouch	EA	\$5.71	43
0294	8465-01-463-4648	Chest Harness	EA	\$17.09	27

NFES #	NSN	Name	Unit of Issue	Price	Page
0296	4210-00-203-3512	McLeod Tool	EA	\$68.98	9
0305	8115-00-139-0690	Fire Equipment Repack Box	BD	\$158.98	40
0307	4210-00-889-2492	Fire Extinguisher	EA	\$98.28	10
0318	4240-01-504-7863	Safety Goggles	PR	\$11.49	28
0337	8115-00-139-0689	Fire Equipment Repack Box	BD	\$126.63	40
0338	8115-00-139-0673	Fire Equipment Repack Box	BD	\$93.81	40
0343	5110-01-046-5031	Chainsaw File Guide	EA	\$28.30	20
0345	5110-00-965-0608	File (American Pattern)	DZ	\$6.64	20
0351	5110-00-242-5384	File (American Pattern)	DZ	\$10.45	20
0352	5110-00-293-2339	Single-Bit Ax	EA	\$25.80	9
0353	8115-00-139-0706	Fire Equipment Repack Box	BD	\$60.45	40
0358	5110-00-263-0342	File Handle	DZ	\$10.58	20
0359	8465-00-293-3369	Leather Ax Sheath	EA	\$7.67	10
0384	8115-01-307-2951	Fire Equipment Repack Box	BD	\$88.49	40
0395	7510-00-079-7906	Packaging Tape	RO	\$3.32	41
0396	7510-00-079-7905	Packaging Tape	RO	\$4.80	41
0399	7540-00-634-4041	Standard Form	HD	\$5.26	46
0416	4210-01-080-6532	Fire Hose Increaser	EA	\$7.39	14
0417	4210-01-521-1691	Fire Hose Reducer	EA	\$8.48	14
0418	4210-00-294-2648	Fire Hose Reducer	EA	\$6.49	14
0420	7540-01-317-7366	Optional Form	BK	\$3.82	45
0422	7540-01-317-7367	Optional Form	HD	\$25.34	45
0428	4730-01-057-0136	Quick-Connect Hose Fitting	EA	\$5.33	18
0429	4730-01-057-4210	Quick-Connect Hose Fitting	EA	\$7.29	18
0432	5120-00-278-7590	Tool Handle Wedge	DZ	\$9.83	11
0433	5120-00-293-3451	Tool Handle Wedge	DZ	\$10.77	11
0435	8465-01-369-3557	Drinking Water Bag	EA	\$259.07	34
0436	8465-01-369-2147	Drinking Water Bag Liner	EA	\$73.27	34
0437	8465-01-369-2148	Suppression Water Bag	EA	\$217.38	34
0438	8465-01-369-2149	Suppression Water Bag Liner	EA	\$32.13	34
0441	7210-00-205-2804	Blanket	EA	\$18.10	37
0447	7520-01-332-2833	Retractable Ballpoint Pen	DZ	\$7.43	46
0464	7350-01-263-6700	Paper Tableware	BX	\$82.18	35

NFES #	NSN	Name	Unit of Issue	Price	Page
0465	7350-00-988-6498	Paper Tableware	BX	\$72.91	35
0474	4240-01-292-2817	Safety Glasses	PR	\$4.22	28
0475	4240-01-292-2816	Safety Glasses	PR	\$4.22	28
0476	4240-01-292-5055	Safety Glasses	PR	\$4.22	28
0487	7240-00-246-1097	Utility Pail	EA	\$4.04	39
0495	8465-01-416-1951	Backpack Pump Shoulder Straps	EA	\$16.47	18
0497	7340-00-170-8374	Plastic Flatware	HD	\$6.03	35
0500	8115-00-139-0652	Fire Equipment Repack Box	BD	\$96.62	40
0510	5210-01-324-2776	Sharpening Gauge	EA	\$30.02	10
0511	8415-01-434-0618	Wildland Firefighter's Shirt (Nomex)	EA	\$67.58	30
0512	8415-01-434-0626	Wildland Firefighter's Shirt (Nomex)	EA	\$67.58	30
0513	8115-01-290-9543	Fire Equipment Repack Box	BD	\$60.64	40
0522	8415-01-211-6316	Wildland Firefighter's Shirt (Nomex)	EA	\$67.58	30
0526	1670-01-029-8555	Cargo Swivel	EA	\$207.58	43
0528	1670-01-029-8554	Cargo Lead Line	EA	\$88.49	43
0531	1670-01-029-8556	Cargo Net	EA	\$345.68	43
0533	4020-00-240-2146	Cord	SL	\$166.58	39
0536	8465-01-503-4476	Fuel Bottle Bag	EA	\$13.06	21
0564	7240-00-527-9868	Funnel	EA	\$2.65	19
0565	7920-00-205-1711	Wiping Cloth	BE	\$28.79	39
0566	9905-01-523-2578	Flagging Ribbon	BX	\$17.53	44
0569	8415-01-421-3905	Wildland Firefighter's Shirt (Nomex)	EA	\$67.58	30
0570	8415-01-421-3907	Wildland Firefighter's Shirt (Nomex)	EA	\$67.58	30
0577	8415-00-233-5818	Wildland Firefighter's Shirt (Nomex)	EA	\$67.58	30
0578	8415-00-233-5819	Wildland Firefighter's Shirt (Nomex)	EA	\$67.58	30
0579	8415-00-259-8718	Wildland Firefighter's Shirt (Nomex)	EA	\$67.58	30
0580	8415-00-259-8722	Wildland Firefighter's Shirt (Nomex)	EA	\$67.58	30
0597	8465-01-321-1679	Backpack Pump Liner	EA	\$6.16	18
0601	4320-00-890-5879	Firefighting Water Pump	EA	\$3,421.83	19
0615	7520-00-833-7343	Work Organizer File	EA	\$13.73	47
0619	5970-01-463-5494	Electrical Insulation Tape	RO	\$3.32	41
0635	4210-00-204-3358	Fire Hose Nozzle Tip	EA	\$18.30	15
0636	4210-00-204-3386	Fire Hose Nozzle Tip	EA	\$18.81	15

NFES #	NSN	Name	Unit of Issue	Price	Page
0637	4210-00-203-3855	Fire Hose Nozzle Tip	EA	\$7.34	15
0638	4210-00-203-3845	Fire Hose Nozzle Tip	EA	\$7.13	15
0640	6515-01-376-7247	Bodily Fluids Barrier Kit	KT	\$31.74	23
0643	8115-00-139-0749	Fire Equipment Repack Box	BD	\$72.43	40
0644	8115-00-139-0691	Fire Equipment Repack Box	BD	\$74.55	40
0645	8115-01-504-1463	Fire Equipment Repack Box	BD	\$66.87	40
0659	4210-01-387-1392	Collapsible Firefighting Rake	EA	\$54.59	9
0667	6230-01-493-7630	Firefighter's Headlamp	EA	\$44.47	22
0674	8465-01-503-4484	Fireline Pack (Complete)	EA	\$146.65	33
0675	8465-01-503-4479	Fireline Pack Canteen Case	EA	\$7.56	33
0677	8465-01-503-4482	Fireline Pack Carrying Case (Stuff Sack)	EA	\$6.93	33
0678	8465-01-503-4488	Main Fireline Pack	EA	\$121.12	33
0705	6840-01-003-9589	Insect Repellent	OZ	\$1.42	22
0707	5110-00-293-2336	Single-Bit Ax	EA	\$30.46	9
0710	4210-01-080-1457	Fire Hose Double Female Connector	EA	\$11.54	13
0720	4210-01-412-5688	Fire Hose Water Applicator	EA	\$25.25	17
0721	5310-00-599-0776	Garden Hose Washer	PG	\$1.68	17
0727	4210-01-529-8489	Fire Hose Retaining Band	BX	\$133.78	12
0731	4210-01-080-1460	Hoseline Tee with Capped Male Branch	EA	\$12.74	14
0732	4210-01-082-0575	Fire Hose Cap with Chain	EA	\$6.03	14
0733	4210-01-079-9286	Fire Hose Reducer	EA	\$5.32	14
0735	4210-01-412-5683	Fire Hose Nozzle Tip	EA	\$7.52	17
0737	4210-00-177-6135	Fire Hose Nozzle Tip	EA	\$7.38	15
0742	5330-00-239-1875	Fire Hose Gasket	PG	\$2.02	13
0743	5330-00-720-2621	Fire Hose Gasket	PG	\$1.26	13
0744	8465-00-205-3493	Packsack	EA	\$45.86	32
0768	7520-00-558-1501	Permanent Marker Set (Chisel Tip)	SE	\$2.54	46
0770	7510-00-266-6712	Masking Tape	RO	\$1.20	41
0772	4210-01-321-4206	Mop-Up Kit	KT	\$425.83	16
0773	7510-00-272-9662	Staples	BX	\$1.02	47
0784	7510-00-223-6807	Binder Clip	DZ	\$1.75	47
0786	7510-00-243-3435	Rubber Bands	BG	\$0.90	47
0823	8115-00-417-9318	Corrugated Box	BD	\$124.45	41

NFES #	NSN	Name	Unit of Issue	Price	Page
0827	7330-00-819-7738	Vacuum Jug	EA	\$632.62	36
0834	6135-00-985-7846	Alkaline Battery	PG	\$6.16	21
0835	4210-01-412-5684	Garden Hose Shut-Off Valve	EA	\$12.82	17
0856	4210-01-079-9285	Fire Hose Double Male Connector	EA	\$6.91	13
0857	4210-01-081-8749	Fire Hose Double Female Connector	EA	\$13.33	13
0862	7540-01-121-8825	Optional Form	HD	\$15.06	45
0863	7540-01-120-4062	Optional Form	HD	\$13.39	45
0866	7540-01-124-7633	Optional Form	HD	\$8.62	45
0872	7540-01-119-5628	Optional Form	BK	\$2.50	45
0891	7540-01-058-0222	Standard Form	BK	\$1.71	46
0904	4210-01-412-6335	Garden Hose Wye Valve	EA	\$15.92	17
0911	8465-01-310-5130	Water Bag Liner	EA	\$3.30	34
0912	8465-01-310-1259	Water Bag	EA	\$61.60	34
0916	4210-01-080-1458	Fire Hose Double Male Connector	EA	\$5.30	13
0925	4240-01-498-3194	Fire Shelter, Complete (M-2002)	EA	\$242.47	24
0926	4240-01-498-3184	Fire Shelter, Single (M-2002)	EA	\$228.66	24
0927	8465-01-498-3190	Fire Shelter Carrying Case (M-2002)	EA	\$12.33	25
0928	8465-01-498-3191	Fire Shelter Carrying Case Liner (M-2002)	EA	\$7.46	25
0932	4210-01-526-3000	Synthetic-Lined Fire Hose	LG	\$122.11	12
0933	4210-01-526-2977	Synthetic-Lined Fire Hose	LG	\$154.64	12
0935	7360-00-660-0526	Dining Packet	BX	\$132.26	36
0943	7330-01-449-2319	Water Cooler	EA	\$33.80	36
0973	4240-01-529-8804	Fire Shelter, Single (M-2002) (Large)	EA	\$298.00	24
0975	4240-01-527-5248	Fire Shelter, Complete (M-2002) (Large)	EA	\$320.66	24
1016	4210-01-167-1061	Synthetic Garden Hose	LG	\$25.09	12
1027	6515-00-137-6345	Ear Plugs	BX	\$26.90	28
1035	7530-00-285-2913	Pocket Folder	EA	\$3.14	47
1038	7210-01-029-0370	Bath Towel (Disposable)	BX	\$82.56	38
1039	7520-01-238-1728	Flat Liquid Ink Highlighter	SE	\$5.44	46
1046	7510-01-207-3978	Pushpin	BX	\$1.91	47
1050	6660-01-024-2638	Weather Observation Kit	KT	\$160.88	42
1059	5110-00-242-5386	File (American Pattern)	DZ	\$18.99	20
1062	8465-00-081-0798	Firefighter's Sleeping Bag	EA	\$39.40	37

NFES #	NSN	Name	Unit of Issue	Price	Page
1063	8465-00-082-3054	Canteen	EA	\$9.92	34
1081	4210-01-165-6603	Fire Hose Nozzle	EA	\$22.53	15
1082	4210-01-167-1123	Fire Hose Nozzle	EA	\$44.54	15
1098	7540-01-475-4309	Optional Form	HD	\$37.52	45
1099	7540-01-475-4308	Optional Form	HD	\$37.52	45
1143	6545-01-010-7754	First Aid Kit	EA	\$119.74	23
1149	4320-00-289-8912	Backpack Pump Outfit	EA	\$133.46	18
1154	8465-00-521-3057	Weather Kit Case	EA	\$17.11	42
1155	6680-00-833-7010	Wind Speed Indicator	EA	\$18.64	42
1156	6685-00-826-1662	Psychrometer	EA	\$45.74	42
1157	8125-00-824-9058	Screw-Cap Bottle	EA	\$2.88	43
1168	5120-01-296-3592	Tool Handle	EA	\$13.26	11
1173	7540-01-120-0607	Optional Form	BK	\$10.82	45
1180	5120-01-240-2120	Fire Line Combination Tool	EA	\$53.66	9
1197	8465-01-321-1678	Backpack Pump Bag	EA	\$48.21	18
1201	4210-01-165-6599	Shut-Off Valve	EA	\$46.92	16
1207	4210-01-165-6600	Shut-Off Valve	EA	\$60.02	16
1220	4210-00-595-1838	High-Pressure Fire Hose	LG	\$213.76	12
1233	6135-00-643-1307	Carbon-Zinc Battery	EA	\$15.60	21
1238	4210-01-166-8122	Synthetic-Lined Fire Hose	LG	\$107.46	12
1239	4210-01-165-6597	Synthetic-Lined Fire Hose	LG	\$125.31	12
1241	6135-00-900-2139	Alkaline Battery	PG	\$13.42	21
1243	6510-01-045-3506	Insect Bite Swab	PG	\$0.67	22
1274	8415-01-483-6075	Wildland Firefighter's Face-and-Neck Shroud	EA	\$26.95	27
1286	7540-01-475-0707	Optional Form	HD	\$16.61	45
1293	8415-01-394-0208	Firefighter's Work Gloves	PR	\$13.64	29
1294	8415-01-394-0209	Firefighter's Work Gloves	PR	\$13.64	29
1295	8415-01-394-0210	Firefighter's Work Gloves	PR	\$13.64	29
1296	8415-01-394-0215	Firefighter's Work Gloves	PR	\$13.64	29
1297	8415-01-397-3937	Firefighter's Work Gloves	PR	\$13.64	29
1300	7540-01-475-0708	Optional Form	HD	\$16.61	45
1372	8465-01-169-3996	Complete Field Pack	EA	\$72.99	32
1472	7540-01-475-4307	Optional Form	HD	\$17.06	45

NFES #	NSN	Name	Unit of Issue	Price	Page
1473	7540-01-475-4306	Optional Form	HD	\$17.06	45
1474	8415-01-568-0011	Firefighter's Work Gloves	PR	\$26.90	29
1475	8415-01-568-0006	Firefighter's Work Gloves	PR	\$26.90	29
1476	8415-01-568-0013	Firefighter's Work Gloves	PR	\$26.90	29
1477	8415-01-568-0008	Firefighter's Work Gloves	PR	\$26.90	29
1478	8415-01-568-0012	Firefighter's Work Gloves	PR	\$26.90	29
1521	8340-01-185-5512	Tent Fly	EA	\$56.02	37
1526	8460-01-193-9769	Briefcase	EA	\$41.90	32
1535	7240-01-351-2133	Fuel Bottle	EA	\$13.76	21
1559	8465-01-193-9781	Field Pack Main Pack	EA	\$31.84	32
1566	8465-01-223-8421	Sleeping Bag Pad	BX	\$413.49	37
1580	8115-01-219-5749	Fire Equipment Repack Box	BD	\$254.42	40
1604	6545-00-656-1094	First Aid Kit	EA	\$87.58	23
1639	8415-01-565-0623	Firefighter's Work Gloves	PR	\$17.68	29
1640	8415-01-565-0620	Firefighter's Work Gloves	PR	\$17.68	29
1641	8415-01-565-0618	Firefighter's Work Gloves	PR	\$17.68	29
1642	8415-01-565-0624	Firefighter's Work Gloves	PR	\$17.68	29
1643	8415-01-565-0625	Firefighter's Work Gloves	PR	\$17.68	29
1801	4020-00-068-7906	Rope	SL	\$62.06	39
1807	4210-00-540-4512	Forest Fire Rake and Cutting Tool	EA	\$46.70	9
1808	4210-00-889-1774	Rubber Suction Fire Hose	LG	\$106.80	12
1809	4210-01-081-0418	Hoseline Tee with Capped Male Branch	EA	\$19.19	14
1812	5110-00-293-3380	Ax Handle	EA	\$7.47	11
1814	6605-00-553-8795	Smoke Chaser's Compass	EA	\$10.21	43
1828	5345-00-558-5928	Abrasive Disk	BX	\$20.14	10
1842	8970-00-149-1094	Food Rations, Meals Ready to Eat (MRE)	BX	\$96.57	36
1853	8465-01-136-4719	Shovel Tool Sheath	EA	\$3.89	10
1854	8465-01-136-4718	McLeod Tool Sheath	EA	\$2.76	10
1855	8465-01-141-2321	Personal Gear Pack	EA	\$50.60	32
1857	5110-01-137-7507	Tool Handle	EA	\$8.01	11
1938	5340-00-901-8105	Boxcar Seal	HD	\$5.83	42
2006	8115-00-139-0722	Fire Equipment Repack Box	BD	\$42.15	40
2007	8115-00-292-0123	Fire Equipment Repack Box	BD	\$35.05	40

NFES #	NSN	Name	Unit of Issue	Price	Page
2030	8115-00-183-9481	Fire Equipment Repack Box	BD	\$93.31	40
2058	8115-00-145-0038	Plastic Storage Container	EA	\$10.03	35
2078	8415-01-285-3530	Wildland Firefighter's Shirt (Nomex)	EA	\$67.58	30
2079	8415-01-284-7500	Wildland Firefighter's Shirt (Nomex)	EA	\$67.58	30
2105	5110-00-782-7491	File (American Pattern)	DZ	\$6.57	20
2139	7520-00-579-9053	Packaging Tape Dispenser	EA	\$5.72	41
2210	4210-01-081-8751	Fire Hose Cap with Chain	EA	\$7.75	14
2229	4210-01-081-0419	Fire Hose Reducer	EA	\$11.94	14
2230	4210-01-508-8818	Fire Hose Reducer	EA	\$11.92	14
2235	4210-01-080-6531	Fire Hose Increaser	EA	\$5.45	14
2240	4210-01-080-1459	Hoseline Tee with Capped Male Branch	EA	\$16.99	14
2326	5330-00-239-1877	Fire Hose Gasket	PG	\$2.21	13
2396	9905-00-196-1068	Flagging Ribbon	BX	\$13.17	44
2398	9905-01-458-2060	Surveyor's Flagging Ribbon	BX	\$19.29	44
2401	9905-01-458-2059	Surveyor's Flagging Ribbon	BX	\$19.42	44
2575	7520-00-281-5895	Manual Stapler	EA	\$8.98	47
2678	6930-01-499-0605	Training/Practice Fire Shelter, Complete (M-2002)	EA	\$87.36	25
2679	6930-01-499-0608	Training/Practice Fire Shelter (M-2002)	EA	\$77.24	26
2680	6930-01-499-0614	Training/Practice Fire Shelter Carrying Case (M-2002)	EA	\$19.55	26
2681	6930-01-499-0618	Training/Practice Fire Shelter Bag, Polyvinyl (M-2002)	EA	\$13.36	26
2700	8415-01-464-4242	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2701	8415-01-464-4247	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2702	8415-01-464-4244	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2703	8415-01-464-4248	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2704	8415-01-464-5742	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2705	8415-01-464-5621	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	31
2706	8415-01-464-5624	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	31
2707	8415-01-464-5645	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	31
2725	5510-01-045-9198	Plastic Forestry Wedge	EA	\$4.56	20
2798	6930-01-529-8805	Training/Practice Fire Shelter (M-2002) (Large)	EA	\$68.76	26
2799	6930-01-529-8807	Training/Practice Fire Shelter, Complete (M-2002) (Large)	EA	\$93.32	25
2800	8415-01-464-2282	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2801	8415-01-464-3672	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30

NFES #	NSN	Name	Unit of Issue	Price	Page
2802	8415-01-464-3671	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2803	8415-01-464-3676	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2804	8415-01-464-3677	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2805	8415-01-464-3678	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	31
2806	8415-01-464-3673	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	31
2807	8415-01-464-3675	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	31
2841	8415-01-537-4986	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2842	8415-01-537-4981	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	31
2843	8415-01-537-4982	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2844	8415-01-537-4983	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2845	8415-01-537-4985	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2846	8415-01-537-4984	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	31
2847	8415-01-537-5677	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	30
2848	8415-01-537-5681	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	31
2849	8415-01-537-5678	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	31
2850	8415-01-537-5679	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	31
2851	8415-01-537-5680	Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	PR	\$81.89	31
2910	8415-01-533-1740	Wildland Firefighter's Shirt (Nomex)	EA	\$67.58	30
2911	8415-01-533-2435	Wildland Firefighter's Shirt (Nomex)	EA	\$67.58	30
2944	8415-01-559-3540	Wildland Firefighter's Pants, Type II, Para-Aramid (Kevlar)	PR	\$145.68	31
2945	8415-01-559-3543	Wildland Firefighter's Pants, Type II, Para-Aramid (Kevlar)	PR	\$145.68	31
2946	8415-01-559-3544	Wildland Firefighter's Pants, Type II, Para-Aramid (Kevlar)	PR	\$145.68	31
2947	8415-01-559-3547	Wildland Firefighter's Pants, Type II, Para-Aramid (Kevlar)	PR	\$145.68	31
2948	8415-01-559-3548	Wildland Firefighter's Pants, Type II, Para-Aramid (Kevlar)	PR	\$145.68	31
2956	8415-01-559-3545	Wildland Firefighter's Pants, Type II, Para-Aramid (Kevlar)	PR	\$145.68	31
2957	8415-01-559-3542	Wildland Firefighter's Pants, Type II, Para-Aramid (Kevlar)	PR	\$145.68	31
2958	8415-01-559-3549	Wildland Firefighter's Pants, Type II, Para-Aramid (Kevlar)	PR	\$145.68	31
2959	8415-01-559-3541	Wildland Firefighter's Pants, Type II, Para-Aramid (Kevlar)	PR	\$145.68	31
2963	8415-01-559-3546	Wildland Firefighter's Pants, Type II, Para-Aramid (Kevlar)	PR	\$145.68	31
3007	6260-01-178-5559	Lightstick (Chemlight)	BX	\$14.67	22
3008	6260-01-074-4230	Lightstick (Chemlight)	BX	\$12.39	22
3009	6260-01-074-4229	Lightstick (Chemlight)	BX	\$14.67	22
3012	6260-01-196-0136	Lightstick (Chemlight)	BX	\$14.67	22
3161	7520-01-424-4867	Easel	EA	\$214.07	46

A

Abrasive Disk	10
Adapter, Thread (Fire Hose)	13
Alkaline Battery	21
Applicator, Water (Fire Hose)	17
Ax Handle	11
Ax Sheath, Leather	10
Ax, Single-Bit	9

B

Backfiring Fusee	43
Backpack Pump Bag	18
Backpack Pump Liner	18
Backpack Pump Outfit	18
Backpack Pump Shoulder Straps	18
Bag, Backpack Pump	18
Bag, Drinking Water	34
Bag, Fire Shelter (Training/Practice, Polyvinyl, M-2002)	26
Bag, Fuel Bottle	21
Bag Liner, Drinking Water	34
Bag Liner, Suppression Water	34
Bag Liner, Water	34
Bag, Sleeping	37
Bag, Suppression Water	34
Bag, Tent	32
Bag, Trash	36
Bag, Water	34
Ballpoint Pen, Retractable	46
Band, Retaining (Fire Hose)	12
Bands, Rubber	47
Bar Soap	38
Barrier Kit, Bodily Fluids	23
Bath Towel (Disposable)	38
Bathroom Tissue (Toilet Paper)	38
Battery, Alkaline	21
Battery, Carbon-Zinc	21
Binder Clip	47
Blanket	37
Bodily Fluids Barrier Kit	23
Bottle, Fuel	21
Bottle, Screw-Cap	43
Box, Corrugated	41
Box, Repack (Fire Equipment)	40
Boxcar Seal	42
Briefcase	32

C

Can, Gasoline	19
Canteen	34
Canteen Case	34
Canteen Case, Fireline Pack	33
Cap, Fire Hose (with Chain)	14
Carbon-Zinc Battery	21
Cargo Lead Line	43
Cargo Net	43
Cargo Swivel	43
Carrying Case, Fire Shelter (M-2002)	25
Carrying Case, Fire Shelter (Training/Practice, M-2002)	26
Carrying Case, Fireline Pack (Stuff Sack)	33
Carrying Case Liner, Fire Shelter (M-2002)	25

Case, Canteen	34
Case, Canteen (Fireline Pack)	33
Case, Fireline Pack Carrying (Stuff Sack)	33
Case, Weather Kit	42
Chainsaw File Guide	20
Chainsaw Operator's Chaps	20
Chaps, Chainsaw Operator's	20
Chemlight (Lightstick)	22
Chest Harness	27
Clamp, Fire Hose	16
Clip, Binder	47
Cloth, Wiping	39
Collapsible Firefighting Rake	9
Collapsible Pail	39
Combination Tool, Fire Line	9
Compass, Magnetic	43
Compass, Smoke Chaser's	43
Complete Field Pack	32
Connector, Fire Hose Double Female	13
Connector, Fire Hose Double Male	13
Container, Food (Disposable)	35
Container, Storage (Plastic)	35
Cooler, Water	36
Cord	39
Corrugated Box	41
Cutting Tool and Rake, Forest Fire	9

D

Dining Packet	36
Dinnerware, Disposable	36
Disk, Abrasive	10
Dispenser, Packaging Tape	41
Disposable Bath Towel	38
Disposable Dinnerware	36
Disposable Washcloth	38
Drinking Water Bag	34
Drinking Water Bag Liner	34
Drip Torch	43
Duct Tape	41

E

Ear Plugs	28
Easel	46
Electrical Insulation Tape	41
Extinguisher, Fire	10

F

Face-and-Neck Shroud, Wildland Firefighter's	27
Field Pack, Complete	32
Field Pack Main Pack	32
File (American Pattern)	20
File Guide, Chainsaw	20
File Handle	20
Fire Equipment Repack Box	40
Fire Extinguisher	10
Fire Hose Cap with Chain	14
Fire Hose Clamp	16
Fire Hose Double Female Connector	13
Fire Hose Double Male Connector	13
Fire Hose Gasket	13
Fire Hose, High-Pressure	12
Fire Hose Increaser	14
Fire Hose Nozzle	15
Fire Hose Nozzle Tip	15, 17
Fire Hose Reducer	14
Fire Hose Retaining Band	12
Fire Hose, Rubber Suction	12
Fire Hose, Synthetic-Lined	12
Fire Hose Thread Adapter	13
Fire Hose Water Applicator	17
Fire Hose Wye Valve	16
Fire Line Combination Tool	9
Fire Pump Gasoline Line	19
Fire Shelter Bag, Training/Practice (Polyvinyl, M-2002)	26
Fire Shelter Carrying Case Liner (M-2002)	25
Fire Shelter Carrying Case (M-2002)	25
Fire Shelter Carrying Case, Training/Practice (M-2002)	26
Fire Shelter, Complete (M-2002)	24
Fire Shelter, Complete (M-2002) (Large)	24
Fire Shelter, Single (M-2002)	24
Fire Shelter, Single (M-2002) (Large)	24
Fire Shelter, Training/Practice (Complete, M-2002)	25
Fire Shelter, Training/Practice (M-2002)	26
Firefighter's Face-and-Neck Shroud, Wildland	27
Firefighter's Headlamp	22
Firefighter's Helmet, Wildland	28
Firefighter's Pants, Wildland	30
Firefighter's Pants, Wildland (Kevlar/Nomex)	31
Firefighter's Shirt, Wildland	30
Firefighter's Sleeping Bag	37
Firefighter's Work Gloves	29
Firefighting Hand Pump	18
Firefighting Rake, Collapsible	9
Firefighting Water Pump	19
Fireline Pack Canteen Case	33
Fireline Pack Carrying Case (Stuff Sack)	33
Fireline Pack (Complete)	33
Fireline Pack, Main	33
First Aid Kit	23
Fitting, Hose (Quick-Connect)	18
Flagging Ribbon	44
Flagging Ribbon, Surveyor's	44
Flat Liquid Ink Highlighter	46
Flatware, Individual (Set)	35
Flatware, Plastic	35
Flatware Set, Individual	35

Fly, Tent	37
Folder, Pocket	47
Food Container (Disposable)	35
Food Rations, Meals Ready to Eat (MRE)	36
Foot Valve	16
Forest Fire Rake and Cutting Tool	9
Forest Fire Shovel	9
Forestry Wedge, Plastic	20
Form, Optional	45
Form, Standard	46
Fuel Bottle	21
Fuel Bottle Bag	21
Funnel	19
Fusee, Backfiring	43

G

Garden Hose Shut-Off Valve	17
Garden Hose, Synthetic	12
Garden Hose Washer	17
Garden Hose Wye Valve	17
Gasket, Fire Hose	13
Gasoline Can	19
Gasoline Line, Fire Pump	19
Gauge, Sharpening	10
Gear Pack, Personal	32
Glasses, Safety	28
Gloves, Work (Firefighter's)	29
Goggles, Safety	28
Guide, File (Chainsaw)	20

H

Hand Pump, Firefighting	18
Handle, Ax	11
Handle, File	20
Handle, Tool	11
Harness, Chest	27
Headlamp, Firefighter's	22
Helmet, Wildland Firefighter's	28
High-Pressure Fire Hose	12
Highlighter Set, Fluorescent	46
Hole Punch	47
Hose, Fire (High-Pressure)	12
Hose, Fire (Rubber Suction)	12
Hose, Fire (Synthetic-Lined)	12
Hose Fitting, Quick-Connect	18
Hose, Garden (Synthetic)	12
Hoseline Tee with Capped Male Branch	14
Hoseline Tee with Valved Male Branch	14

I

Increaser, Fire Hose	14
Indicator, Wind Speed	42
Individual Flatware Set	35
Insect Bite Swab	22
Insect Repellent	22
Insulation Tape, Electrical	41

J

Jug, Vacuum	36
Jug, Water	35

L

Lead Line, Cargo	43
Leather Ax Sheath	10
Lightstick (Chemlight)	22
Line, Lead (Cargo)	43
Liner, Backpack Pump	18
Liner, Bag (Suppression Water)	34
Liner, Drinking Water Bag	34
Liner, Fire Shelter Carrying Case (M-2002)	25
Liner, Water Bag	34

M

Magnetic Compass	43
Main Fireline Pack	33
Main Pack, Field Pack	32
Manual Stapler	47
Marker, Permanent (Chisel Tip, Set)	46
Masking Tape	41
McLeod Tool	9
McLeod Tool Sheath	10
Meals Ready to Eat (MRE), Food Rations	36
Message Dropper Pouch	43
Mop-Up Kit	16
MRE, Meals Ready to Eat (Food Rations)	36

N

Net, Cargo	43
Nozzle, Fire Hose	15
Nozzle Tip, Fire Hose	15, 17

O

Observation Kit, Weather	42
Optional Form	45

P

Pack, Main (Field Pack)	32
Packaging Tape	41
Packaging Tape Dispenser	41
Packet, Dining	36
Packsack	32
Pad, Sleeping Bag	37
Pail, Collapsible	39
Pail, Utility	39
Pants, Wildland Firefighter's	30
Pants, Wildland Firefighter's (Kevlar/Nomex)	31
Paper Tableware	35
Paper, Toilet	38
Paper Towels	38
Pen, Ballpoint (Retractable)	46
Permanent Marker Set (Chisel Tip)	46
Personal Gear Pack	32
Personal Wash Kit	38
Plastic Flatware	35
Plastic Forestry Wedge	20
Plastic Sheeting	42
Plastic Storage Container	35
Plugs, Ear	28
Pocket Folder	47
Pole, Ridge	37
Pole, Tent	37

Pouch, Message Dropper	43
Psychrometer	42
Pulaski Tool	9
Pulaski Tool Sheath	10
Pump, Hand (Firefighting)	18
Pump Liner, Backpack	18
Pump Outfit, Backpack	18
Pump, Water (Firefighting)	19
Punch, Hole	47
Pushpin	47

Q

Quick-Connect Hose Fitting	18
----------------------------	----

R

Rake and Cutting Tool, Forest Fire	9
Rake, Firefighting (Collapsible)	9
Rations, Food	36
Reducer, Fire Hose	14
Repack Box, Fire Equipment	40
Repellent, Insect	22
Retaining Band, Fire Hose	12
Retractable Ballpoint Pen	46
Ribbon, Flagging	44
Ribbon, Flagging (Surveyor's)	44
Ridge Pole	37
Rope	39
Rubber Bands	47
Rubber Suction Fire Hose	12

S

Safety Glasses	28
Safety Goggles	28
Screw-Cap Bottle	43
Seal, Boxcar	42
Sharpening Gauge	10
Sheath, Ax (Leather)	10
Sheath, McLeod Tool	10
Sheath, Pulaski Tool	10
Sheath, Shovel	10
Sheeting, Plastic	42
Shelter, Fire (Training/Practice, Complete, M-2002)	25
Shelter, Fire (Training/Practice, M-2002)	26
Shipping Tag	42
Shirt, Wildland Firefighter's	30
Shoulder Straps, Backpack Pump	18
Shovel, Forest Fire	9
Shovel Tool Sheath	10
Shroud, Wildland Firefighter's Face-and-Neck	27
Shut-Off Valve	16
Shut-Off Valve, Garden Hose	17
Single-Bit Ax	9
Sleeping Bag	37
Sleeping Bag, Firefighter's	37
Sleeping Bag Pad	37
Smoke Chaser's Compass	43
Soap, Bar	38
Spanner Wrench	16
Standard Form	46
Staples	47

Storage Container, Plastic	35
Strapping Tape	41
Straps, Shoulder (Backpack Pump)	18
Suppression Water Bag	34
Suppression Water Bag Liner	34
Surveyor's Flagging Ribbon	44
Swab, Insect Bite	22
Swivel, Cargo	43
Synthetic Garden Hose	12
Synthetic-Lined Fire Hose	12

T

Tableware, Paper	35
Tag, Shipping	42
Tape Dispenser, Packaging	41
Tape, Duct	41
Tape, Insulation (Electrical)	41
Tape, Masking	41
Tape, Packaging	41
Tape, Strapping	41
Tee, Hoseline (with Capped Male Branch)	14
Tee, Hoseline (with Valved Male Branch)	14
Tent Bag	32
Tent Fly	37
Tent Pole	37
Thread Adapter, Fire Hose	13
Thumbtack	47
Tip, Nozzle (Fire Hose)	15, 17
Tissue, Bathroom (Toilet Paper)	38
Toilet Paper	38
Tool Handle	11
Tool Handle Wedge	11
Tool, McLeod	9
Tool, Pulaski	9
Tool Sheath, McLeod	10
Tool Sheath, Pulaski	10
Tool Sheath, Shovel	10
Torch, Drip	43
Towel, Bath (Disposable)	38
Towels, Paper	38
Training/Practice Fire Shelter Bag, Polyvinyl (M-2002)	26
Training/Practice Fire Shelter Carrying Case (M-2002)	26
Training/Practice Fire Shelter, Complete (M-2002)	25
Training/Practice Fire Shelter, Complete (M-2002) (Large)	25
Training/Practice Fire Shelter (M-2002)	26
Training/Practice Fire Shelter (M-2002) (Large)	26
Trash Bag	36

U

Utility Pail	39
--------------	----

V

Vacuum Jug	36
Valve, Foot	16
Valve, Shut-Off	16
Valve, Shut-Off (Garden Hose)	17
Valve, Wye (Fire Hose)	16
Valve, Wye (Garden Hose)	17

W

Wash Kit, Personal	38
Washcloth, Disposable	38
Washer, Garden Hose	17
Water Applicator, Fire Hose	17
Water Bag	34
Water Bag, Drinking	34
Water Bag Liner	34
Water Bag Liner, Drinking	34
Water Bag Liner, Suppression	34
Water Bag, Suppression	34
Water Cooler	36
Water Jug	35
Water Pump, Firefighting	19
Weather Kit Case	42
Weather Observation Kit	42
Wedge, Forestry (Plastic)	20
Wedge, Tool Handle	11
Wildland Firefighter's Face-and-Neck Shroud	27
Wildland Firefighter's Helmet	28
Wildland Firefighter's Pants, Type I, Meta-Aramid (Nomex)	30
Wildland Firefighter's Pants, Type II, Para-aramid (Kevlar)	31
Wildland Firefighter's Shirt (Nomex)	30
Wind Speed Indicator	42
Wiping Cloth	39
Work Gloves, Firefighter's	29
Work Organizer File	47
Wrap, Plastic	42
Wrench, Spanner	16
Wye Valve, Fire Hose	16
Wye Valve, Garden Hose	17

Class 1370

1370-00-294-1279(0105)43

Class 1670

1670-00-797-4495(0284)43

1670-01-029-8554(0528)43

1670-01-029-8555(0526)43

1670-01-029-8556(0531)43

Class 4020

4020-00-068-7906(1801)39

4020-00-240-2146(0533)39

Class 4210

4210-00-085-2291(0138)15

4210-00-126-5108(0259)16

4210-00-177-6135(0737)15

4210-00-181-8872(0137)15

4210-00-203-3512(0296)9

4210-00-203-3845(0638)15

4210-00-203-3855(0637)15

4210-00-204-3358(0635)15

4210-00-204-3386(0636)15

4210-00-294-2648(0418)14

4210-00-540-4512(1807)9

4210-00-568-9904(0113)19

4210-00-595-1838(1220)12

4210-00-640-1892(0024)15

4210-00-767-7123(0046)16

4210-00-889-1774(1808)12

4210-00-889-1775(0115)12

4210-00-889-2492(0307)10

4210-00-975-2969(0010)14

4210-00-984-3475(0231)16

4210-01-079-9283(0007)13

4210-01-079-9284(0006)13

4210-01-079-9285(0856)13

4210-01-079-9286(0733)14

4210-01-080-1457(0710)13

4210-01-080-1458(0916)13

4210-01-080-1459(2240)14

4210-01-080-1460(0731)14

4210-01-080-6531(2235)14

4210-01-080-6532(0416)14

4210-01-081-0417(0230)14

4210-01-081-0418(1809)14

4210-01-081-0419(2229)14

4210-01-081-8749(0857)13

4210-01-081-8751(2210)14

4210-01-082-0575(0732)14

4210-01-165-6597(1239)12

4210-01-165-6599(1201)16

4210-01-165-6600(1207)16

4210-01-165-6603(1081)15

4210-01-166-8122(1238)12

4210-01-167-1061(1016)12

4210-01-167-1123(1082)15

4210-01-321-4206(0772)16

4210-01-387-1392(0659)9

4210-01-412-5683(0735)17

4210-01-412-5684(0835)17

4210-01-412-5688(0720)17

4210-01-412-6335(0904)17

4210-01-508-8818(2230)14

4210-01-521-1691(0417)14

4210-01-526-2977(0933)12

4210-01-526-3000(0932)12

4210-01-529-8489(0727)12

4210-01-558-9951(0241)43

Class 4240

4240-01-292-2816(0475)28

4240-01-292-2817(0474)28

4240-01-292-5055(0476)28

4240-01-498-3184(0926)24

4240-01-498-3194(0925)24

4240-01-504-7863(0318)28

4240-01-527-5248(0975)24

4240-01-529-8804(0973)24

Class 4320

4320-00-289-8912(1149)18

4320-00-595-0762(0151)18

4320-00-890-5879(0601)19

4320-01-495-3633(0148)19

Class 4730

4730-00-595-1103(0136)15

4730-01-057-0136(0428)18

4730-01-057-4210(0429)18

Class 4820

4820-00-126-5114(0212)16

Class 5110

5110-00-242-5384(0351)20

5110-00-242-5385(0060)20

5110-00-242-5386(1059)20

5110-00-263-0341(0063)20

5110-00-263-0342(0358)20

5110-00-293-2336(0707)9

5110-00-293-2339(0352)9

5110-00-293-3380(1812)11

5110-00-782-7491(2105)20

5110-00-965-0608(0345)20

5110-01-046-5031(0343)20

5110-01-137-7507(1857)11

Class 5120

5120-00-278-7590(0432)11

5120-00-293-3451(0433)11

5120-00-293-3467(0146)9

5120-00-596-1426(0234)16

5120-00-596-1427(0235)16

5120-00-965-0609(0171)9

5120-01-240-2120(1180)9

5120-01-296-3592(1168)11

5210-01-324-2776(0510)10

Class 5310

5310-00-599-0776(0721)17

Class 5330

5330-00-239-1873	(0254)	13
5330-00-239-1875	(0742)	13
5330-00-239-1877	(2326)	13
5330-00-720-2621	(0743)	13

Class 5340

5340-00-901-8105	(1938)	42
------------------	--------	----

Class 5345

5345-00-558-5928	(1828)	10
------------------	--------	----

Class 5510

5510-01-045-9198	(2725)	20
------------------	--------	----

Class 5640

5640-00-103-2254	(0071)	41
------------------	--------	----

Class 5970

5970-01-463-5494	(0619)	41
------------------	--------	----

Class 6135

6135-00-643-1307	(1233)	21
6135-00-826-4798	(No NFES)	21
6135-00-835-7210	(0033)	21
6135-00-900-2139	(1241)	21
6135-00-985-7845	(0030)	21
6135-00-985-7846	(0834)	21

Class 6230

6230-01-493-7630	(0667)	22
------------------	--------	----

Class 6260

6260-01-074-4229	(3009)	22
6260-01-074-4230	(3008)	22
6260-01-178-5559	(3007)	22
6260-01-178-5560	(No NFES)	22
6260-01-196-0136	(3012)	22

Class 6510

6510-01-045-3506	(1243)	22
------------------	--------	----

Class 6515

6515-00-137-6345	(1027)	28
6515-01-376-7247	(0640)	23

Class 6545

6545-00-656-1092	(0067)	23
6545-00-656-1094	(1604)	23
6545-01-010-7754	(1143)	23

Class 6605

6605-00-171-5121	(0047)	43
6605-00-553-8795	(1814)	43

Class 6660

6660-01-024-2638	(1050)	42
------------------	--------	----

Class 6680

6680-00-833-7010	(1155)	42
------------------	--------	----

Class 6685

6685-00-826-1662	(1156)	42
------------------	--------	----

Class 6840

6840-01-003-9589	(0705)	22
------------------	--------	----

Class 6930

6930-01-499-0605	(2678)	25
6930-01-499-0608	(2679)	26
6930-01-499-0614	(2680)	26
6930-01-499-0618	(2681)	26
6930-01-529-8805	(2798)	26
6930-01-529-8807	(2799)	25

Class 7210

7210-00-205-2804	(0441)	37
7210-01-029-0370	(1038)	38

Class 7240

7240-00-246-1097	(0487)	39
7240-00-527-9868	(0564)	19
7240-01-044-5523	(0218)	19
7240-01-351-2133	(1535)	21

Class 7310

7310-00-128-6837	(0048)	35
------------------	--------	----

Class 7330

7330-00-819-7738	(0827)	36
7330-01-449-2319	(0943)	36

Class 7340

7340-00-170-8374	(0497)	35
------------------	--------	----

Class 7350

7350-00-988-6498	(0465)	35
7350-01-263-6700	(0464)	35

Class 7360

7360-00-139-0480	(0135)	36
7360-00-139-1063	(0126)	38
7360-00-634-4800	(0129)	35
7360-00-660-0526	(0935)	36
7360-01-310-5131	(0073)	35

Class 7510

7510-00-079-7905	(0396)	41
7510-00-079-7906	(0395)	41
7510-00-223-6807	(0784)	47
7510-00-243-3435	(0786)	47
7510-00-266-6712	(0770)	41
7510-00-272-9662	(0773)	47
7510-00-582-4772	(0222)	41
7510-01-207-3978	(1046)	47

Class 7520

7520-00-163-2563	(0268)	47
7520-00-281-5895	(2575)	47
7520-00-558-1501	(0768)	46
7520-00-579-9053	(2139)	41
7520-00-833-7343	(0615)	47
7520-01-238-1728	(1039)	46
7520-01-332-2833	(0447)	46
7520-01-424-4867	(3161)	46

Class 7530

7530-00-285-2913	(1035)	47
------------------	--------	----

Class 7540

7540-00-634-4041	(0399)	46
7540-01-058-0222	(0891)	46
7540-01-119-5628	(0872)	45
7540-01-120-0607	(1173)	45
7540-01-120-4062	(0863)	45
7540-01-121-8825	(0862)	45
7540-01-124-7633	(0866)	45
7540-01-317-7366	(0420)	45
7540-01-317-7367	(0422)	45
7540-01-475-0707	(1286)	45
7540-01-475-0708	(1300)	45
7540-01-475-4306	(1473)	45
7540-01-475-4307	(1472)	45
7540-01-475-4308	(1099)	45
7540-01-475-4309	(1098)	45

Class 7920

7920-00-205-1711	(0565)	39
------------------	--------	----

Class 8105

8105-01-183-9768	(0021)	36
------------------	--------	----

Class 8115

8115-00-139-0652	(0500)	40
8115-00-139-0673	(0338)	40
8115-00-139-0689	(0337)	40
8115-00-139-0690	(0305)	40
8115-00-139-0691	(0644)	40
8115-00-139-0706	(0353)	40
8115-00-139-0722	(2006)	40
8115-00-139-0749	(0643)	40
8115-00-145-0038	(2058)	35
8115-00-183-9481	(2030)	40
8115-00-292-0123	(2007)	40
8115-00-417-9318	(0823)	41
8115-01-219-5749	(1580)	40
8115-01-290-9543	(0513)	40
8115-01-307-2951	(0384)	40
8115-01-381-6529	(0134)	40
8115-01-504-1463	(0645)	40

Class 8125

8125-00-824-9058	(1157)	43
------------------	--------	----

Class 8135

8135-00-178-9193	(0216)	42
8135-00-579-6487	(0144)	42
8135-00-618-1783	(0143)	42

Class 8340

8340-00-102-6370	(0070)	37
8340-00-753-6574	(0083)	37
8340-01-107-5694	(0089)	37
8340-01-185-5512	(1521)	37

Class 8415

8415-00-233-5818	(0577)	30
8415-00-233-5819	(0578)	30
8415-00-259-8718	(0579)	30
8415-00-259-8722	(0580)	30
8415-00-286-7507	(0045)	20
8415-01-028-5575	(0078)	20
8415-01-055-2265	(0109)	28
8415-01-211-6316	(0522)	30
8415-01-284-7500	(2079)	30
8415-01-285-3530	(2078)	30
8415-01-294-7717	(0150)	20
8415-01-394-0208	(1293)	29
8415-01-394-0209	(1294)	29
8415-01-394-0210	(1295)	29
8415-01-394-0215	(1296)	29
8415-01-397-3937	(1297)	29
8415-01-421-3905	(0569)	30
8415-01-421-3907	(0570)	30
8415-01-434-0618	(0511)	30
8415-01-434-0626	(0512)	30
8415-01-464-2282	(2800)	30
8415-01-464-3671	(2802)	30
8415-01-464-3672	(2801)	30
8415-01-464-3673	(2806)	31
8415-01-464-3675	(2807)	31
8415-01-464-3676	(2803)	30
8415-01-464-3677	(2804)	30
8415-01-464-3678	(2805)	31
8415-01-464-4242	(2700)	30
8415-01-464-4244	(2702)	30
8415-01-464-4247	(2701)	30
8415-01-464-4248	(2703)	30
8415-01-464-5621	(2705)	31
8415-01-464-5624	(2706)	31
8415-01-464-5645	(2707)	31
8415-01-464-5742	(2704)	30
8415-01-483-6075	(1274)	27
8415-01-504-9042	(No NFES)	28
8415-01-504-9044	(No NFES)	28
8415-01-504-9045	(No NFES)	28
8415-01-504-9047	(No NFES)	28
8415-01-504-9048	(No NFES)	28
8415-01-504-9050	(No NFES)	28
8415-01-533-1740	(2910)	30
8415-01-533-2435	(2911)	30
8415-01-537-4981	(2842)	31
8415-01-537-4982	(2843)	30
8415-01-537-4983	(2844)	30
8415-01-537-4984	(2846)	31

8415-01-537-4985	(2845)	30
8415-01-537-4986	(2841)	30
8415-01-537-5677	(2847)	30
8415-01-537-5678	(2849)	31
8415-01-537-5679	(2850)	31
8415-01-537-5680	(2851)	31
8415-01-537-5681	(2848)	31
8415-01-559-3540	(2944)	31
8415-01-559-3541	(2959)	31
8415-01-559-3542	(2957)	31
8415-01-559-3543	(2945)	31
8415-01-559-3544	(2946)	31
8415-01-559-3545	(2956)	31
8415-01-559-3546	(2963)	31
8415-01-559-3547	(2947)	31
8415-01-559-3548	(2948)	31
8415-01-559-3549	(2958)	31
8415-01-565-0618	(1641)	29
8415-01-565-0620	(1640)	29
8415-01-565-0623	(1639)	29
8415-01-565-0624	(1642)	29
8415-01-565-0625	(1643)	29
8415-01-568-0006	(1475)	29
8415-01-568-0008	(1477)	29
8415-01-568-0011	(1474)	29
8415-01-568-0012	(1478)	29
8415-01-568-0013	(1476)	29

Class 8460

8460-01-193-9769	(1526)	32
------------------	--------	----

Class 8465

8465-00-081-0798	(1062)	37
8465-00-082-3054	(1063)	34
8465-00-102-6381	(0037)	34
8465-00-118-4956	(0054)	34
8465-00-128-6928	(0141)	39
8465-00-205-3493	(0744)	32
8465-00-293-3369	(0359)	10
8465-00-521-3057	(1154)	42
8465-01-062-5854	(0038)	34
8465-01-067-9999	(0257)	10
8465-01-119-5562	(0022)	37
8465-01-136-4718	(1854)	10

8465-01-136-4719	(1853)	10
8465-01-141-2321	(1855)	32
8465-01-169-3996	(1372)	32
8465-01-193-9781	(1559)	32
8465-01-223-8421	(1566)	37
8465-01-310-1259	(0912)	34
8465-01-310-5130	(0911)	34
8465-01-321-1678	(1197)	18
8465-01-321-1679	(0597)	18
8465-01-369-2147	(0436)	34
8465-01-369-2148	(0437)	34
8465-01-369-2149	(0438)	34
8465-01-369-3557	(0435)	34
8465-01-416-1951	(0495)	18
8465-01-463-4648	(0294)	27
8465-01-463-4649	(0281)	32
8465-01-498-3190	(0927)	25
8465-01-498-3191	(0928)	25
8465-01-503-4476	(0536)	21
8465-01-503-4479	(0675)	33
8465-01-503-4482	(0677)	33
8465-01-503-4484	(0674)	33
8465-01-503-4488	(0678)	33

Class 8520

8520-01-411-0628	(0208)	38
8520-01-415-2929	(0206)	38

Class 8540

8540-00-530-3770	(0142)	38
8540-01-169-9010	(0240)	38

Class 8970

8970-00-149-1094	(1842)	36
------------------	--------	----

Class 9905

9905-00-196-1068	(2396)	44
9905-01-458-1192	(0279)	44
9905-01-458-2058	(0278)	44
9905-01-458-2059	(2401)	44
9905-01-458-2060	(2398)	44
9905-01-523-2324	(0267)	44
9905-01-523-2578	(0566)	44

(Download this form online at www.gsa.gov/forms.)

Detach Here

1. DOC. IDEN.	2. ROUTING IDEN.	3. ∞	DOCUMENT NUMBER	10 DEM	14-15F. SUPPLEMENTARY ADDRESS	16F. SIO	17. FUND	18F. DISTR. BUTION	19. PROJECT	20. PRI- DELIVERY ORITY DATE	21. REQ'D DELIVERY ORITY DATE	SIGNATURE (<i>If required</i>)
1-3	4-6	7	30-35	44	45-50	51	52-53	54-56	57-59	60-61	62-64	
												TELEPHONE NUMBER

[illegible]

Detach Here

1	CHECK IF FOR FIRE FIGHTING	2	DOCL MENT IDENTI- FIER	3	SHIPS DER R.I. TO 5 M & S	COLS. 8-29 SEE ITEM 33		COLS. 40-44 SEE ITEMS 36-37 BELOW		<table border="1"> <tr> <td colspan="2">6</td><td colspan="2">DOCUMENT NUMBER</td><td colspan="2">7</td><td colspan="2">SUPPLEMENTARY ADDRESS</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td><td>13</td><td>14</td><td colspan="2">16</td><td colspan="2">17</td><td colspan="2">18</td><td colspan="2">19</td></tr> <tr> <td colspan="2">a</td><td colspan="2">REVISIONER</td><td colspan="2">b</td><td colspan="2">DATE</td><td colspan="2">S I U F</td><td colspan="2">D I N D</td><td colspan="2">P R I</td><td colspan="2">R D D</td><td colspan="2">A O V</td><td colspan="2">P R E</td><td colspan="2">T</td><td colspan="2">T</td></tr> <tr> <td colspan="2">30</td><td colspan="2">35</td><td colspan="2">36</td><td colspan="2">39</td><td colspan="2">50</td><td colspan="2">51</td><td colspan="2">52</td><td colspan="2">53</td><td colspan="2">54</td><td colspan="2">56</td><td colspan="2">57</td><td colspan="2">68</td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr></table>										6		DOCUMENT NUMBER		7		SUPPLEMENTARY ADDRESS		8	9	10	11	12	13	14	16		17		18		19		a		REVISIONER		b		DATE		S I U F		D I N D		P R I		R D D		A O V		P R E		T		T		30		35		36		39		50		51		52		53		54		56		57		68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
6		DOCUMENT NUMBER		7		SUPPLEMENTARY ADDRESS		8	9	10	11	12	13	14	16		17		18		19																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
a		REVISIONER		b		DATE		S I U F		D I N D		P R I		R D D		A O V		P R E		T		T																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
30		35		36		39		50		51		52		53		54		56		57		68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

20. SHIP TO	21. SHIP VIA		22. PREPARED BY		23. BL NO.	
24. CONSIGNEE CODE	25. PP	26. MODE	27. EXPORT FACILITY	28. P.O.E.	29. P.O.D.	30. TON (Transportation Control Number)
NOTE: Entries in shaded blocks may be in either the upper (if fixed) or lower (if variable) portion of the form-(never in both)						

31. MARK FOR	32. REMARKS	Replenishment	Surface	Exclusive Use	Air	Ongoing Fire
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

[illegible]

GSA Global Supply[™] Billing Cycles

GSA Global Supply aims to maximize customer convenience by offering a variety of ordering methods and multiple payment methods. The table below provides summary information about when and how the billing takes place for each combination of ordering method and payment. For additional information or to discuss a specific bill, please call us at (800) 525-8027 and press "2" for customer service.



Order Method	Billing Cycles	
	Purchase Card	AAC
	<i>Bills are generated:</i>	
Call Center	Within 48 hours of order shipment and sent out daily.	On the first workday of the month, and again near the fifteenth of the month.
Fax	Same as above.	Same as above.
GSA Global Supply Online	Same as above.	Same as above.
Stores (CONUS or OCONUS)	Same as above.	Same as above.
FEDSTRIP/MILSTRIP	Not applicable.	Same as above.
GSAAvantage![®]	When the shipment confirmation record is received by Finance. These are normally billed daily <i>except</i> when the customer selects the Summary Billing Option. If this is the case, the billing is generated around the fifteenth and always on the first workday of the month.	Same as above.
Direct Delivery + Special Order	Same as above.	Same as above.

U.S. GENERAL SERVICES ADMINISTRATION

GSA CMLS
501 W FELIX ST STE 1101
WHS 9 SECTION F
FT WORTH TX 76115-3411

OFFICIAL BUSINESS

Penalty for Private Use \$300

PRSRT STD
POSTAGE AND FEES
PAID
GENERAL SERVICES
ADMINISTRATION
PERMIT G-30



Ordering Information

www.GSAglobalsupply.gsa.gov | Call Center (800) 525-8027



Emergency Fire orders should be submitted by telephone or fax
(Standard Form 344 or GSA Form 3222) to:

Monday through Friday 7:30 a.m. - 4:15 p.m. (CT)

GSA Customer Assistance Branch, Fort Worth, TX

Telephone: (800) 525-8027, option 3

Fax: (817) 574-2551/2552

All other times (after-hours, weekends, and holidays)
please see page 4 for information on how to submit your order.



Scan this code
with your
smartphone and
a QR reader app
to obtain a
pdf version of
this publication,
or to order a
paper copy.

www.gsa.gov
March 2011
5-11-00028

Order catalogs at gsa.gov/cmls

